

References

Time Periods and Continental Movements

Berggren, W. A., and Van Couvering, J. A., eds. (2014). *Catastrophes and Earth History: The New Uniformitarianism*. Princeton, N.J.: Princeton University Press.

Boulila, S., Haq, B. U., Hara, N., Müller, R. D., Galbrun, B., and Charbonnier, G. (2021).

Potential encoding of coupling between Milankovitch forcing and Earth's interior processes in the Phanerozoic eustatic sea-level record. *Earth-Science Reviews*, 220, 103727.

Caruthers, A. H., Smith, P. L., and Gröcke, D. R. (2013). The Pliensbachian–Toarcian (Early Jurassic) extinction, a global multi-phased event. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 386, 104–118.

Dal Corso, J., Bernardi, M., Sun, Y., et al. (2020). Extinction and dawn of the modern world in the Carnian (Late Triassic). *Science Advances*, 6(38), eaba0099.

Dalla Vecchia, F. M. (2009). *Telmatosaurus* and the other hadrosauroids of the Cretaceous European Archipelago. An update. *Natura Nascosta*, 39, 1–18.

Danisch, J., Nutz, A., Kabiri L., and Bodin, S. (2017). Timing of sea-level fluctuations and carbon cycle perturbation associated with the Sinemurian-Pliensbachian boundary event: New insight from the High Atlas Mountains of Morocco. *International Meeting of Sedimentology 2017*, 219.

Danise, S., and Holland, S. M. (2018). A sequence stratigraphic framework for the Middle to Late Jurassic of the Sundance Seaway, Wyoming: Implications for correlation, basin evolution, and climate change. *The Journal of Geology*, 126(4), 371–405.

- Dera, G., Toumoulin, A., and De Baets, K. (2016). Diversity and morphological evolution of Jurassic belemnites from South Germany. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 457, 80–97.
- Einarsson, E., and Kear, B. P. (2011). A mid-Campanian marine extinction event—Possible evidence from the Kristianstad Basin of southern Sweden. In *The 2nd Wiman Meeting. Carl Wiman's Legacy: 100 Years of Swedish Palaeontology*, 7–8.
- Ernst, R. E., Bond, D. P., Zhang, S. H., et al. (2021). Large igneous province record through time and implications for secular environmental changes and geological time-scale boundaries. In *Large Igneous Provinces: A Driver of Global Environmental and Biotic Changes*, 1–26.
- Ezcurra, M. D., and Agnolín, F. L. (2012a). An abelisauroid dinosaur from the Middle Jurassic of Laurasia and its implications on theropod palaeobiogeography and evolution. *Proceedings of the Geologists' Association*, 123(3), 500–507.
- Ezcurra, M. D., and Agnolín, F. L. (2012b). A new global palaeobiogeographical model for the Late Mesozoic and Early Tertiary. *Systematic Biology*, 61(4), 553–566.
- Falzone, F., Petrizzo, M. R., Clarke, L. J., MacLeod, K. G., and Jenkyns, H. C. (2016). Long-term Late Cretaceous oxygen- and carbon-isotope trends and planktonic foraminiferal turnover: A new record from the southern midlatitudes. *GSA Bulletin*, 128(11–12), 1725–1735.
- Gradstein, F. M., ed. (2012). *The Geologic Time Scale 2012*. Elsevier.
- Haq, B. U. (2014). Cretaceous eustasy revisited. *Global and Planetary Change*, 113, 44–58.
- Haq, B. U. (2018a). Jurassic sea-level variations: A reappraisal. *GSA Today*, 28(1), 4–10.
- Haq, B. U. (2018b). Triassic eustatic variations reexamined. *GSA Today*, 28(12), 4–9.

- Krause, D. W., Sertich, J. J., O'Connor, P. M., Curry Rogers, K., and Rogers, R. R. (2019). The Mesozoic biogeographic history of Gondwanan terrestrial vertebrates: Insights from Madagascar's fossil record. *Annual Review of Earth and Planetary Sciences*, 47(1), 519–553.
- Linnert, C., Robinson, S. A., Lees, J. A., et al. (2017). Did Late Cretaceous cooling trigger the Campanian–Maastrichtian boundary event? *Newsletters on Stratigraphy*.
- Longrich, N. R., Pereda-Suberbiola, X., Jalil, N. E., Khaldoune, F., and Jourani, E. (2017). An abelisaurid from the latest Cretaceous (late Maastrichtian) of Morocco, North Africa. *Cretaceous Research*, 76, 40–52.
- Lovecchio, J., Rohais, S., Ramos, V., Joseph, P., and Bolatti, N. (2019). Mesozoic breakup of southwest Gondwana and basin formation along the Argentinean Atlantic margin. In *2019 AAPG Annual Convention and Exhibition*.
- Molina-Pérez, R., Larramendi, A., Connolly, D., and Cruz, G. Á. R. (2019). *Dinosaur Facts and Figures: The Theropods and Other Dinosauriformes*. Princeton, N.J.: Princeton University Press.
- Novas, F. E., Agnolín, F. L., Ezcurra, M. D., Porfiri, J., and Canale, J. I. (2013). Evolution of the carnivorous dinosaurs during the Cretaceous: The evidence from Patagonia. *Cretaceous Research*, 45, 174–215.
- Puértolas-Pascual, E., Blanco, A., Brochu, C. A., and Canudo, J. I. (2016). Review of the Late Cretaceous–Early Paleogene crocodylomorphs of Europe: Extinction patterns across the K-PG boundary. *Cretaceous Research*, 57, 565–590.
- Rabi, M., and Sebők, N. (2015). A revised Eurogondwana model: Late Cretaceous notosuchian crocodyliforms and other vertebrate taxa suggest the retention of episodic faunal links

- between Europe and Gondwana during most of the Cretaceous. *Gondwana Research*, 28(3), 1197–1211.
- Racki, G., and Lucas, S. G. (2020). Timing of dicynodont extinction in light of an unusual Late Triassic Polish fauna and Cuvier's approach to extinction. *Historical Biology*, 32(4), 452–461.
- Ruban, D. A. (2022). The hypothetical Aalenian biotic crisis: Reconsidering the literary evidence and agenda for future research. *Historical Biology*, 34(12), 2287–2294.
- Schmieder, M., Jourdan, F., Tohver, E., and Cloutis, E. A. (2014). ⁴⁰Ar/³⁹Ar age of the Lake Saint Martin impact structure (Canada)—Unchaining the Late Triassic terrestrial impact craters. *Earth and Planetary Science Letters*, 406, 37–48.
- Seton, M., Gaina, C., Müller, R. D., and Heine, C. (2009). Mid-Cretaceous seafloor spreading pulse: Fact or fiction? *Geology*, 37(8), 687–690.
- Tennant, J. P., Mannion, P. D., Upchurch, P., Sutton, M. D., and Price, G. D. (2017). Biotic and environmental dynamics through the Late Jurassic–Early Cretaceous transition: Evidence for protracted faunal and ecological turnover. *Biological Reviews*, 92(2), 776–814.
- Tortosa, T., Buffetaut, E., Vialle, N., Dutour, Y., Turini, E., and Cheylan, G. (2014). A new abelisaurid dinosaur from the Late Cretaceous of southern France: Palaeobiogeographical implications. *Annales de Paléontologie*, 100(1), 63–86.
- Upchurch, P., Andres, B., Butler, R. J., and Barrett, P. M. (2015). An analysis of pterosaurian biogeography: Implications for the evolutionary history and fossil record quality of the first flying vertebrates. *Historical Biology*, 27(6), 697–717.
- Wen, J., Nie, Z. L., and Ickert-Bond, S. M. (2016). Intercontinental disjunctions between eastern Asia and western North America in vascular plants highlight the biogeographic

importance of the Bering land bridge from Late Cretaceous to Neogene. *Journal of Systematics and Evolution*, 54(5), 469–490.

Wilson, A. O. (2020). Chapter 3 Lithostratigraphy and depositional characteristics, age dating and sequence stratigraphy. *Geological Society, London, Memoirs*, 53(1), 37–94.

Xu, X., Upchurch, P., Mannion, P. D., et al. (2018). A new Middle Jurassic diplodocoid suggests an earlier dispersal and diversification of sauropod dinosaurs. *Nature Communications*, 9(1), 2700.

Theropoda

Alcober, O. A., and Martinez, R. N. (2010). A new herrerasaurid (Dinosauria, Saurischia) from the Upper Triassic Ischigualasto Formation of northwestern Argentina. *ZooKeys*, 63, 55.

Andrews, C. W. (1921). LVI.—On some remains of a theropodous dinosaur from the Lower Lias of Barrow-on-Soa. *Journal of Natural History*, 8(47), 570–576.

Arcucci, A. B., and Coria, R. A. (2003). A new Triassic carnivorous dinosaur from Argentina. *Ameghiniana*, 40(2), 217–228.

Baron, M. G., Norman, D. B., and Barrett, P. M. (2017). A new hypothesis of dinosaur relationships and early dinosaur evolution. *Nature*, 543(7646), 501–506.

Bradley, A. B., Burch, S. H., Turner, A. H., Smith, N. D., Irmis, R. B., and Nesbitt, S. J. (2019). Sternal elements of early dinosaurs fill a critical gap in the evolution of the sternum in Avemetatarsalia (Reptilia: Archosauria). *Journal of Vertebrate Paleontology*, 39(5), e1700992.

Cabreira, S. F., Kellner, A. W. A., Dias-da-Silva, S., et al. (2016). A unique Late Triassic dinosauriform assemblage reveals dinosaur ancestral anatomy and diet. *Current Biology*, 26(22), 3090–3095.

- Carpenter, K. (1997). A giant coelophysoid (Ceratosauria) theropod from the Upper Triassic of New Mexico, USA. *Neues Jahrbuch für Geologie und Paläontologie, Abhandlungen*, 205(2), 189–208.
- Carrano, M. T., and Sampson, S. D. (2004). A review of coelophysoids (Dinosauria: Theropoda) from the Early Jurassic of Europe, with comments on the late history of the Coelophysoidea. *Neues Jahrbuch für Geologie und Paläontologie, Monatshefte*, 537–558.
- Chatterjee, S. (1987). A new theropod dinosaur from India with remarks on the Gondwana-Laurasia connection in the Late Cretaceous. In *Gondwana Six: Stratigraphy, Sedimentology, and Paleontology. Geophysical Monograph 41*, edited by McKenzie, G. D., 183–189. Washington, D.C.: American Geophysical Union.
- Chatterjee, S., and Creisler, B. S. (1994). *Alwalkeria* (Theropoda) and *Morturneria* (Plesiosauria), new names for preoccupied *Walkeria* Chatterjee, 1987, and *Turneria* Chatterjee and Small, 1989. *Journal of Vertebrate Paleontology*, 14(1), 142.
- Clark, J. M., and Fastovsky, D. E. (1986). Vertebrate biostratigraphy of the Glen Canyon Group in northern Arizona. In *The Beginning of the Age of the Dinosaurs: Faunal Change across the Triassic–Jurassic Boundary*, edited by Fraser, N. C., and Sues, H.-D., 285–301. Cambridge University Press.
- Colbert, E. H. (1970). A Saurischian dinosaur from the Triassic of Brazil. *American Museum Novitates*, 2405, 1–39
- Cuny, G., and Galton, P. M. (1993). Revision of the Airel theropod dinosaur from the Triassic–Jurassic boundary (Normandy, France). *Neues Jahrbuch für Geologie und Paläontologie, Abhandlungen*, 187(3), 261–288.

- Currie, P. J., Lida, X., Xiaochun, W., and Zhiming, D. (2019). Anatomy and relationships of *Sinosaurus triassicus* (Theropoda, Coelophysoidea) from the Lufeng Formation (Lower Jurassic) of Yunnan, China. In *7th Annual Meeting Canadian Society of Vertebrate Palaeontology May 10–13, 2019, Grande Prairie, Alberta*, 17.
- Dong, Z. M. (2003). Contribution of new dinosaur materials from China to dinosaurology. *Memoir of the Fukui Prefectural Dinosaur Museum*, 2, 123–131.
- Ezcurra, M. D., and Cuny, G. (2007). The coelophysoid *Lophostropheus airelensis*, gen. nov.: A review of the systematics of “Liliensternus” *airelensis* from the Triassic–Jurassic boundary outcrops of Normandy (France). *Journal of Vertebrate Paleontology*, 27(1), 73–86.
- Ezcurra, M. D., Garcia, M. S., Novas, F. E., Müller, R. T., Agnolín, F. L. and Chatterjee, S. (2025). A new herrerasaurian dinosaur from the Upper Triassic Upper Maleri Formation of south-central India. *Royal Society Open Science*, 12, 250081.
<http://doi.org/10.1098/rsos.250081>.
- Ezcurra, M. D., Nesbitt, S. J., Bronzati, M., et al. (2020). Enigmatic dinosaur precursors bridge the gap to the origin of Pterosauria. *Nature*, 588(7838), 445–449.
- Ezcurra, M. D., and Novas, F. E. (2007). Phylogenetic relationships of the Triassic theropod *Zupaysaurus rougieri* from NW Argentina. *Historical Biology*, 19(1), 35–72.
- Garcia, M. S., Mueller, R. T., and Dias-Da-Silva, S. (2019). On the taxonomic status of *Teyuwasu barberenai* Kischlat, 1999 (Archosauria: Dinosauriformes), a challenging taxon from the Upper Triassic of southern Brazil. *Zootaxa*, 4629(1), 146–150.

- Gay, R. (2001). New specimens of *Dilophosaurus wetherilli* (Dinosauria: Theropoda) from the early Jurassic Kayenta Formation of northern Arizona. In *Western Association of Vertebrate Paleontologists Annual Meeting, Mesa, Arizona*. Vol. 1.
- Hammer, W. R., and Hickerson, W. J. (1994). A crested theropod dinosaur from Antarctica. *Science*, 264(5160), 828–830.
- Hendrickx, C., Hartman, S. A., and Mateus, O. (2015). An overview of non-avian theropod discoveries and classification. *PalArch's Journal of Vertebrate Palaeontology*, 12(1), 73.
- Hu, S. (1993). [A new Theropoda (*Dilophosaurus sinensis* sp. nov.) from Yunnan, China]. *Vertebrata Palasiatica*, 31(1), 65–69.
- Irmis, R. B., Nesbitt, S. J., Padian, K., et al. (2007). A Late Triassic dinosauroform assemblage from New Mexico and the rise of dinosaurs. *Science*, 317(5836), 358–361.
- Langer, M. C. (2004). Basal Saurischia. In *The Dinosauria*, 2nd ed., edited by Weishampel, D. B., Dodson, P., and Osmólska, H., 25–46. Berkeley: University of California Press.
- Langer, M. C., Rincón, A. D., Ramezani, J., Solórzano, A., and Rauhut, O. W. (2014). New dinosaur (Theropoda, stem-Averostra) from the earliest Jurassic of the La Quinta Formation, Venezuelan Andes. *Royal Society Open Science*, 1(2), 140184.
- Lehane, J. (2005). Anatomy and relationship of *Shuvosaurus*, a basal theropod from the Triassic of Texas. PhD diss., Texas Tech University.
- Long, R. A., and Murry, P. A. (1995). Late Triassic (Carnian and Norian) tetrapods from the southwestern United States. *New Mexico Museum of Natural History and Science Bulletin*, 4, 1–254.

- Marsh, A. D., and Parker, W. G. (2020). New dinosauiromorph specimens from Petrified Forest National Park and a global biostratigraphic review of Triassic dinosauiromorph body fossils. *PaleoBios*, 37.
- Marsh, A. D., Parker, W. G., Langer, M. C., and Nesbitt, S. J. (2019). Redescription of the holotype specimen of *Chindesaurus bryansmalli* Long and Murry, 1995 (Dinosauria, Theropoda), from Petrified Forest National Park, Arizona. *Journal of Vertebrate Paleontology*, 39(3), e1645682.
- Marsh, A. D., and Rowe, T. B. (2020). A comprehensive anatomical and phylogenetic evaluation of *Dilophosaurus wetherilli* (Dinosauria, Theropoda) with descriptions of new specimens from the Kayenta Formation of northern Arizona. *Journal of Paleontology*, 94(S78), 1–103.
- Martill, D. M., Vidovic, S. U., Howells, C., and Nudds, J. R. (2016). The oldest Jurassic dinosaur: A basal neotheropod from the Hettangian of Great Britain. *PLOS One*, 11(1), e0145713.
- Martinez, R. N., Sereno, P. C., Alcober, O. A., et al. (2011). A basal dinosaur from the dawn of the dinosaur era in southwestern Pangaea. *Science*, 331(6014), 206–210.
- Müller, R. T. (2021). A new theropod dinosaur from a peculiar Late Triassic assemblage of southern Brazil. *Journal of South American Earth Sciences*, 107, 103026.
- Nesbitt, S. J., and Ezcurra, M. D. (2015). The early fossil record of dinosaurs in North America: A new neotheropod from the base of the Upper Triassic Dockum Group of Texas. *Acta Palaeontologica Polonica*, 60(3), 513–526.

- Nesbitt, S. J., Smith, N. D., Irmis, R. B., Turner, A. H., Downs, A., and Norell, M. A. (2009). A complete skeleton of a Late Triassic saurischian and the early evolution of dinosaurs. *Science*, 326(5959), 1530–1533.
- Nesbitt, S. J., Stocker, M. R., Chatterjee, S., Horner, J. R., and Goodwin, M. B. (2021). A remarkable group of thick-headed Triassic Period archosauromorphs with a wide, possibly Pangean distribution. *Journal of Anatomy*, 239(1), 184–206.
- Nesbitt, S. J., and Sues, H. D. (2021). The osteology of the early-diverging dinosaur *Daemonosaurus chauliodus* (Archosauria: Dinosauria) from the Coelophysis Quarry (Triassic: Rhaetian) of New Mexico and its relationships to other early dinosaurs. *Zoological Journal of the Linnean Society*, 191(1), 150–179.
- Novas, F. E. (1986). Un probable terópodo (Saurischia) de la Formación Ischigualasto (Triásico superior), San Juan, Argentina. In *IV Congreso Argentino de Paleontología y Bioestratigrafía, Mendoza, November 23–27*, 2, 1–6.
- Novas, F. E. (1993). New information on the systematics and postcranial skeleton of *Herrerasaurus ischigualastensis* (Theropoda: Herrerasauridae) from the Ischigualasto Formation (Upper Triassic) of Argentina. *Journal of Vertebrate Paleontology*, 13(4), 400–423.
- Pacheco, C., Müller, R. T., Langer, M., Pretto, F. A., Kerber, L., and da Silva, S. D. (2019). *Gnathovorax cabreirai*: A new early dinosaur and the origin and initial radiation of predatory dinosaurs. *PeerJ*, 7, e7963.
- Parker, W. G., and Irmis, R. B. (2005). Advances in Late Triassic vertebrate paleontology based on new material from Petrified Forest National Park, Arizona. *New Mexico Museum of Natural History and Science Bulletin*, 29, 45–58.

- Paul, G. S. (1988). *Predatory Dinosaurs of the World*. Simon and Schuster.
- Rauhut, O. W. M. (2003). The interrelationships and evolution of basal theropod dinosaurs. *Special Papers in Palaeontology*, 69, 1–213.
- Reig, O. A. (1963). La presencia de dinosaurios saurisquios en los “Estratos de Ischigualasto” (Mesotriásico Superior) de las provincias de San Juan y La Rioja (República Argentina). *Ameghiniana*, 3(1), 3–20.
- Remes, K., and Rauhut, O. W. M. (2005). The oldest Indian dinosaur *Alwalkeria maleriensis* Chatterjee revised: A chimera including remains of a basal saurischian. In *Boletim de Resumos do II Congresso Latino-americano de Paleontologia de Vertebrados*, 218.
- Seeley, H. G. (1888). On the classification of the fossil animals commonly named Dinosauria. *Proceedings of the Royal Society of London*, 43(258–265), 165–171.
- Sereno, P. C., Martínez, R. N., and Alcober, O. A. (2012). Osteology of *Eoraptor lunensis* (Dinosauria, sauropodomorpha). *Journal of Vertebrate Paleontology*, 32 (suppl. 1), 83–179.
- Sereno, P. C., and Novas, F. E. (1992). The complete skull and skeleton of an early dinosaur. *Science*, 258(5085), 1137–1140.
- Sereno, P. C., and Novas, F. E. (1993). The skull and neck of the basal theropod *Herrerasaurus ischigualastensis*. *Journal of Vertebrate Paleontology*, 13(4), 451–476.
- Smith, N. D., Makovicky, P. J., Hammer, W. R., and Currie, P. J. (2007). Osteology of *Cryolophosaurus ellioti* (Dinosauria: Theropoda) from the Early Jurassic of Antarctica and implications for early theropod evolution. *Zoological Journal of the Linnean Society*, 151(2), 377–421.

Spiekman, S. N., Ezcurra, M. D., Butler, R. J., Fraser, N. C., and Maidment, S. C. (2021).

Pendraig milnerae, a new small-sized coelophysoid theropod from the Late Triassic of Wales. *Royal Society Open Science*, 8(10), 210915.

Sues, H. D., Nesbitt, S. J., Berman, D. S., and Henrici, A. C. (2011). A late-surviving basal theropod dinosaur from the latest Triassic of North America. *Proceedings of the Royal Society B: Biological Sciences*, 278(1723), 3459–3464.

Therrien, F., Henderson, D. M., and Ruff, C. B. (2005). Bite me: Biomechanical models of theropod mandibles and implications for feeding behavior. In *The Carnivorous Dinosaurs*, edited by Carpenter, K., 179–237. Bloomington: Indiana University Press.

Tykoski, R. S. (2005). Anatomy, ontogeny, and phylogeny of coelophysoid theropods. Thesis, University of Texas. 1–232.

von Huene, F. R. F. (1908). Die Dinosaurier der europäischen Triasformation mit Berücksichtigung der ausseuropäischen Vorkommnisse [The dinosaurs of the European Triassic formations with consideration of occurrences outside Europe]. *Geologische und Palaeontologische Abhandlungen*, suppl., 1(1), 1–419.

von Huene, F. R. F. (1932). Die fossile Reptil-Ordnung Saurischia, ihre Entwicklung und Geschichte. *Monographien zur Geologie und Paläontologie*, ser. 1, 4, 1–361.

Welles, S. P. (1970). *Dilophosaurus* (Reptilia: Saurischia), a new name for a dinosaur. *Journal of Paleontology*, 44(5), 989.

Welles, S. P. (1984). *Dilophosaurus wetherilli* (Dinosauria, Theropoda): Osteology and comparisons. *Palaeontographica Abteilung A*, 185, 85–180.

- Whiteside, J. H., Lindström, S., Irmis, R. B., et al. 2015. Extreme ecosystem instability suppressed tropical dinosaur dominance for 30 million years. *Proceedings of the National Academy of Sciences*, 112, 7909–7913.
- Xing, L. D. (2012). *Sinosaurus* from southwestern China. Master's thesis, Department of Biological Sciences, University of Alberta, 1–286.
- Yates, A. M. (2005). A new theropod dinosaur from the Early Jurassic of South Africa and its implications for the early evolution of theropods. *Palaeontologia Africana*, 41, 105–122.
- Young, C. C. (1940). Preliminary notes on the Lufeng vertebrate fossils. *Bulletin of the Geological Society of China*, 20(3-4), 235–240.
- Zahner, M., and Brinkmann, W. (2019). A Triassic averostran-line theropod from Switzerland and the early evolution of dinosaurs. *Nature Ecology and Evolution*, 3(8), 1146–1152.

Coelophysoidea

- Camp, C. L. (1936). *A New Type of Small Bipedal Dinosaur from the Navajo Sandstone of Arizona*, 39–56. University of California Press.
- Carpenter, K. (1997). A giant coelophysoid (Ceratosauria) theropod from the Upper Triassic of New Mexico, USA. *Neues Jahrbuch für Geologie und Paläontologie, Abhandlungen*, 189–208.
- Carrano, M. T., Hutchinson, J. R., and Sampson, S. D. (2005). New information on *Segisaurus halli*, a small theropod dinosaur from the Early Jurassic of Arizona. *Journal of Vertebrate Paleontology*, 25(4), 835–849.
- Chatterjee, S. (1993). *Procompsognathus* from the Triassic of Germany is not a crocodylomorph. *Journal of Vertebrate Paleontology*, 13 (suppl. 3), 29A.

- Chatterjee, S. (1998). Reassessment of the *Procompsognathus* skull. In *Dinofest International*, edited by Wolberg, D. L., Gittis, K., Miller, S., Carey, L., and Raynor, A., 6. Philadelphia: The Academy of Natural Sciences.
- Colbert, E. (1964). The Triassic dinosaur genera *Podokesaurus* and *Coelophysis*. *American Museum Novitates*, 2168, 1–12.
- Colbert, E. (1989). The Triassic dinosaur *Coelophysis*. *Museum of Northern Arizona Bulletin*, 57, 160.
- Colbert, E., and Baird, D. (1958). Coelurosaur bone casts from the Connecticut Valley Triassic. *American Museum Novitates*, 1901, 1–11.
- Cope, E. D. (1889). On a new genus of Triassic dinosauria. *The American Naturalist*, 23(271), 621–633.
- Downs, A. (2000). *Coelophysis bauri* and *Syntarsus rhodesiensis* compared, with comments on the preparation and preservation of fossils from the Ghost Ranch Coelophysis Quarry. In *Dinosaurs of New Mexico*, edited by Lucas, S. G., and Heckert, A. B. *Bulletin of the New Mexico Museum of Natural History and Science*, 17.
- Ezcurra, M. D. (2017). A new early coelophysoid neotheropod from the Late Triassic of northwestern Argentina. *Ameghiniana*, 54(5), 506–538.
- Ezcurra, M. D., and Brusatte, S. L. (2011). Taxonomic and phylogenetic reassessment of the early neotheropod dinosaur *Camposaurus arizonensis* from the Late Triassic of North America. *Palaeontology*, 54(4), 763–772.
- Ezcurra, M. D., Butler, R. J., Maidment, S. C., Sansom, I. J., Meade, L. E., and Radley, J. D. (2021). A revision of the early neotheropod genus *Sarcosaurus* from the Early Jurassic

- (Hettangian–Sinemurian) of central England. *Zoological Journal of the Linnean Society*, 191(1), 113–149.
- Ezcurra, M. D., Nesbitt, S. J., Bronzati, M., et al. (2020). Enigmatic dinosaur precursors bridge the gap to the origin of Pterosauria. *Nature*, 588(7838), 445–449.
- Fraas, E. (1913). Die neuesten Dinosaurierfunde in der schwäbischen Trias. *Naturwissenschaften*, 1(45), 1097–1100.
- Gay, R. J. (2001). An unusual adaptation in the caudal vertebrae of *Coelophysis bauri* (Dinosauria: Theropoda). *PaleoBios*, 21(2), 55.
- Griffin, C. T., and Nesbitt, S. J. (2016). Anomalously high variation in postnatal development is ancestral for dinosaurs but lost in birds. *Proceedings of the National Academy of Sciences*, 113(51), 14757–14762.
- Heckert, A. B. (2002). A revision of the Upper Triassic ornithischian dinosaur *Revueltosaurus*, with a description of a new species. *New Mexico Museum of Natural History and Science Bulletin*, 21, 253–268.
- Hunt, A. P., Lucas, S. G., Heckert, A. B., Sullivan, R. M., and Lockley, M. G. (1998). Late Triassic dinosaurs from the western United States. *Geobios*, 31(4), 511–531.
- Ivie, M. A., Slipinski, S. A., and Wegrzynowicz, P. (2001). Generic homonyms in the Colydiinae (Coleoptera: Zopheridae). *Insecta Mundi*, 184.
- Knoll, F., and Rohrberg, K. (2012). CT scanning, rapid prototyping and re-examination of a partial skull of a basal crocodylomorph from the Late Triassic of Germany. *Swiss Journal of Geosciences*, 105, 109–115.
- Knoll, F., and Schoch, R. (2006). Does *Procompsognathus* have a head? Systematics of an enigmatic Triassic taxon. *Journal of Vertebrate Paleontology*, 26(3), 86A–86A.

- Martill, D. M., Vidovic, S. U., Howells, C., and Nudds, J. R. (2016). The oldest Jurassic dinosaur: A basal neotheropod from the Hettangian of Great Britain. *PLOS One*, 11(1), e0145713.
- Martínez, R. N., and Apaldetti, C. (2017). A Late Norian–Rhaetian coelophysid neotheropod (Dinosauria, Saurischia) from the Quebrada Del Barro Formation, northwestern Argentina. *Ameghiniana*, 54(5), 488–505.
- Nesbitt, S. J., Irmis, R. B., and Parker, W. G. (2007). A critical re-evaluation of the Late Triassic dinosaur taxa of North America. *Journal of Systematic Palaeontology*, 5(2), 209–243.
- Raath, M. A. (1969). *A New Coelurosaurian Dinosaur from the Forest Sandstone of Rhodesia*. National Museums of Rhodesia.
- Raath, M. A. (1977). The anatomy of the Triassic theropod *Syntarsus rhodesiensis* (Saurischia: Podokesauridae) and a consideration of its biology.
- Rauhut, O. W. M. (2003). The interrelationships and evolution of basal theropod dinosaurs. *Special Papers in Palaeontology*, 69, 1–213.
- Rauhut, O. W. M., and Hungerbühler, A. (2000). A review of European Triassic theropods. *GAIA*, 15, 75–88.
- Rinehart, L. F., Lucas, S. G., Heckert, A. B., Spielmann, J. A., and Celleskey, M. D. (2009). The paleobiology of *Coelophysis bauri* (Cope) from the Upper Triassic (Apachean) Whitaker quarry, New Mexico, with detailed analysis of a single quarry block. *New Mexico Museum of Natural History and Science Bulletin*, 45.
- Rowe, T. (1989). A new species of the theropod dinosaur *Syntarsus* from the Early Jurassic Kayenta Formation of Arizona. *Journal of Vertebrate Paleontology*, 9(2), 125–136.

- Sereno, P. C., and Wild, R. (1992). *Procompsognathus*: Theropod, “thecodont” or both? *Journal of Vertebrate Paleontology*, 12(4), 435–458.
- Spiekman, S. N., Ezcurra, M. D., Butler, R. J., Fraser, N. C., and Maidment, S. C. (2021). *Pendraig milnerae*, a new small-sized coelophysoid theropod from the Late Triassic of Wales. *Royal Society Open Science*, 8(10), 210915.
- Talbot, M. (1911). *Podokesaurus holyokensis*, a new dinosaur from the Triassic of the Connecticut Valley. *American Journal of Science*, 31(186), 469–479.
- Tykoski, R. S. (2005). *Anatomy, Ontogeny, and Phylogeny of Coelophysoid Theropods*. The University of Texas at Austin.
- Tykoski, R. S., and Rowe, T. (2004). Ceratosauria. In *The Dinosauria*, edited by Weishampel, D. B., Dodson, P., and Osmólska, H., 47–70. Berkeley: University of California Press.
- von Huene, F. R. F. (1908). *Die Dinosaurier der europäischen Triasformation mit Berücksichtigung der aussereuropäischen Vorkommnisse*. Vol. 1. G. Fischer.
- You, H. L., Azuma, Y., Wang, T., Wang, Y. M., and Dong, Z. M. (2014). The first well-preserved coelophysoid theropod dinosaur from Asia. *Zootaxa*, 3873(3), 233–249.

Ceratosauria

- Agnolín, F., Apesteguia, S., and Chiarelli, P. (2004). The end of a myth: The mysterious ungual claw of *Noasaurus leali*. *Journal of Vertebrate Paleontology*, 24(3), 33A-33A.
- Agnolín, F. L., and Chiarelli, P. (2010). The position of the claws in Noosauridae (Dinosauria: Abelisauroida) and its implications for abelisauroid manus evolution. *Paläontologische Zeitschrift*, 84, 293–300.
- Agnolín, F. L., and Martinelli, A. G. (2007). Did oviraptorosaurs (Dinosauria; Theropoda) inhabit Argentina? *Cretaceous Research*, 28(5), 785–790.

- Allain, R., Tykoski, R., Aquesbi, N., et al. (2007). An abelisauroid (Dinosauria: Theropoda) from the Early Jurassic of the High Atlas Mountains, Morocco, and the radiation of ceratosaurs. *Journal of Vertebrate Paleontology*, 27(3), 610–624.
- Apesteguía, S., Smith, N. D., Valieri, R. J., and Makovicky, P. J. (2016). An unusual new theropod with a didactyl manus from the Upper Cretaceous of Patagonia, Argentina. *PLOS One*, 11(7), e0157793.
- Averianov, A. O., Skutschas, P. P., Atuchin, A. A., Slobodin, D. A., Feofanova, O. A., and Vladimirova, O. N. (2024). The last ceratosaur of Asia: A new noasaurid from the Early Cretaceous Great Siberian Refugium. *Proceedings of the Royal Society B: Biological Sciences*, 291(2023), 20240537.
- Baiano, M. A., Coria, R. A., and Cau, A. (2020). A new abelisauroid (Dinosauria: Theropoda) from the Huincul Formation (lower Upper Cretaceous, Neuquén Basin) of Patagonia, Argentina. *Cretaceous Research*, 110, 104408.
- Bakker, R. T., and Bir, G. (2004). Dinosaur crime scene investigations: Theropod behavior at Como Bluff, Wyoming, and the evolution of birdness. *Feathered Dragons: Studies on the Transition from Dinosaurs to Birds*, edited by Currie, P. J., Koppelhus, E. B., Shugar, M. A., and Wright, J. L., 301–342. Bloomington: Indiana University Press.
- Baron, M. G. (2024). A new name for old bones: A reassessment of Early Jurassic theropod remains from Dorset, England. *Palaeontologia Electronica*, 27(1), 1–12.
- Bonaparte, J. F. (1991). *Los vertebrados fósiles de la Formación Río Colorado, de la ciudad de Neuquén y cercanías, Cretácico superior, Argentina*. Museo Argentino de Ciencias Naturales “Bernardino Rivadavia” e Instituto Nacional de Investigación de las Ciencias Naturales.

- Bonaparte, J. F. (1996). Cretaceous tetrapods of Argentina. *Münchner Geowissenschaftliche Abhandlungen*, 30(7), 73–130.
- Bonaparte, J. F., and Powell, J. E. (1980). A continental assemblage of tetrapods from the Upper Cretaceous beds of El Brete, northwestern Argentina (Sauropoda-Coelurosauria-Carnosauria-Aves). *Mémoires de la Société Géologique de France*, 139 (Nouvelle Série), 19–28.
- Brissón Egli, F., Agnolín, F. L., and Novas, F. (2016). A new specimen of *Velocisaurus unicus* (Theropoda, Abelisauroidae) from the paso Córdoba locality (Santonian), Río Negro, Argentina. *Journal of Vertebrate Paleontology*, 36(4), e1119156.
- Britt, B. B., Miles, C. A., Cloward, K. C., and Madsen, J. H. (1999). A juvenile *Ceratosaurus* (Theropoda, Dinosauria) from Bone Cabin Quarry West (Upper Jurassic, Morrison Formation), Wyoming. *Journal of Vertebrate Paleontology*, 19 (supplement to no. 3), 33A.
- Carpenter, K., Russell, D., Baird, D., and Denton, R. (1997). Redescription of the holotype of *Dryptosaurus aquilunguis* (Dinosauria: Theropoda) from the Upper Cretaceous of New Jersey. *Journal of Vertebrate Paleontology*, 17(3), 561–573.
- Carrano, M. T., Loewen, M. A., and Sertic, J. J. W. (2011). New materials of *Masiakasaurus knopfleri* Sampson, Carrano, and Forster, 2001, and implications for the morphology of the Noasauridae (Theropoda: Ceratosauria). *Smithsonian Contributions to Paleobiology*, 95. 53 pp.
- Carrano, M. T., and Sampson, S. D. (2008). The phylogeny of ceratosauria (Dinosauria: Theropoda). *Journal of Systematic Palaeontology*, 6(2), 183–236.

- Carrano, M. T., Sampson, S. D., and Forster, C. A. (2002). The osteology of *Masiakasaurus knopfleri*, a small abelisauroid (Dinosauria: Theropoda) from the Late Cretaceous of Madagascar. *Journal of Vertebrate Paleontology*, 22(3), 510–534.
- Cau, A. (2010). _Austrocheirus_ Ezcurra et al., 2010: una mano inattesa (ed una coda intrigante). *Theropoda* (blog), May 12, 2010. <https://theropoda.blogspot.com/2010/05/austrocheirus-ezcurra-et-al-2010-una.html>.
- Cerroni, M. A., Agnolín, F. L., Egli, F. B., and Novas, F. E. (2019). The phylogenetic position of *Afromimus tenerensis* Sereno, 2017 and its paleobiogeographical implications. *Journal of African Earth Sciences*, 159, 103572.
- Dalman, S. (2014). New data on small theropod dinosaurs from the Upper Jurassic Morrison Formation of Como Bluff, Wyoming, USA. *Volumina Jurassica*, 12(2).
- Dal Sasso, C., Maganuco, S., and Cau, A. (2018). The oldest ceratosaurian (Dinosauria: Theropoda), from the Lower Jurassic of Italy, sheds light on the evolution of the three-fingered hand of birds. *PeerJ*, 6, e5976.
- de Souza, G. A., Soares, M. B., Weinschütz, L. C., et al. (2021). The first edentulous ceratosaur from South America. *Scientific Reports*, 11(1), 22281.
- Eberth, D. A., Xing, X., and Clark, J. A. (2010). Dinosaur death pits from the Jurassic of China. *PALAIOS*, 25(2), 112–125.
- Ezcurra, M. D., Agnolín, F. L., and Novas, F. E. (2010). An abelisauroid dinosaur with a non-atrophied manus from the Late Cretaceous Pari Aike Formation of southern Patagonia. *Zootaxa*, 2450(1), 1–25.
- Frankfurt, N. G., and Chiappe, L. M. 1999. A possible oviraptorosaur from the Late Cretaceous of northwestern Argentina. *Journal of Vertebrate Paleontology*, 19(1), 101–105.

- Filippi, L. S., Méndez, A. H., Valieri, R. D. J., and Garrido, A. C. (2016). A new brachyrostran with hypertrophied axial structures reveals an unexpected radiation of latest Cretaceous abelisaurids. *Cretaceous Research*, 61, 209–219.
- Henderson, D. M. (1998). Skull and tooth morphology as indicators of niche partitioning in sympatric Morrison Formation theropods. *GAI*A, 15, 219–226.
- Holtz Jr., T. R. (2007). *Dinosaurs: The Most Complete, Up-to-Date Encyclopedia for Dinosaur Lovers of All Ages*. Random House Books for Young Readers.
- Ibrahim, N., Sereno, P. C., Varricchio, D. J., et al. (2020). Geology and paleontology of the Upper Cretaceous Kem Kem group of eastern Morocco. *ZooKeys*, 928, 1.
- Janensch, W. (1920). Über *Elaphrosaurus bambergi* und die Megalosaurier aus den Tendaguru-Schichten Deutsch-Ostafrikas. *Sitzungsberichte der Gesellschaft Naturforschender Freunde zu Berlin*, 8, 226–235.
- Kane, M. (2020). Identifying Jurassic theropod genera using GIS maps of tooth serrations. *The Society of Vertebrate Paleontology 80th Annual Meeting, October 12–16, 2020: Meeting Program and Abstracts*, 197.
- Langer, M. C., Martins, N. D. O., Manzig, P. C., et al. (2019). A new desert-dwelling dinosaur (Theropoda, Noasaurinae) from the Cretaceous of south Brazil. *Scientific Reports*, 9(1), 9379.
- Le Loeuff, J. (1992). Les vertébrés continentaux du Crétacé supérieur d'Europe: paléoécologie, biostratigraphie et paléogéographie. Doctoral dissertation, Pierre and Marie Curie University, Paris.
- Le Loeuff, J., and Buffetaut, E. (1991). *Tarascosaurus salluvicus* nov. gen., nov. sp., dinosaure théropode du Crétacé Supérieur du sud de la France. *Geobios*, 24(5), 585–594.

- Long, J. A., and Molnar, R. E. (1998). A new Jurassic theropod dinosaur from Western Australia. *Records-Western Australian Museum*, 19, 121–129.
- Madsen, J. H., and Welles, S. P. (2000). *Ceratosaurus (Dinosauria, Theropoda): A Revised Osteology*. Utah Geological Survey.
- Marsh, O. C. (1884). On the united metatarsal bones of *Ceratosaurus*. *American Journal of Science*, 3(164), 161–162.
- Mortimer, M. (2014). No giant Egyptian *Deltadromeus*. *The Theropod Database Blog*, September 17, 2014.
- Novas, F., Agnolín, F., Rozadilla, S., et al. (2019). Paleontological discoveries in the Chorrillo Formation (Upper Campanian–Lower Maastrichtian, Upper Cretaceous), Santa Cruz Province, Patagonia, Argentina. *Revista del Museo Argentino de Ciencias Naturales*, 21(2), 217–293.
- Pickering, S. (1995). *Jurassic Park: Unauthorized Jewish Fractals in Philopatry. A Fractal Scaling in Dinosaurology Project*, 2nd rev. printing. Capitola, Calif. 478 pp.
- Rauhut, O. W. (2003). The interrelationships and evolution of basal theropod dinosaurs. Special Papers in Palaeontology no. 69. *Geological Magazine*, 140(6), 729–729.
- Rauhut, O. W. (2004). Provenance and anatomy of *Genyodectes serus*, a large-toothed ceratosaur (Dinosauria: Theropoda) from Patagonia. *Journal of Vertebrate Paleontology*, 24(4), 894–902.
- Rauhut, O. W. (2005). Post-cranial remains of ‘coelurosaurs’ (Dinosauria, Theropoda) from the Late Jurassic of Tanzania. *Geological Magazine*, 142(1), 97–107.

- Rauhut, O. W., and Carrano, M. T. (2016). The theropod dinosaur *Elaphrosaurus bambergi*, from the Late Jurassic of Tendaguru, Tanzania. *Zoological Journal of the Linnean Society*, 178(3), 546–610.
- Rauhut, O. W. M. (2012). A reappraisal of a putative record of abelisauroid theropod dinosaur from the Middle Jurassic of England. *Proceedings of the Geologists' Association*, 123(5), 779–786.
- Rowe, T., and Gauthier, J. (1990). Ceratosauria. In *The Dinosauria*, edited by Weishampel, D. B., Dodson, P., and Osmólska, H., 151–168. Berkeley: University of California Press.
- Samathi, A., Sander, P. M., and Chanthasit, P. (2021). A spinosaurid from Thailand (Sao Khua Formation, Early Cretaceous) and a reassessment of *Camarillasaurus cirugedae* from the Early Cretaceous of Spain. *Historical Biology*, 33(12), 3480–3494.
- Sampson, S. D., Carrano, M. T., and Forster, C. A. (2001). A bizarre predatory dinosaur from the Late Cretaceous of Madagascar. *Nature*, 409(6819), 504–506.
- Seeley, H. G. (1883). On the dinosaurs from the Maastricht beds. *Quarterly Journal of the Geological Society*, 39(1–4), 246–253.
- Sereno, P. C. (2017). Early Cretaceous ornithomimosaurs (Dinosauria: Coelurosauria) from Africa. *Ameghiniana*, 54(5), 576–616.
- Sereno, P. C., Dutheil, D. B., Iarochene, M., et al. (1996). Predatory dinosaurs from the Sahara and Late Cretaceous faunal differentiation. *Science*, 272(5264), 986–991.
- Sereno, P. C., Wilson, J. A., and Conrad, J. L. (2004). New dinosaurs link southern landmasses in the mid-Cretaceous. *Proceedings of the Royal Society B: Biological Sciences*, 271(1546), 1325–1330.

- Singer, T. (2015). JuraPark na tropie nowych dinozaurów z Maroka. JuraPark, October 30, 2015.
<https://web.archive.org/web/20160118204235/http://jurapark.pl/jurapark-na-tropie-nowych-dinozaurow-z-maroka/>.
- Tortosa, T., Buffetaut, E., Vialle, N., Dutour, Y., Turini, E., and Cheylan, G. (2014). A new abelisaurid dinosaur from the Late Cretaceous of southern France: Palaeobiogeographical implications. *Annales de Paléontologie*, 100(1), 63–86.
- Turner, C. E., and Peterson, F. (1999). Biostratigraphy of dinosaurs in the Upper Jurassic Morrison Formation of the western interior, U.S.A. In *Vertebrate Paleontology in Utah*, edited by Gillette, D. D., 77–114. Utah Geological Survey Misc. Publication 99-1.
- Tykoski, R. S., and Rowe, T. (2004). Ceratosauria. In *The Dinosauria*, edited by Weishampel, D. B., Dodson, P., and Osmólska, H., 47–70. Berkeley: University of California Press.
- Vargas, A., Wagner, G., and Gauthier, J. (2009). *Limusaurus* and bird digit identity. *Nature Precedings*, 1–1.
- von Huene, F. (1932). *Die fossile Reptilordnung Saurischia: ihre Entwicklung und Geschichte*. Vol. 2. Gebrüder Borntraeger.
- Wang, S., Stiegler, J., Amiot, R., et al. (2017). Extreme ontogenetic changes in a ceratosaurian theropod. *Current Biology*, 27(1), 144–148.
- Woodward, A. S. (1901). On some extinct reptiles from Patagonia, of the genera *Meiolania*, *Dinilysia*, and *Genyodectes*. *Proceedings of the Zoological Society of London* 1901, 169–184.
- Xu, X., Clark, J. M., Mo, J., et al. (2009). A Jurassic ceratosaur from China helps clarify avian digital homologies. *Nature*, 459(7249), 940–944.

Zaher, H., Pol, D., Navarro, B. A., Delcourt, R., and Carvalho, A. B. (2020). An Early Cretaceous theropod dinosaur from Brazil sheds light on the cranial evolution of the Abelisauridae.

Abelisauridae and Brachyrostra

Accarie, H., Beaudoin, B., Dejax, J., Fries, G., Michard, J. G., and Taquet, P. (1995). Découverte d'un Dinosaur Thérope nouveau (*Genusaurus sisteronisng*, n. sp.) dans l'Albien marin de Sisteron (Alpes de Haute-Provence, France) et extension au Crétacé inférieur de la lignée cératosaurienne. *Comptes rendus de l'Académie des sciences. Série 2. Sciences de la terre et des planètes*, 320(4), 327–334.

Agnolín, F. L., Cerroni, M. A., Scanferla, A., et al. (2021). First definitive abelisaurid theropod from the Late Cretaceous of northwestern Argentina. *Journal of Vertebrate Paleontology*, 41(4), e2002348.

Allain, R., and Pereda-Suberbiola, X. P. (2003). Dinosaurs of France. *Comptes Rendus Palevol*, 2(1), 27–44.

Aranciaga-Rolando, M. A., Cerroni, M. A., Marsà, J. A. G., et al. (2021). A new medium-sized abelisaurid (Theropoda, Dinosauria) from the Late Cretaceous (Maastrichtian) Allen Formation of northern Patagonia, Argentina. *Journal of South American Earth Sciences*, 105, 102915.

Baiano, M. A., Pol, D., Bellardini, F., et al. (2022). *Elemgasem nubilus*: A new brachyrostran abelisaurid (Theropoda, Ceratosauria) from the Portezuelo Formation (Upper Cretaceous) of Patagonia, Argentina. *Papers in Palaeontology*, 8(5), e1462.

- Bhatt, D. K. (2003). *Rajasaurus narmadensis*—A new Indian dinosaur. *Current Science*, 85(12), 1661. https://web.archive.org/web/20200806171329/http://www-personal.umich.edu/~wilsonja/JAW/Field_files/current_science.pdf.
- Bonaparte, J. F. (1985). A horned Cretaceous carnosaur from Patagonia. *National Geographic Research*, 1(1), 149–151.
- Bonaparte, J. F., and Novas, F. E. (1985). *Abelisaurus comahuensis*, n. g., n. sp., Carnosauria from the Late Cretaceous of Patagonia. *Ameghiniana*, 21(2–4), 259–265.
- Buffetaut, E., Tong, H., Girard, J., Hoyez, B., Párraga, J. (2024). *Caletodraco cottardi*: A new furileosaurian abelisaurid (Dinosauria: Theropoda) from the Cenomanian Chalk of Normandy (North-Western France). *Fossil Studies*, 2(3), 177–195. <https://doi.org/10.3390/fossils2030009>.
- Burch, S., and Carrano, M. (2008). Abelisaurid forelimb evolution: New evidence from *Majungasaurus crenatissimus* (Abelisauridae: Theropoda) from the late Cretaceous of Madagascar. *Journal of Vertebrate Paleontology*, 28, 58A.
- Burch, S. H., and Carrano, M. T. (2012). An articulated pectoral girdle and forelimb of the abelisaurid theropod *Majungasaurus crenatissimus* from the Late Cretaceous of Madagascar. *Journal of Vertebrate Paleontology*, 32(1), 1–16.
- Calvo, J. O., Rubilar-Rogers, D., and Moreno, K. (2004). A new abelisauridae (Dinosauria: Theropoda) from northwest Patagonia. *Ameghiniana*, 41(4), 555–563.
- Canale, J. I., and Novas, F. E. (2015). New information about the anatomy and phylogenetic relationships of *Skorpiovenator bustingorryi* (theropoda, ceratosauria) from the Upper Cretaceous of Neuquén Province, Patagonia, Argentina. In *Society of Vertebrate*

Paleontology 75th Annual Meeting, October 14–17, 2015: Meeting Program and Abstracts.

- Canale, J. I., Scanferla, C. A., Agnolín, F. L., and Novas, F. E. (2009). New carnivorous dinosaur from the Late Cretaceous of NW Patagonia and the evolution of abelisaurid theropods. *Naturwissenschaften*, 96, 409–414.
- Carrano, M. T., Benson, R. B., and Sampson, S. D. (2012). The phylogeny of tetanurae (Dinosauria: Theropoda). *Journal of Systematic Palaeontology*, 10(2), 211–300.
- Carrano, M. T., and Sampson, S. D. (2008). The phylogeny of ceratosauria (Dinosauria: Theropoda). *Journal of Systematic Palaeontology*, 6(2), 183–236.
- Cerroni, M. A., Agnolín, F. L., Egli, F. B., and Novas, F. E. (2019). The phylogenetic position of *Afromimus tenerensis* Sereno, 2017 and its paleobiogeographical implications. *Journal of African Earth Sciences*, 159, 103572.
- Cerroni, M. A., Canale, J. I., and Novas, F. E. (2021). The skull of *Carnotaurus sastrei* Bonaparte 1985 revisited: Insights from craniofacial bones, palate and lower jaw. *Historical Biology*, 33(10), 2444–2485.
- Cerroni, M. A., Motta, M. J., Agnolín, F. L., Rolando, A. A., Egli, F. B., and Novas, F. E. (2020). A new abelisaurid from the Huincul Formation (Cenomanian-Turonian; Upper Cretaceous) of Río Negro province, Argentina. *Journal of South American Earth Sciences*, 98, 102445.
- Chatterjee, S. (1978). *Indosuchus* and *Indosaurus*, Cretaceous carnosaur from India. *Journal of Paleontology*, 570–580.
- Chatterjee, S., and Rudra, D. K. (1996). KT events in India: Impact, rifting, volcanism and dinosaur extinction. *Memoirs of the Queensland Museum*, 39, 489–532.

- Coria, R. A. (2001). New theropod from the Late Cretaceous of Patagonia. *Mesozoic Vertebrate Life*, 1, 3–9.
- Coria, R. A., Chiappe, L. M., and Dingus, L. (2002). A new close relative of *Carnotaurus sastrei* Bonaparte 1985 (Theropoda: Abelisauridae) from the Late Cretaceous of Patagonia. *Journal of Vertebrate Paleontology*, 22(2), 460–465.
- Coria, R. A., and Rodríguez, J. (1993). Sobre *Xenotarsosaurus bonapartei* Martínez et al., 1986; un problemático Neoceratosauria (Novas, 1989) del Cretácico del Chubut. *Ameghiniana*, Buenos Aires, 30, 326–327.
- Coria, R. A., and Salgado, L. (1998). A basal Abelisauria Novas, 1992 (Theropoda-Ceratosauria) from the Cretaceous of Patagonia, Argentina. *Gaia*, 15, 89–102.
- Dalman, S., and Gishlick, A. (2011). Theropod material from Lameta, India, in the collection of the American Museum of Natural History and its bearing on the diagnosis and phylogenetic and taxonomic status of *Indosuchus raptorius*. In *Society of Vertebrate Paleontology 71st Annual Meeting, November 2–5, 2011: Program and Abstracts*.
- Dal Sasso, C., Maganuco, S., and Cau, A. (2018). The oldest ceratosaurian (Dinosauria: Theropoda), from the Lower Jurassic of Italy, sheds light on the evolution of the three-fingered hand of birds. *PeerJ*, 6, e5976.
- Delcourt, R. (2017). Revised morphology of *Pycnonemosaurus nevesi* Kellner and Campos, 2002 (Theropoda: Abelisauridae) and its phylogenetic relationships. *Zootaxa*, 4276(1), 1–45.
- Delcourt, R. (2018). Ceratosaur palaeobiology: New insights on evolution and ecology of the southern rulers. *Scientific Reports*, 8(1), 9730.

- Delcourt, R., and Iori, F. V. (2020). A new Abelisauridae (Dinosauria: Theropoda) from São José do Rio Preto Formation, Upper Cretaceous of Brazil and comments on the Bauru Group fauna. *Historical Biology*.
- Farke, A. A., and Sertich, J. J. (2013). An abelisauroid theropod dinosaur from the Turonian of Madagascar. *PLOS One*, 8(4), e62047.
- Filippi, L. S., Méndez, A. H., Valieri, R. D. J., and Garrido, A. C. (2016). A new brachyrostran with hypertrophied axial structures reveals an unexpected radiation of latest Cretaceous abelisaurids. *Cretaceous Research*, 61, 209–219.
- Gianechini, F. A., Apesteguía, S., Landini, W., Finotti, F., Valieri, R. J., and Zandonai, F. (2015). New abelisaurid remains from the Anacleto Formation (Upper Cretaceous), Patagonia, Argentina. *Cretaceous Research*, 54, 1–16.
- Gianechini, F. A., Méndez, A. H., Filippi, L. S., Paulina-Carabajal, A., Juárez-Valieri, R. D., and Garrido, A. C. (2021). A new furileusaurian abelisaurid from La Invernada (Upper Cretaceous, Santonian, Bajo de la Carpa Formation), northern Patagonia, Argentina. *Journal of Vertebrate Paleontology*, 40(6), e1877151.
- Grillo, O. N., and Delcourt, R. (2017). Allometry and body length of abelisauroid theropods: *Pycnonemosaurus nevesi* is the new king. *Cretaceous Research*, 69, 71–89.
- GSI (Geological Survey of India). (2004). *Rajasaurus narmadensis*—India's own dinosaur emerges from oblivion. <https://web.archive.org/web/20080528000848/http://www.gsi.gov.in/rajasaur.pdf>.
- Hendrickx, C., and Bell, P. R. (2021). The scaly skin of the abelisaurid *Carnotaurus sastrei* (Theropoda: Ceratosauria) from the Upper Cretaceous of Patagonia. *Cretaceous Research*, 128, 104994.

- Ibiricu, L. M., Baiano, M. A., Martínez, R. D., Alvarez, B. N., Lamanna, M. C., and Casal, G. A. (2021). A detailed osteological description of *Xenotarsosaurus bonapartei* (Theropoda: Abelisauridae): Implications for abelisauroid phylogeny. *Cretaceous Research*, 124, 104829.
- Iori, F. V., de Araújo-Júnior, H. I., Tavares, S. A. S., da Silva Marinho, T., and Martinelli, A. G. (2021). New theropod dinosaur from the Late Cretaceous of Brazil improves abelisaurid diversity. *Journal of South American Earth Sciences*, 112, 103551.
- Juárez-Valieri, R. D., Fiorelli, L. E., and Cruz, L. E. (2007). *Quilmesaurus curriei* Coria, 2001. Su validez taxonómica y relaciones filogenéticas. *Revista del Museo Argentino de Ciencias Naturales “Bernardino Rivadavia”—Paleontología*, 9(1), 59–66.
- Juárez-Valieri, R. D., Porfiri, J. D., and Calvo, J. (2011). New information on *Ekrixinatosaurus novasi* Calvo et al 2004, a giant and massively-constructed Abelisauroid from the “Middle Cretaceous” of Patagonia. *Paleontología y dinosaurios desde América Latina” Editorial de la Universidad Nacional de Cuyo*, 161–169.
- Kellner, A. W., and Campos, D. D. A. (2002). On a theropod dinosaur (Abelisauria) from the continental Cretaceous of Brazil. *Arquivos do Museu Nacional*, 60(3), 163–170.
- Krause, D. W., Sampson, S. D., Carrano, M. T., and O’Connor, P. M. (2007). Overview of the history of discovery, taxonomy, phylogeny, and biogeography of *Majungasaurus crenatissimus* (Theropoda: Abelisauridae) from the Late Cretaceous of Madagascar. *Journal of Vertebrate Paleontology*, 27(S2), 1–20.
- Lamanna, M. C., Martínez, R. D., and Smith, J. B. (2002). A definitive abelisaurid theropod dinosaur from the early Late Cretaceous of Patagonia. *Journal of Vertebrate Paleontology*, 22(1), 58–69.

- Lavocat, R. (1955). Sur une portion de mandibule de Théropode provenant du Crétacé supérieur de Madagascar. *Bulletin du Muséum National d'Histoire Naturelle*, 27, 256–259.
- Le Loeuff, J., and Buffetaut, E. (1991). *Tarascosaurus salluvicus* nov. gen., nov. sp., dinosaure théropode du Crétacé Supérieur du sud de la France. *Geobios*, 24(5), 585–594.
- Longrich, N. R., Pereda-Suberbiola, X., Jalil, N. E., Khaldoune, F., and Jourani, E. (2017). An abelisaurid from the latest Cretaceous (late Maastrichtian) of Morocco, North Africa. *Cretaceous Research*, 76, 40–52.
- Maganuco, S., Cau, A., and Pasini, G. (2008). New information on the abelisaurid pedal elements from the Late Cretaceous of NW Madagascar (Mahajanga Basin). *Atti della Società Italiana di Scienze Naturali del Museo Civico di Storia Naturale di Milano*, 149, 239–252.
- Martínez, R., Giménez, O., Rodríguez, J., and Bochatay, G. (1986). *Xenotarsosaurus bonapartei* nov. gen. et sp. (Carnosauria, Abelisauridae), un nuevo Theropoda de la Formación Bajo Barreal, Chubut, Argentina. In *IV congreso argentino de paleontología y bioestratigrafía*. Vol. 2, 23–31.
- Mazzetta, G. V., Cisilino, A. P., Blanco, R. E., and Calvo, N. (2009). Cranial mechanics and functional interpretation of the horned carnivorous dinosaur *Carnotaurus sastrei*. *Journal of Vertebrate Paleontology*, 29(3), 822–830.
- Mazzetta, G. V., Fariña, R. A., and Vizcaíno, S. F. (1998). On the palaeobiology of the South American horned theropod *Carnotaurus sastrei* Bonaparte. *GAIA*, 15, 185–192.
- Méndez, A. H., Novas, F. E., and Iori, F. V. (2014). New record of abelisauroid theropods from the Bauru group (Upper Cretaceous), São Paulo state, Brazil. *Revista Brasileira de Paleontologia*, 17(1), 23–32.

- Novas, F. E., Agnolín, F. L., Ezcurra, M. D., Porfiri, J., and Canale, J. I. (2013). Evolution of the carnivorous dinosaurs during the Cretaceous: The evidence from Patagonia. *Cretaceous Research*, 45, 174–215.
- Novas, F. E., Chatterjee, S., Rudra, D. K., and Datta, P. M. (2010). *Rahiolisaurus gujaratensis*, n. gen. n. sp., a new abelisaurid theropod from the Late Cretaceous of India. *New Aspects of Mesozoic Biodiversity*, 45–62.
- O'Connor, P. M., and Claessens, L. P. (2005). Basic avian pulmonary design and flow-through ventilation in non-avian theropod dinosaurs. *Nature*, 436(7048), 253–256.
- Paulina-Carabajal, A., and Filippi, L. (2018). Neuroanatomy of the abelisaurid theropod *Viavenator*: The most complete reconstruction of a cranial endocast and inner ear for a South American representative of the clade. *Cretaceous Research*, 83, 84–94.
- Paulina-Carabajal, A., and Succar, C. (2014). The endocranial morphology and inner ear of the abelisaurid theropod *Aucasaurus garridoi*. *Acta Palaeontologica Polonica*, 60(1), 141–144.
- Pol, D., Baiano, M. A., Černý, D., Novas, F. E., Cerda, I. A., and Pittman, M. (2024). A new abelisaurid dinosaur from the end Cretaceous of Patagonia and evolutionary rates among the Ceratosauria. *Cladistics*.
- Pol, D., and Rauhut, O. W. (2012). A Middle Jurassic abelisaurid from Patagonia and the early diversification of theropod dinosaurs. *Proceedings of the Royal Society B: Biological Sciences*, 279(1741), 3170–3175.
- Rauhut, O. W. M. (2003). The interrelationships and evolution of basal theropod dinosaurs. *Special Papers in Palaeontology*, 69, 1–213.

- Sampson, S. D. (1998). Predatory dinosaur remains from Madagascar: Implications for the Cretaceous biogeography of Gondwana. *Science*, 280(5366), 1048–1051.
- Sebastian, D., and Gishlick, A. (2011). Theropod material from Lameta, India, in the collection of the American Museum of Natural History and its bearing on the diagnosis and phylogenetic and taxonomic status of *Indosuchus raptorius*. *Journal of Vertebrate Paleontology*, 31, 95–95.
- Sereno, P. C., and Brusatte, S. L. (2008). Basal abelisaurid and carcharodontosaurid theropods from the Lower Cretaceous Elrhaz Formation of Niger. *Acta Palaeontologica Polonica*, 53(1), 15–46.
- Sereno, P. C., Wilson, J. A., and Conrad, J. L. (2004). New dinosaurs link southern landmasses in the mid-Cretaceous. *Proceedings of the Royal Society B: Biological Sciences*, 271(1546), 1325–1330.
- Smyth, R. S., Ibrahim, N., Kao, A., and Martill, D. M. (2020). Abelisauroid cervical vertebrae from the Cretaceous Kem Kem beds of southern Morocco and a review of Kem Kem abelisauroids. *Cretaceous Research*, 108, 104330.
- Therrien, F., Henderson, D. M., and Ruff, C. B. (2005). Bite me: Biomechanical models of theropod mandibles and implications for feeding behavior. In *The Carnivorous Dinosaurs*, edited by Carpenter, K., 179–237. Bloomington: Indiana University Press.
- Tortosa, T., Buffetaut, E., Vialle, N., Dutour, Y., Turini, E., and Cheylan, G. (2014). A new abelisaurid dinosaur from the Late Cretaceous of southern France: Palaeobiogeographical implications. *Annales de Paléontologie*, 100(1), 63–86.

University of Chicago. (2004). Two dinosaurs from Africa give clues to continents' split.

ScienceDaily, June 9, 2004.

www.sciencedaily.com/releases/2004/06/040609071516.htm.

von Huene, F. R. F., and Matley, C. A. (1933). The Cretaceous Saurischia and Ornithischia of the central provinces of India. *Palaeontologia Indica*, 21(1).

Wang, S., Stiegler, J., Amiot, R., et al. (2017). Extreme ontogenetic changes in a ceratosaurian theropod. *Current Biology*, 27(1), 144–148.

Wilson, J. A., Sereno, P. C., Srivastava, S., Bhatt, D. K., Khosla, A., and Shani, A. (2003). A new abelisaurid (Dinosauria, Theropoda) from the Lameta Formation (Cretaceous, Maastrichtian) of India. *Contributions from the Museum of Paleontology The University of Michigan*, 31(1).

Zaher, H., Pol, D., Navarro, B. A., Delcourt, R., and Carvalho, A. B. (2020). An Early Cretaceous theropod dinosaur from Brazil sheds light on the cranial evolution of the Abelisauridae. *Comptes Rendus Palevol*, 19(6), 101–115.

Tetanurae

Allain, R. (2001). Redescription de *Streptospondylus altdorfensis*, le dinosaure théropode de Cuvier, du Jurassique de Normandie. *Geodiversitas*, 23(3), 349.

Allain, R. (2002). Discovery of megalosaur (Dinosauria, Theropoda) in the Middle Bathonian of Normandy (France) and its implications for the phylogeny of basal Tetanurae. *Journal of Vertebrate Paleontology*, 22(3), 548–563.

Allain, R. (2005). The postcranial anatomy of the megalosaur *Dubreuillosaurus valesdunensis* (Dinosauria Theropoda) from the Middle Jurassic of Normandy, France. *Journal of Vertebrate Paleontology*, 25(4), 850–858.

- Allain, R., and Chure, D. J. (2002). *Poekilopleuron bucklandii*, the theropod dinosaur from the Middle Jurassic (Bathonian) of Normandy. *Palaeontology*, 45(6), 1107–1121.
- Barker, C. T., Naish, D., Clarkin, C. E., et al. (2020). A highly pneumatic middle Cretaceous theropod from the British Lower Greensand. *Papers in Palaeontology*, 6(4), 661–679.
- Baron, M. G., and Barrett, P. M. (2017). A dinosaur missing-link? *Chilesaurus* and the early evolution of ornithischian dinosaurs. *Biology Letters*, 13(8), 20170220.
- Baron, M. G., and Barrett, P. M. (2018). Support for the placement of *Chilesaurus* within Ornithischia: A reply to Müller et al. *Biology Letters*, 14(3), 20180002.
- Baron, M. G., Norman, D. B., and Barrett, P. M. (2017). A new hypothesis of dinosaur relationships and early dinosaur evolution. *Nature*, 543(7646), 501–506.
- Benson, R. B. (2008). A redescription of '*Megalosaurus*' *hesperis* (Dinosauria, Theropoda) from the Inferior Oolite (Bajocian, Middle Jurassic) of Dorset, United Kingdom. *Zootaxa*, 1931(1), 57–67.
- Benson, R. B. (2010a). A description of *Megalosaurus bucklandii* (Dinosauria: Theropoda) from the Bathonian of the UK and the relationships of Middle Jurassic theropods. *Zoological Journal of the Linnean Society*, 158(4), 882–935.
- Benson, R. B. (2010b). The osteology of *Magnosaurus nethercombensis* (Dinosauria, Theropoda) from the Bajocian (Middle Jurassic) of the United Kingdom and a re-examination of the oldest records of tetanurans. *Journal of Systematic Palaeontology*, 8(1), 131–146.
- Benson, R. B., and Radley, J. D. (2010). A new large-bodied theropod dinosaur from the Middle Jurassic of Warwickshire, United Kingdom. *Acta Palaeontologica Polonica*, 55(1), 35–42.

- Bonaparte, J. F. (1979). Dinosaurs: A Jurassic assemblage from Patagonia. *Science*, 205(4413), 1377–1379.
- Bonaparte, J. F. (1986). Les dinosaures (Carnosaures, Allosauridés, Sauropodes, Cétosauridés) du Jurassique Moyen de Cerro Cándor (Chubut, Argentina). *Annales de Paléontologie (Vert.-Invert.)*, 72(3), 247–289.
- Britt, B. B. (1991). Theropods of Dry Mesa Quarry (Morrison Formation, Late Jurassic), Colorado, with emphasis on the osteology of *Torvosaurus tanneri*. *Brigham Young University Geology Studies*, 37, 1–72.
- Brusatte, S. L., Benson, R. B., Currie, P. J., and Xijin, Z. (2010). The skull of *Monolophosaurus jiangi* (Dinosauria: Theropoda) and its implications for early theropod phylogeny and evolution. *Zoological Journal of the Linnean Society*, 158(3), 573–607.
- Buckland, W. (1824). Notice on the *Megalosaurus* or great fossil lizard of Stonesfield. *Transactions of the Geological Society of London*, ser. 2, 1(2), 390–396.
- Carr, T. (2006). Is *Guanlong* a tyrannosauroid or a subadult *Monolophosaurus*? *Journal of Vertebrate Paleontology*, 26(3).
- Carrano, M. T., Benson, R. B., and Sampson, S. D. (2012). The phylogeny of tetanurae (Dinosauria: Theropoda). *Journal of Systematic Palaeontology*, 10(2), 211–300.
- Chimento, N. R. (2018). Descripción anatómica y relaciones filogenéticas de *Chilesaurus diegosuarezi* (Theropoda, Dinosauria). Doctoral dissertation, Universidad Nacional de La Plata.
- Chimento, N. R., Agnolín, F. L., Novas, F. E., et al. (2017). Forelimb posture in *Chilesaurus diegosuarezi* (Dinosauria, Theropoda) and its behavioral and phylogenetic implications. *Ameghiniana*, 54(5), 567–575.

- Chure, D., Britt, B., and Madsen, J. H. (1993). New data on the theropod *Marshosaurus* from the Morrison Formation (Upper Jurassic: Kimmeridgian-Tithonian) of Dinosaur NM. In *National Park Service Paleontology Research: Volume 1*, Technical Report NPS/NRPEFO/NRTR 93/11, edited by Santucci, V. L., 23.
- Chure, D. J., Britt, B. B., and Madsen, J. H. (1997). A new specimen of *Marshosaurus bicentesimus* (Theropoda) from the Morrison Formation (Late Jurassic) of Dinosaur National Monument. *Journal of Vertebrate Paleontology*, 17(3), 38A.
- Dai, H., Benson, R., Hu, X., et al. (2020). A new possible megalosauroid theropod from the Middle Jurassic Xintiangou Formation of Chongqing, People's Republic of China and its implication for early tetanuran evolution. *Scientific Reports*, 10(1), 139.
- Eudes-Deslongchamps, J. A. (1835). Plusieurs parties d'un mémoire sur un très-grand animal fossile découvert, l'an dernier, dans les carrières de la Maladrerie à un quart de lieu de Caen. *Analyse des travaux de la Société pendant l'année académique, 1836*, 14–25.
- Ezcurra, M. D. (2012). Phylogenetic analysis of Late Triassic–Early Jurassic neotheropod dinosaurs: Implications for the early theropod radiation. *Society of Vertebrate Paleontology, 72nd Annual Meeting: Program and Abstracts*, 91.
- Galton, P. M., and Jensen, J. A. (1979). A new large theropod dinosaur from the Upper Jurassic of Colorado. *Brigham Young University Geology Studies*, 26(2), 1–12.
- Gay, R. 2010. '*Kayentavenator elysiae*,' a new tetanuran from the Early Jurassic of Arizona. In *Notes on Early Mesozoic Theropods*, 27–43. Lulu Press.
- Hanson, M., and Makovicky, P. J. (2014). A new specimen of *Torvosaurus tanneri* originally collected by Elmer Riggs. *Historical Biology*, 26(6), 775–784.

- He, X. (1984). *The Vertebrate Fossils of Sichuan*. Sichuan Scientific and Technological Publishing House. 168 pp.
- Hendrickx, C., and Mateus, O. (2014). *Torvosaurus gurneyi* n. sp., the largest terrestrial predator from Europe, and a proposed terminology of the maxilla anatomy in nonavian theropods. *PLOS One*, 9(3), e88905.
- Holtz Jr., T. R. (2004). Tyrannosauroidea. In *The Dinosauria*, 2nd ed., edited by Weishampel, D. B., Dodson, P., and Osmólska, H., 111–136. Berkeley: University of California Press.
- Holtz Jr., T. R., Molnar, R. E., and Currie, P. J. (2004). Basal Tetanurae. In *The Dinosauria*, 2nd ed., edited by Weishampel, D. B., Dodson, P., and Osmólska, H., 71–110. Berkeley: University of California Press.
- Jensen, J. A. (1985). Uncompahgre dinosaur fauna: A preliminary report. *Great Basin Naturalist*, 45, 710–720.
- Li, F., Peng, G., Ye, Y., Jiang, S., and Huang, D. (2009). A new carnosaur from the Late Jurassic of Qianwei, Sichuan, China. *Acta Geologica Sinica*, 83(9), 1203–1213.
- Li, K., Yang, C., and Hu, F. (2011). Dinosaur assemblages from the Middle Jurassic Shaximiao Formation and Chuanjie Formation in the Sichuan-Yunnan basin, China. *Volumina Jurassica*, 9(1), 21–42.
- Madsen, J. H. (1976). A second new theropod dinosaur from the Late Jurassic of east central Utah. *Utah Geology*, 3(1), 51–60.
- Maxilla & Mandible Ltd. (2019). *Torvosaurus*: Ruler of the real Jurassic world. <https://web.archive.org/web/20190310083637/http://maxillaandmandible.com/portfolio/elixis-torvosaurus>.

- Novas, F. E., Salgado, L., Suárez, M., et al. (2015). An enigmatic plant-eating theropod from the Late Jurassic Period of Chile. *Nature*, 522(7556), 331–334.
- Paul, G. S. (2010). *The Princeton Field Guide to Dinosaurs*. Princeton, N.J.: Princeton University Press.
- Rauhut, O. W. (2004). Braincase structure of the Middle Jurassic theropod dinosaur *Piatnitzkysaurus*. *Canadian Journal of Earth Sciences*, 41(9), 1109–1122.
- Rauhut, O. W. (2005). Osteology and relationships of a new theropod dinosaur from the Middle Jurassic of Patagonia. *Palaeontology*, 48(1), 87–110.
- Rauhut, O. W. (2007). A fragmentary theropod skull from the Middle Jurassic of Patagonia. *Ameghiniana*, 44(2), 479–483.
- Rauhut, O. W., Hübner, T., and Lanser, K. P. (2016). A new megalosaurid theropod dinosaur from the late Middle Jurassic (Callovian) of north-western Germany: Implications for theropod evolution and faunal turnover in the Jurassic. *Palaeontologia Electronica*, 19(2), 1–65.
- Rauhut, O. W., Pinuela, L., Castanera, D., García-Ramos, J. C., and Cela, I. S. (2018). The largest European theropod dinosaurs: Remains of a gigantic megalosaurid and giant theropod tracks from the Kimmeridgian of Asturias, Spain. *PeerJ*, 6, e4963.
- Rauhut, O. W., and Pol, D. (2017). A theropod dinosaur from the Late Jurassic Cañadón Calcáreo Formation of central Patagonia, and the evolution of the theropod tarsus. *Ameghiniana*, 54(5), 539–566.
- Rauhut, O. W., Schwermann, A. H., Hübner, T. R., and Lanser, K. P. (2020). The oldest record of the genus *Torvosaurus* (Theropoda: Megalosauridae) from the Callovian Ornatenton

- Formation of north-western Germany. *Geologie und Paläontologie in Westfalen*, 93, 31–43.
- Rauhut, O. W. M. (2003). The interrelationships and evolution of basal theropod dinosaurs. *Special Papers in Palaeontology*, 69, 1–213.
- Sadleir, R., Barrett, P. M., and Powell, H. P. (2006). The anatomy and systematics of *Eustreptospondylus oxoniensis*, a theropod dinosaur from the Middle Jurassic of Oxfordshire, England. *Monographs of the Palaeontographical Society*, 160(627), 1–82.
- Salgado, L., De La Cruz, R., Suárez, M., Gasparini, Z., and Fernández, M. (2008). First Late Jurassic dinosaur bones from Chile. *Journal of Vertebrate Paleontology*, 28(2), 529–534.
- Sereno, P. C., Wilson, J. A., Larsson, H. C., Dutheil, D. B., and Sues, H. D. (1994). Early Cretaceous dinosaurs from the Sahara. *Science*, 266(5183), 267–271.
- Serrano-Martínez, A., Ortega, F., Sciscio, L., Tent-Manclús, J. E., Bandera, I. F., and Knoll, F. (2015). New theropod remains from the Tiourarén Formation (? Middle Jurassic, Niger) and their bearing on the dental evolution in basal tetanurans. *Proceedings of the Geologists' Association*, 126(1), 107–118.
- Smith, N. D., Makovicky, P. J., Hammer, W. R., and Currie, P. J. (2007). Osteology of *Cryolophosaurus ellioti* (Dinosauria: Theropoda) from the Early Jurassic of Antarctica and implications for early theropod evolution. *Zoological Journal of the Linnean Society*, 151(2), 377–421.
- Taquet, P., and Welles, S. P. (1977). Redescription du crâne de dinosaure théropode de Dives (Normandie). *Annales de Paléontologie (Vertébrés)*, 63(2), 191–206. In French.
- von Huene, F. (1932). *Die fossile Reptilordnung Saurischia: ihre Entwicklung und Geschichte*. Vol. 2. Gebrüder Borntraeger.

- von Meyer, H. (1832). *Palaeologica zur Geschichte der Erde und ihrer Geschöpfe*. Frankfurt am Main: Verlag von Siegmund Schmerber. 560 pp.
- Walker, A. D. (1964). Triassic reptiles from the Elgin area: *Ornithosuchus* and the origin of carnosaurs. *Philosophical Transactions of the Royal Society of London. Series B, Biological Sciences*, 248(744), 53–134.
- Wilson, P. J. (1982). Notice on the *Megalosaurus* or great fossil lizard of Stonefield. *Dickensian*, 78(397), 97.
- Xi-Jin, Z., Benson, R. B., Brusatte, S. L., and Currie, P. J. (2010). The postcranial skeleton of *Monolophosaurus jiangi* (Dinosauria: Theropoda) from the Middle Jurassic of Xinjiang, China, and a review of Middle Jurassic Chinese theropods. *Geological Magazine*, 147(1), 13–27.
- Zhang, F., Yu, H. D., Xiong, C., Wei, Z. Y., Peng, G. Z., and Wei, X. F. (2020). New freshwater plesiosaurian materials from the Middle Jurassic Xintiangou Formation of the Sichuan Basin, southwestern China. *Journal of Palaeogeography*, 9(1), 23.
- Zhao, X. J., and Currie, P. J. (1993). A large crested theropod from the Jurassic of Xinjiang, People's Republic of China. *Canadian Journal of Earth Sciences*, 30(10), 2027–2036.

Spinosauridae

- Allain, R. (2014). New material of the theropod *Ichthyovenator* from Ban Kalum type locality (Laos): Implications for the synonymy of *Spinosaurus* and *Sigilmassasaurus* and the phylogeny of Spinosauridae. In *74th Annual Meeting of Society of Vertebrate Paleontology*.

- Allain, R., Xaisanavong, T., Richir, P., and Khentavong, B. (2012). The first definitive Asian spinosaurid (Dinosauria: Theropoda) from the Early Cretaceous of Laos. *Naturwissenschaften*, 99, 369–377.
- Anduza, D., and Fowler, D. W. (2014). How might spinosaurids have caught fish? Testing behavioral inferences through comparisons with modern fish-eating tetrapods. *Geological Society of America Abstracts with Programs*, 46(5), 12.
- Arden, T. M., Klein, C. G., Zouhri, S., and Longrich, N. R. (2019). Aquatic adaptation in the skull of carnivorous dinosaurs (Theropoda: Spinosauridae) and the evolution of aquatic habits in spinosaurids. *Cretaceous Research*, 93, 275–284.
- Aureliano, T., Ghilardi, A. M., Buck, P. V., et al. (2018). Semi-aquatic adaptations in a spinosaur from the Lower Cretaceous of Brazil. *Cretaceous Research*, 90, 283–295.
- Barker, C. T., Hone, D. W., Naish, D., et al. (2021). New spinosaurids from the Wessex Formation (Early Cretaceous, UK) and the European origins of Spinosauridae. *Scientific Reports*, 11(1), 19340.
- Benyoucef, M., Läng, E., Cavin, L., Mebarki, K., Adaci, M., and Bensalah, M. (2015). Overabundance of piscivorous dinosaurs (Theropoda: Spinosauridae) in the mid-Cretaceous of North Africa: The Algerian dilemma. *Cretaceous Research*, 55, 44–55.
- Bertin, T. (2010). A catalogue of material and review of the Spinosauridae. *PalArch's Journal of Vertebrate Palaeontology*, 7(4), 1–39.
- Bittencourt, J., and Kellner, A. (2004). On a sequence of sacrocaudal theropod dinosaur vertebrae from the Lower Cretaceous Santana Formation, northeastern Brazil. *Arquivos do Museu Nacional*, 62, 309–320.

- Buffetaut, E. (2012). An early spinosaurid dinosaur from the Late Jurassic of Tendaguru (Tanzania) and the evolution of the spinosaurid dentition. *Oryctos*, 10, 1–8.
- Buffetaut, E., and Ingavat, R. (1986). Unusual theropod dinosaur teeth from the Upper Jurassic of Phu Wiang, northeastern Thailand. *Revue de paléobiologie*, 5(2), 217–220.
- Buffetaut, E., and Ouaja, M. (2002). A new specimen of *Spinosaurus* (Dinosauria, Theropoda) from the Lower Cretaceous of Tunisia, with remarks on the evolutionary history of the Spinosauridae. *Bulletin de la Société géologique de France*, 173(5), 415–421.
- Buffetaut, E., Suteethorn, V., and Tong, H. (2004). Asian spinosaur confirmed. *Symposium of Vertebrate Palaeontology and Comparative Anatomy*. Leicester, England: SVPCA.
- Carrano, M. T., Benson, R. B., and Sampson, S. D. (2012). The phylogeny of tetanurae (Dinosauria: Theropoda). *Journal of Systematic Palaeontology*, 10(2), 211–300.
- Charig, A. J., and Milner, A. C. (1986). *Baryonyx*, a remarkable new theropod dinosaur. *Nature*, 324(6095), 359–361.
- Evers, S. W., Rauhut, O. W., Milner, A. C., McFeeters, B., and Allain, R. (2015). A reappraisal of the morphology and systematic position of the theropod dinosaur *Sigilmassasaurus* from the “Middle” Cretaceous of Morocco. *PeerJ*, 3, e1323.
- Fabbri, M., Navalón, G., Benson, R. B., et al. (2022). Subaqueous foraging among carnivorous dinosaurs. *Nature*, 603(7903), 852–857.
- Fanti, F., Cau, A., Martinelli, A., and Contessi, M. (2014). Integrating palaeoecology and morphology in theropod diversity estimation: A case from the Aptian-Albian of Tunisia. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 410, 39–57.

- Hendrickx, C., Mateus, O., and Buffetaut, E. (2016). Morphofunctional analysis of the quadrate of Spinosauridae (Dinosauria: Theropoda) and the presence of *Spinosaurus* and a second spinosaurine taxon in the Cenomanian of North Africa. *PLOS One*, 11(1), e0144695.
- Ibrahim, N., Maganuco, S., Dal Sasso, C., et al. (2020). Tail-propelled aquatic locomotion in a theropod dinosaur. *Nature*, 581(7806), 67–70.
- Ibrahim, N., Sereno, P. C., Dal Sasso, C., et al. (2014). Semiaquatic adaptations in a giant predatory dinosaur. *Science*, 345(6204), 1613–1616.
- Isasmendi, E., Cuesta, E., Díaz-Martínez, I., et al. (2024). Increasing the theropod record of Europe: A new basal spinosaurid from the Enciso Group of the Cameros Basin (La Rioja, Spain). Evolutionary implications and palaeobiodiversity. *Zoological Journal of the Linnean Society*, zlad193.
- Kellner, A. W., Azevedo, S. A., Machado, E. B., Carvalho, L. B. D., and Henriques, D. D. (2011). A new dinosaur (Theropoda, Spinosauridae) from the Cretaceous (Cenomanian) Alcântara Formation, Cajual Island, Brazil. *Anais da Academia Brasileira de Ciências*, 83, 99–108.
- Kellner, A. W., and Campos, D. D. A. (1996). First Early Cretaceous theropod dinosaur from Brazil with comments on Spinosauridae. *Neues Jahrbuch für Geologie und Paläontologie, Abhandlungen*, 151–166.
- Lacerda, M. B., Grillo, O. N., and Romano, P. S. (2022). Rostral morphology of Spinosauridae (Theropoda, Megalosauroidea): Premaxilla shape variation and a new phylogenetic inference. *Historical Biology*, 34(11), 2089–2109.

- Machado, E. B. (2010). Descrição de um novo exemplar de Spinosauridae (Dinosauria, Theropoda) da Formação Romualdo (Bacia do Araripe), Nordeste do Brasil. Dissertation, Universidade Federal do Rio de Janeiro, Rio de Janeiro.
- Machado, E. B., and Kellner, A. W. A. (2005). Notas sobre Spinosauridae (Theropoda, Dinosauria). *Anuário do Instituto de Geociências*, 28(1), 158.
- Machado, E. B., and Kellner, A. W. A. (2008). An overview of the Spinosauridae (Dinosauria, Theropoda) with comments on the Brazilian material. *Journal of Vertebrate Paleontology*, 28(3), 109A.
- Machado, E. B., and Kellner, A. W. A. (2009). On a spinosaurid manus (Dinosauria, Theropoda) from the Romualdo Formation (Santana Group), Araripe Basin, Brazil. In *Boletín Resúmen, XXI Congreso Brasileiro Paleontología, Belém*. Santana Group.
- Machado, E. B., Kellner, A. W. A., and Campos, D. A. (2005). Preliminary information on a dinosaur (Theropoda, Spinosauridae) pelvis from the Cretaceous Santana Formation (Romualdo Member) Brazil. In *II Congreso Latino-Americano de Paleontología de Vertebrados (Boletim de resúmenes)*, 161–162.
- Malafaia, E., Gasulla, J. M., Escaso, F., Narváez, I., Sanz, J. L., and Ortega, F. (2020a). A new spinosaurid theropod (Dinosauria: Megalosauroidae) from the Upper Barremian of Vallibona, Spain: Implications for spinosaurid diversity in the Early Cretaceous of the Iberian Peninsula. *Cretaceous Research*, 106, 104221.
- Malafaia, E., Gasulla, J. M., Escaso, F., Narváez, I., and Ortega, F. (2020b). An update of the spinosaurid (Dinosauria: Theropoda) fossil record from the Lower Cretaceous of the Iberian Peninsula: Distribution, diversity, and evolutionary history. *Journal of Iberian Geology*, 46(4), 431–444.

- Martill, D. M., Cruickshank, A. R. I., Frey, E., Small, P. G., and Clarke, M. (1996). A new crested maniraptoran dinosaur from the Santana Formation (Lower Cretaceous) of Brazil. *Journal of the Geological Society*, 153(1), 5–8.
- Mateus, O., Araujo, R., Natário, C., and Castanhinha, R. (2011). A new specimen of the theropod dinosaur *Baryonyx* from the Early Cretaceous of Portugal and taxonomic validity of *Suchosaurus*. *Zootaxa*, 2827(5).
- Mateus, O., and Estraviz-López, D. (2022). A new theropod dinosaur from the Early Cretaceous (Barremian) of Cabo Espichel, Portugal: Implications for spinosaurid evolution. *PLOS One*, 17(2), e0262614.
- Medeiros, M. A. (2006). Large theropod teeth from the Eocenomanian of northeastern Brazil and the occurrence of Spinosauridae. *Revista Brasileira de Paleontologia*, 9(3), 333–338.
- Medeiros, M. A., and Schultz, C. L. (2002). A fauna dinossauriana da “Laje do Coringa”, Cretáceo médio do Nordeste do Brasil. *Arquivos do Museu Nacional*, 60(3), 155-162.
- Rauhut, O. W. M., Canudo, J. I., and Castanera, D. (2019). A reappraisal of the Early Cretaceous theropod dinosaur *Camarillasaurus* from Spain. In *European Association of Vertebrate Paleontologists (EAVP)(Ed), Program and Abstracts XVII Conference of the EAVP*, 96.
- Russell, D. A. (1996). Isolated dinosaur bones from the middle Cretaceous of the Tafilalt, Morocco. *Bulletin du Muséum national d'Histoire naturelle, 4ème série–section C–Sciences de la Terre, Paléontologie, Géologie, Minéralogie*, 18(2–3).
- Sales, M. A., and Schultz, C. L. (2017). Spinosaur taxonomy and evolution of craniodental features: Evidence from Brazil. *PLOS One*, 12(11), e0187070.

- Samathi, A., Sander, P. M., and Chanthasit, P. (2021). A spinosaurid from Thailand (Sao Khua Formation, Early Cretaceous) and a reassessment of *Camarillasaurus cirugedae* from the Early Cretaceous of Spain. *Historical Biology*, 33(12), 3480–3494.
- Sánchez-Hernández, B., and Benton, M. J. (2014). Filling the ceratosaur gap: A new ceratosaurian theropod from the Early Cretaceous of Spain. *Acta Palaeontologica Polonica*, 59(3), 581–600.
- Santos-Cubedo, A., de Santisteban, C., Poza, B., and Meseguer, S. (2023). A new spinosaurid dinosaur species from the Early Cretaceous of Cincorres (Spain). *Scientific Reports*, 13(1), 6471.
- Sereno, P. C., Beck, A. L., Dutheil, D. B., et al. (1998). A long-snouted predatory dinosaur from Africa and the evolution of spinosaurids. *Science*, 282(5392), 1298–1302.
- Smyth, R. S., Ibrahim, N., and Martill, D. M. (2020). *Sigilmassasaurus* is *Spinosaurus*: A reappraisal of African spinosaurines. *Cretaceous Research*, 114, 104520.
- Soto, M., Toriño, P., and Perea, D. (2020). *Ceratosaurus* (Theropoda, Ceratosauria) teeth from the Tacuarembó Formation (Late Jurassic, Uruguay). *Journal of South American Earth Sciences*, 103, 102781.
- Stromer, E. (1915). *Ergebnisse der Forschungsreisen Prof. E. Stromers in den Wüsten Ägyptens*. Verlag der Königlich Bayerischen Akademie der Wissenschaften.
- Sues, H. D., Frey, E., Martill, D. M., and Scott, D. M. (2002). *Irritator challengerii*, a spinosaurid (Dinosauria: Theropoda) from the Lower Cretaceous of Brazil. *Journal of Vertebrate Paleontology*, 22(3), 535–547.

Taquet, P., and Russell, D. A. (1998). New data on spinosaurid dinosaurs from the Early Cretaceous of the Sahara. *Comptes Rendus de l'Académie des Sciences-Series IIA-Earth and Planetary Science*, 327(5), 347–353.

Therrien, F., Henderson, D. M., and Ruff, C. B. (2005). Bite me: Biomechanical models of theropod mandibles and implications for feeding behavior. In *The Carnivorous Dinosaurs*, edited by Carpenter, K., 179–237. Bloomington: Indiana University Press.

Avetheropoda

Allain, R. (2005). The enigmatic theropod dinosaur *Erectopus superbus* (Sauvage 1882) from the lower Albian of Louppy-le-Château (Meuse, France). In *The Carnivorous Dinosaurs*, edited by Carpenter, K., 72–86. Bloomington: Indiana University Press.

Benson, R. B., Carrano, M. T., and Brusatte, S. L. (2010). A new clade of archaic large-bodied predatory dinosaurs (Theropoda: Allosauroidae) that survived to the latest Mesozoic. *Naturwissenschaften*, 97, 71–78.

Buffetaut, E., and Suteethorn, V. (1998). Early Cretaceous dinosaurs from Thailand and their bearing on the early evolution and biogeographical history of some groups of Cretaceous dinosaurs. *New Mexico Museum of Natural History and Science Bulletin*, 14, 205–210.

Buffetaut, E., and Suteethorn, V. (1999). The dinosaur fauna of the Sao Khua Formation of Thailand and the beginning of the Cretaceous radiation of dinosaurs in Asia. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 150(1–2), 13–23.

Buffetaut, E., and Suteethorn, V. (2012). A carcharodontid theropod (Dinosauria, Saurischia) from the Sao Khua Formation (Early Cretaceous, Barremian) of Thailand. In *10th Annual Meeting of the European Association of Vertebrate Palaeontologists*, 27–30.

- Buffetaut, E., Suteethorn, V., and Tong, H. (1996). The earliest known tyrannosaur from the Lower Cretaceous of Thailand. *Nature*, 381(6584), 689–691.
- Carpenter, K. (2010). Variation in a population of Theropoda (Dinosauria): *Allosaurus* from the Cleveland-Lloyd Quarry (Upper Jurassic), Utah, USA. *Paleontological Research*, 14(4), 250–259.
- Carrano, M. T., Benson, R. B., and Sampson, S. D. (2012). The phylogeny of tetanurae (Dinosauria: Theropoda). *Journal of Systematic Palaeontology*, 10(2), 211–300.
- Cau, A. (2014). *Datanglong*: Un nuovo carcharodontosauriano? Theropoda, August 29, 2014. <https://theropoda.blogspot.com/2014/08/datanglong-un-nuovo-carcharodontosauria.html>.
- Cau, A., and Serventi, P. (2017). Origin attachments of the caudofemoralis longus muscle in the Jurassic dinosaur *Allosaurus*. *Acta Palaeontologica Polonica*, 62(2), 273–277.
- Chokchaloemwong, D., Hattori, S., Cuesta, E., Jintasakul, P., Shibata, M., and Azuma, Y. (2019). A new carcharodontosaurian theropod (Dinosauria: Saurischia) from the Lower Cretaceous of Thailand. *PLOS One*, 14(10), e0222489.
- Chure, D. J. (1995). A reassessment of the gigantic theropod *Saurophagus maximus* from the Morrison Formation (Upper Jurassic) of Oklahoma, USA. In *Sixth Symposium on Mesozoic Terrestrial Ecosystems and Biota*. Vol. 6, 103–106.
- Chure, D. (2000). A new species of *Allosaurus* from the Morrison Formation of Dinosaur National Monument (Utah-Colorado) and a revision of the theropod family Allosauridae. PhD diss., Columbia University. 964 pp.
- Clark, J. M., Xu, X., Forster, C., Wang, Y., and Andres, B. 2002. New small dinosaurs from the Upper Jurassic Shishugou Formation at Wucuiwan, Xinjiang, China. *Journal of Vertebrate Paleontology*, 22(3), 44A.

- Cuesta, E., Ortega, F., and Sanz, J. L. (2018a). Appendicular osteology of *Concavenator corcovatus* (Theropoda: Carcharodontosauridae) from the Lower Cretaceous of Spain. *Journal of Vertebrate Paleontology*, 38(4), 1–24.
- Cuesta, E., Ortega, F., and Sanz, J. L. (2019). Axial osteology of *Concavenator corcovatus* (Theropoda; Carcharodontosauria) from the Lower Cretaceous of Spain. *Cretaceous Research*, 95, 106–120.
- Cuesta, E., Vidal, D., Ortega, F., and Sanz, J. L. (2018b). The cranial osteology of *Concavenator corcovatus* (Theropoda; Carcharodontosauria) from the Lower Cretaceous of Spain. *Cretaceous Research*, 91, 176–194.
- Currie, P. J., and Zhao, X. J. (1994). A new carnosaur (Dinosauria, Theropoda) from the Jurassic of Xinjiang, People's Republic of China. *Canadian Journal of Earth Sciences*, 30(10), 2037–2081.
- Dalman, S. G. (2014). Osteology of a large allosauroid theropod from the Upper Jurassic (Tithonian) Morrison Formation of Colorado, USA. *Volumina Jurassica*, 12(2), 159–180.
- Dong, Z., Zhang, Y., Li, X., and Zhou, S. (1978). A new carnosaur from Yongchuan County, Sichuan Province. *Kexue Tongbao (Science Newsletter)*, 23, 302–304.
- Dong, Z., Zhou, S. and Zhang, Y. (1983). Dinosaurs from the Jurassic of Sichuan. *Palaeontologia Sinica*, new ser. C, 162(23), 1–136.
- Dong, Z. M. (1984). A new theropod dinosaur from the Middle Jurassic of Sichuan Basin. *Vertebrata Palasiatica*, 22(3), 213.
- Dong, Z. M., and Tang, Z. L. (1985). A new mid-Jurassic theropod (*Gasosaurus constructus* gen et sp. nov.) from Dashanpu, Zigong, Sichuan Province, China. *Vertebrata Palasiatica*. 23(1), 77–82.

- Eddy, D. R., and Clarke, J. A. 2011. New information on the cranial anatomy of *Acrocanthosaurus atokensis* and its implications for the phylogeny of Allosauroidae (Dinosauria: Theropoda). *PLOS One*, 6(3), e17932.
- Gao, Y. (1992). *Yangchuanosaurus hepingensis*—A new species of carnosaur from Zigong, Sichuan. *Vertebrata Palasiatica*, 30(4), 313–324.
- Gao, Y. (1999). *A Complete Carnosaur Skeleton from Zigong, Sichuan: Yangchuanosaurus hepingensis*. Chengdu: Sichuan Science and Technology Press. 100 pp.
- Gilmore, C. W. (1915). Osteology of *Thescelosaurus*, an orthopodous dinosaur from the Lance Formation of Wyoming. *Proceedings of the United States National Museum*.
- Gilmore, C. W. (1920). Osteology of the carnivorous dinosauria in the United States National Museum, with special reference to the genera *Antrodemus* (*Allosaurus*) and *Ceratosaurus*. *Bulletin of the United States National Museum*, 110, 1–159.
- Hartman, S., Mortimer, M., Wahl, W. R., Lomax, D. R., Lippincott, J., and Lovelace, D. M. (2019). A new paravian dinosaur from the Late Jurassic of North America supports a late acquisition of avian flight. *PeerJ*, 7, e7247.
- Hendrickx, C., Bell, P. R., Pittman, M., et al. (2022). Morphology and distribution of scales, dermal ossifications, and other non-feather integumentary structures in non-avian theropod dinosaurs. *Biological Reviews*, 97(3), 960–1004.
- Holtz Jr., T. R., Molnar, R. E., and Currie, P. J. (2004). Basal Tetanurae. In *The Dinosauria*, 2nd ed., edited by Weishampel, D. B., Dodson, P., and Osmólska, H., 71–110. Berkeley: University of California Press.
- Lautenschlager, S. (2015). Estimating cranial musculoskeletal constraints in theropod dinosaurs. *Royal Society Open Science*, 2(11), 150495.

- Madsen, J. H. (1976). *Allosaurus fragilis*: A revised osteology. *Utah Geological and Mineral Survey Bulletin*, 109, 1–163
- Maisch, M. W. (2016). The nomenclatural status of the carnivorous dinosaur genus *Altispinax* v. Huene, 1923 (Saurischia, Theropoda) from the Lower Cretaceous of England. *Neues Jahrbuch für Geologie und Paläontologie, Abhandlungen*, 215–219.
- Malafaia, E., Mocho, P., Escaso, F., Dantas, P., and Ortega, F. (2019). Carcharodontosaurian remains (Dinosauria, Theropoda) from the Upper Jurassic of Portugal. *Journal of Paleontology*, 93(1), 157–172.
- Malafaia, E., Mocho, P., Escaso, F., and Ortega, F. (2017). A juvenile allosauroid theropod (Dinosauria, Saurischia) from the Upper Jurassic of Portugal. *Historical Biology*, 29(5), 654–676.
- Malafaia, E., Mocho, P., Escaso, F., and Ortega, F. (2020). A new carcharodontosaurian theropod from the Lusitanian Basin: Evidence of allosauroid sympatry in the European Late Jurassic. *Journal of Vertebrate Paleontology*, 40(1), e1768106.
- Marsh, O. C. (1877). Notice of new dinosaurian reptiles from the Jurassic Formation. *American Journal of Science*, 3(84), 514–516.
- Mateus, O. (1998). *Lourinhanosaurus antunesi*, a new Upper Jurassic allosauroid (Dinosauria: Theropoda) from Lourinhã, Portugal. *Memórias da Academia de Ciências de Lisboa*, 37(1998), 111–124.
- Mateus, O., Antunes, M. T., and Taquet, P. (2001). Dinosaur ontogeny: The case of *Lourinhanosaurus* (Late Jurassic, Portugal). *Journal of Vertebrate Paleontology*, 21(3), 78A.

- Mateus, O., Walen, A., and Antunes, M. T. (2006). The large theropod fauna of the Lourinha Formation (Portugal) and its similarity to the Morrison Formation, with a description of a new species of *Allosaurus*. In *Paleontology and Geology of the Upper Jurassic Morrison Formation*, edited by Foster, J. R., and Lucas, S.G.R.M. *New Mexico Museum of Natural History and Science Bulletin*, 36.
- McIntosh, J. S. (1981). Annotated catalog of the dinosaurs (Reptilia, Archosauria) in the collections of Carnegie Museum of Natural History. *Bulletin of the Carnegie Museum of Natural History*, 18, 1–67.
- Mo, J., Zhou, F., Li, G., Huang, Z., and Cao, C. (2014). A new Carcharodontosauria (Theropoda) from the Early Cretaceous of Guangxi, Southern China. *Acta Geologica Sinica (English Edition)*, 88(4), 1051–1059.
- Molina-Pérez, R., and Larramendi, A. (2016). *Récords y curiosidades de los dinosaurios: terópodos y otros dinosauromorfos*. Larousse.
- Naish, D. (2003). A definitive allosauroid (Dinosauria; Theropoda) from the Lower Cretaceous of east Sussex. *Proceedings of the Geologists' Association*, 114, 319–326.
- Olshevsky, G. (1991). *A Revision of the Parainfraclass Archosauria Cope, 1869, Excluding the Advanced Crocodylia*. Vol. 2 of *Mesozoic Meanderings*. San Diego: George Olshevsky Publications Requiring Research.
- Pirolli. (2004). Identification of an allosaurid (Dinosauria: Theropoda) from the Morrison Formation (Upper Jurassic), Carbon County, Montana. Senior thesis, University of Pennsylvania. 64 pp.
- Rauhut, O. W. (2011). Theropod dinosaurs from the Late Jurassic of Tendaguru (Tanzania). *Special Papers in Palaeontology*, 86(1), 195–239.

- Rauhut, O. W., and Pol, D. (2019). Probable basal allosauroid from the early Middle Jurassic Cañadón Asfalto Formation of Argentina highlights phylogenetic uncertainty in tetanuran theropod dinosaurs. *Scientific Reports*, 9(1), 18826.
- Rauhut, O. W. M. (2003). The interrelationships and evolution of basal theropod dinosaurs. *Special Papers in Palaeontology*, 69, 1–213.
- Rayfield, E. J., Norman, D. B., Horner, C. C., et al. (2001). Cranial design and function in a large theropod dinosaur. *Nature*, 409(6823), 1033–1037.
- Reid, R. E. H. (1990). Zonal growth rings in dinosaurs. *Modern Geology*, 15, 19–48.
- Samathi, A., and Chanthasit, P. (2017). Two new basal Megaraptora (Dinosauria: Theropoda) from the Early Cretaceous of Thailand with comment on the phylogenetic position of *Siamotyrannus* and *Datanglong*. *Journal of Vertebrate Paleontology*, 37, 188.
- Samathi, A., Chanthasit, P., and Sander, P. M. (2019). Two new basal coelurosaurian theropod dinosaurs from the Lower Cretaceous Sao Khua Formation of Thailand. *Acta Palaeontologica Polonica*, 64(2).
- Smith, D. K. (1998). A morphometric analysis of *Allosaurus*. *Journal of Vertebrate Paleontology*, 18(1), 126–142.
- Smith, D. K. (1999). Patterns of size-related variation within *Allosaurus*. *Journal of Vertebrate Paleontology*, 19(2), 402–403.
- Snively, E., Cotton, J. R., Ridgely, R., and Witmer, L. M. (2013). Multibody dynamics model of head and neck function in *Allosaurus* (Dinosauria, Theropoda). *Palaeontologia Electronica*, 16(2), 11A.
- Stevens, K. A. (2006). Binocular vision in theropod dinosaurs. *Journal of Vertebrate Paleontology*, 26(2), 321–330.

- von Huene, F. (1923). Carnivorous saurischia in Europe since the Triassic. *Bulletin of the Geological Society of America*, 34(3), 449–458.
- Walker, A. D. (1964). Triassic reptiles from the Elgin area: *Ornithosuchus* and the origin of carnosaurs. *Philosophical Transactions of the Royal Society of London. Series B, Biological Sciences*, 248(744), 53–134.
- Williamson, T. E., and Chure, D. J. (1996). A large allosaurid from the Upper Jurassic Morrison Formation (Brushy Basin Member), west-central New Mexico. *Museum of Northern Arizona Bulletin*, 60, 73–79.
- Wu, X. C., Currie, P. J., Dong, Z., Pan, S., and Wang, T. (2009). A new theropod dinosaur from the Middle Jurassic of Lufeng, Yunnan, China. *Acta Geologica Sinica (English Edition)*, 83(1), 9–24.
- Yuhui, G. (1992). *Yangchuanosaurus hepingensis*—A new species of carnosaur from Zigong, Sichuan. *Vertebrata Palasiatica*, 30, 313–324.

Carcharodontosauria

- Agnolín, F. L., Ezcurra, M. D., Pais, D. F., and Salisbury, S. W. (2010). A reappraisal of the Cretaceous non-avian dinosaur faunas from Australia and New Zealand: Evidence for their Gondwanan affinities. *Journal of Systematic Palaeontology*, 8(2), 257–300.
- Apesteguía, S., Smith, N. D., Valieri, R. J., and Makovicky, P. J. (2016). An unusual new theropod with a didactyl manus from the Upper Cretaceous of Patagonia, Argentina. *PLOS One*, 11(7), e0157793.
- Aranciaga-Rolando, M., Garcia Marsà, J., and Novas, F. (2020). Histology and pneumaticity of *Aoniraptor libertatem* (Dinosauria, Theropoda), an enigmatic mid-sized megaraptoran from Patagonia. *Journal of Anatomy*, 237(4), 741–756.

- Azuma, Y., and Currie, P. J. (2000). A new carnosaur (Dinosauria: Theropoda) from the Lower Cretaceous of Japan. *Canadian Journal of Earth Sciences*, 37(12), 1735–1753.
- Barker, C. T., Naish, D., Newham, E., Katsamenis, O. L., and Dyke, G. (2017). Complex neuroanatomy in the rostrum of the Isle of Wight theropod *Neovenator salerii*. *Scientific Reports*, 7(1), 3749.
- Bell, P. R., Cau, A., Fanti, F., and Smith, E. T. (2016). A large-clawed theropod (Dinosauria: Tetanurae) from the Lower Cretaceous of Australia and the Gondwanan origin of megaraptorid theropods. *Gondwana Research*, 36, 473–487.
- Benson, R. B., Carrano, M. T., and Brusatte, S. L. (2010). A new clade of archaic large-bodied predatory dinosaurs (Theropoda: Allosauroidea) that survived to the latest Mesozoic. *Naturwissenschaften*, 97, 71–78.
- Benson, R. B., and Xing, X. (2008). The anatomy and systematic position of the theropod dinosaur *Chilantaisaurus tashuikouensis* Hu, 1964 from the Early Cretaceous of Alanshan, People's Republic of China. *Geological Magazine*, 145(6), 778–789.
- Brougham, T., Smith, E. T., and Bell, P. R. (2019). New theropod (Tetanurae: Avetheropoda) material from the 'mid'-Cretaceous Griman Greek Formation at Lightning Ridge, New South Wales, Australia. *Royal Society Open Science*, 6(1), 180826.
- Brusatte, S. L., Benson, R. B., Chure, D. J., Xu, X., Sullivan, C., and Hone, D. W. (2009). The first definitive carcharodontosaurid (Dinosauria: Theropoda) from Asia and the delayed ascent of tyrannosaurids. *Naturwissenschaften*, 96, 1051–1058.
- Brusatte, S. L., Benson, R. B., and Hutt, S. (2008). The osteology of *Neovenator salerii* (Dinosauria: Theropoda) from the Wealden group (Barremian) of the Isle of Wight. *Monographs of the Palaeontographical Society*, 162(631), 1–75.

- Brusatte, S. L., Benson, R. B., and Xu, X. (2011). A reassessment of *Kelmayisaurus petrolicus*, a large theropod dinosaur from the Early Cretaceous of China. *Acta Palaeontologica Polonica*, 57(1), 65–72.
- Brusatte, S. L., Chure, D. J., Benson, R. B., and Xu, X. (2010). The osteology of *Shaochilong maortuensis*, a carcharodontosaurid (Dinosauria: Theropoda) from the Late Cretaceous of Asia. *Zootaxa*, 2334, 1–46.
- Brusatte, S. L., and Sereno, P. C. (2007). A new species of *Carcharodontosaurus* (Dinosauria: Theropoda) from the Cenomanian of Niger and a revision of the genus. *Journal of Vertebrate Paleontology*, 27(4), 902–916.
- Calvo, J. O. (1998). Dinosaurs and other vertebrates of the Lake Ezequiel Ramos Mexía area, Neuquén-Patagonia, Argentina. *National Science Museum Monographs*, 15, 13–45.
- Calvo, J. O., and Coria, R. A. (1998). New specimen of *Giganotosaurus carolinii* (Coria & Salgado, 1995), supports it as the largest theropod ever found. *GAI*A, 15, 117–122.
- Calvo, J. O., Porfiri, J., Veralli, C., Novas, F., and Poblete, F. (2004). Phylogenetic status of *Megaraptor namunhuaiquii* Novas based on a new specimen from Neuquén, Patagonia, Argentina. *Ameghiniana (Rev. Asoc. Paleontol. Argent.)*, 41(4): 565–575.
- Canale, J. I., Apesteguía, S., Gallina, P. A., et al. (2022). New giant carnivorous dinosaur reveals convergent evolutionary trends in theropod arm reduction. *Current Biology*, 32(14), 3195–3202.
- Canale, J. I., Novas, F. E., and Pol, D. (2015a). Osteology and phylogenetic relationships of *Tyrannotitan chubutensis* Novas, de Valais, Vickers-Rich and Rich, 2005 (Theropoda: Carcharodontosauridae) from the Lower Cretaceous of Patagonia, Argentina. *Historical Biology*, 27(1), 1–32.

- Canale, J. I., Novas, F. E., Salgado, L., and Coria, R. A. (2015b). Cranial ontogenetic variation in *Mapusaurus roseae* (Dinosauria: Theropoda) and the probable role of heterochrony in carcharodontosaurid evolution. *Paläontologische Zeitschrift*, 89, 983–993.
- Carrano, M. T., Benson, R. B., and Sampson, S. D. (2012). The phylogeny of tetanurae (Dinosauria: Theropoda). *Journal of Systematic Palaeontology*, 10(2), 211–300.
- Cau, A., Dalla Vecchia, F. M., and Fabbri, M. (2012). Evidence of a new carcharodontosaurid from the Upper Cretaceous of Morocco. *Acta Palaeontologica Polonica*, 57(3), 661–665.
- Cau, A., Dalla Vecchia, F. M., and Fabbri, M. (2013). A thick-skulled theropod (Dinosauria, Saurischia) from the Upper Cretaceous of Morocco with implications for carcharodontosaurid cranial evolution. *Cretaceous Research*, 40, 251–260.
- Chokchaloemwong, D., Hattori, S., Cuesta, E., Jintasakul, P., Shibata, M., and Azuma, Y. (2019). A new carcharodontosaurian theropod (Dinosauria: Saurischia) from the Lower Cretaceous of Thailand. *PLOS One*, 14(10), e0222489.
- Chure, D. J. (1998). *Chilantaisaurus maortuensis*, a large maniraptoran theropod from the Early Cretaceous (Albian) of Nei Mongol, PRC. *Journal of Vertebrate Paleontology*, 18(1), 33–34.
- Coria, R. A., and Arcucci, A. B. (2004). Nuevos dinosaurios terópodos de Auca Mahuevo, provincia del Neuquén (Cretácico tardío, Argentina). *Ameghiniana*, 41(4), 597–603.
- Coria, R. A., and Currie, P. J. (2002). The braincase of *Giganotosaurus carolinii* (Dinosauria: Theropoda) from the Upper Cretaceous of Argentina. *Journal of Vertebrate Paleontology*, 22(4), 802–811.
- Coria, R. A., and Currie, P. J. (2006). A new carcharodontosaurid (Dinosauria, Theropoda) from the Upper Cretaceous of Argentina. *Geodiversitas*, 28(1), 71–118.

- Coria, R. A., and Currie, P. J. (2016). A new megaraptoran dinosaur (Dinosauria, Theropoda, Megaraptoridae) from the Late Cretaceous of Patagonia. *PLOS One*, 11(7), e0157973.
- Coria, R. A., Currie, P. J., Ortega, F., and Baiano, M. A. (2020). An Early Cretaceous, medium-sized carcharodontosaurid theropod (Dinosauria, Saurischia) from the Mulichinco Formation (Upper Valanginian), Neuquén Province, Patagonia, Argentina. *Cretaceous Research*, 111, 104319.
- Coria, R. A., Currie, P. J., Paulina-Carabajal, A., Garrido, A., and Koppelhus, E. (2004). ¿Un nuevo linaje de terópodos en el Cretácico Tardío de Argentina? *Ameghiniana*, 41, 42R.
- Coria, R. A., and Salgado, L. (1995). A new giant carnivorous dinosaur from the Cretaceous of Patagonia. *Nature*, 377(6546), 224–226.
- Currie, P. J., and Azuma, Y. (2006). New specimens, including a growth series, of *Fukuiraptor* (Dinosauria, Theropoda) from the Lower Cretaceous Kitadani Quarry of Japan. *Gosaengmul Hag-hoeji, Journal of the Paleontological Society of Korea*, 22(1), 173.
- Currie, P. J., and Carpenter, K. (2000). A new specimen of *Acrocanthosaurus atokensis* (Theropoda, Dinosauria) from the Lower Cretaceous Antlers Formation (Lower Cretaceous, Aptian) of Oklahoma, USA. *Geodiversitas*, 22(2), 207.
- Dong, Z.-M. (1973). [Dinosaurs from Wuerho]. *Memoirs of the Institute of Vertebrate Paleontology and Paleoanthropology, Academia Sinica*, 11, 45–52.
- Foth, C., Tischlinger, H., and Rauhut, O. W. (2014). New specimen of *Archaeopteryx* provides insights into the evolution of pennaceous feathers. *Nature*, 511(7507), 79–82.
- Harris, J. D. (1998). A reanalysis of *Acrocanthosaurus atokensis*, its phylogenetic status, and paleobiological implications, based on a new specimen from Texas. *New Mexico Museum of Natural History and Science Bulletin*, 13, 1–75.

- Hartman, S. (2013). Mass estimates: North vs. south redux. Dr. Scott Hartman's Skeletal Drawing.com, <https://www.skeletaldrawing.com/home/mass-estimates-north-vs-south-redux772013>.
- Hocknull, S. A., White, M. A., Tischler, T. R., et al. (2009). New mid-Cretaceous (latest Albian) dinosaurs from Winton, Queensland, Australia. *PLOS One*, 4(7), e6190.
- Hu, S.-Y. (1964). Carnosaurian remains from Alashan, Inner Mongolia. *Vertebrata Palasiatica*, 8(1), 42–63.
- Hutt, S. 2001. Catalog of Wealden Group Dinosauria in the Museum of Isle of Wight Geology. In *Dinosaurs of the Isle of Wight*, edited by Martill, D. M., and Naish, D., 411–422. The Palaeontological Association.
- Hutt, S., Martill, D. M., and Barker, M. J. (1996). The first European allosaurid dinosaur (Lower Cretaceous, Wealden Group, England). *Neues Jahrbuch für Geologie und Paläontologie, Monatshefte*, 635–644.
- Ibrahim, N., Sereno, P. C., Varricchio, D. J., et al. (2020). Geology and paleontology of the Upper Cretaceous Kem Kem group of eastern Morocco. *ZooKeys*, 928, 1.
- Lamanna, M. C., Casal, G. A., Martínez, R. D., and Ibiricu, L. M. (2020). Megaraptorid (Theropoda: Tetanurae) partial skeletons from the Upper Cretaceous Bajo Barreal Formation of central Patagonia, Argentina: Implications for the evolution of large body size in Gondwanan megaraptorans. *Annals of Carnegie Museum*, 86(3), 255–294.
- Larsson, H. C. E. (2001). Endocranial anatomy of *Carcharodontosaurus saharicus* (Theropoda: Allosauroidea) and its implications for theropod brain evolution. *Mesozoic vertebrate life*, 19–33.

- Malafaia, E., Mocho, P., Escaso, F., and Ortega, F. (2020). A new carcharodontosaurian theropod from the Lusitanian Basin: Evidence of allosauroid sympatry in the European Late Jurassic. *Journal of Vertebrate Paleontology*, 40(1), e1768106.
- Molina-Pérez, R., and Larramendi, A. (2016). *Récords y curiosidades de los dinosaurios: terópodos y otros dinosauromorfos*. Larousse.
- Motta, M. J., Aranciaga-Rolando, A. M., Rozadilla, S., et al. (2016). New theropod fauna from the Upper Cretaceous (Huincul Formation) of northwestern Patagonia, Argentina. *New Mexico Museum of Natural History and Science Bulletin*, 71, 231–253.
- Novas, F. E. (1998). *Megaraptor namunhuaiquii*, gen. et sp. nov., a large-clawed, Late Cretaceous theropod from Patagonia. *Journal of Vertebrate Paleontology*, 18(1), 4–9.
- Novas, F. E., Agnolín, F. L., Ezcurra, M. D., Porfiri, J., and Canale, J. I. (2013). Evolution of the carnivorous dinosaurs during the Cretaceous: The evidence from Patagonia. *Cretaceous Research*, 45, 174–215.
- Novas, F. E., de Valais, S., Vickers-Rich, P., and Rich, T. (2005). A large Cretaceous theropod from Patagonia, Argentina, and the evolution of carcharodontosaurids. *Naturwissenschaften*, 92, 226–230.
- Novas, F. E., Ezcurra, M. D., and Lecuona, A. (2008). *Orkoraptor burkei* nov. gen. et sp., a large theropod from the Maastrichtian Pari Aike Formation, southern Patagonia, Argentina. *Cretaceous Research*, 29(3), 468–480.
- Ortega, F., Escaso, F., and Sanz, J. L. (2010). A bizarre, humped Carcharodontosauria (Theropoda) from the Lower Cretaceous of Spain. *Nature*, 467(7312), 203–206.

- Paterna, A., and Cau, A. (2023). New giant theropod material from the Kem Kem Compound Assemblage (Morocco) with implications on the diversity of the mid-Cretaceous carcharodontosaurids from North Africa. *Historical Biology*, 35(11), 2036–2044.
- Paulina-Carabajal, A., and Currie, P. J. (2017). The braincase of the theropod dinosaur *Murusraptor*: Osteology, neuroanatomy and comments on the paleobiological implications of certain endocranial features. *Ameghiniana*, 54(5), 617–640.
- Porfiri, J. D., Novas, F. E., Calvo, J. O., Agnolín, F. L., Ezcurra, M. D., and Cerda, I. A. (2014). Juvenile specimen of *Megaraptor* (Dinosauria, Theropoda) sheds light about tyrannosauroid radiation. *Cretaceous Research*, 51, 35–55.
- Porfiri, J. D., Valieri, R. D. J., Santos, D. D., and Lamanna, M. C. (2018). A new megaraptoran theropod dinosaur from the Upper Cretaceous Bajo de la Carpa Formation of northwestern Patagonia. *Cretaceous Research*, 89, 302–319.
- Ramirez, M. A., and von Baczko, M. B. (2009). Material de Theropoda (Dinosauria) de la Formación Pari Aike (Cretácico Superior), Santa Cruz, Argentina. *Ameghiniana*, 46.
- Ratkevitch, R. (1997). Dinosaur remains of southern Arizona. In *Dinofest International, Arizona State University*, 213–221.
- Rauhut, O. W., and Foth, C. (2020). The origin of birds: Current consensus, controversy, and the occurrence of feathers. *The Evolution of Feathers: From Their Origin to the Present*, 27–45.
- Rauhut, O. W., and Xu, X. (2005). The small theropod dinosaurs *Tugulusaurus* and *Phaedrolosaurus* from the Early Cretaceous of Xinjiang, China. *Journal of Vertebrate Paleontology*, 25(1), 107–118.

- Rauhut, O. W. M. (2000). The dinosaur fauna from the Guimarota mine. In *Guimarota: A Jurassic Ecosystem*, edited by Krebs, B., and Martin, T., 75–82. Munich: Verlag Dr. Friedrich Pfeil.
- Rauhut, O. W. M., and Pol, D. (2019). Probable basal allosauroid from the early Middle Jurassic Cañadón Asfalto Formation of Argentina highlights phylogenetic uncertainty in tetanuran theropod dinosaurs. *Scientific Reports*, 9(1), 18826.
- Richter, U., Mudroch, A., and Buckley, L. G. (2013). Isolated theropod teeth from the Kem Kem beds (early Cenomanian) near Taouz, Morocco. *Paläontologische Zeitschrift*, 87, 291–309.
- Rolando, A. M., Garcia Marsà, J., and Novas, F. (2020). Histology and pneumaticity of *Aoniraptor libertatem* (Dinosauria, Theropoda), an enigmatic mid-sized megaraptoran from Patagonia. *Journal of Anatomy*, 237(4), 741–756.
- Rolando, A. M., Motta, M. J., Agnolín, F. L., Manabe, M., Tsuihiji, T., and Novas, F. E. (2022). A large megaraptoridae (Theropoda: Coelurosauria) from Upper Cretaceous (Maastrichtian) of Patagonia, Argentina. *Scientific Reports*, 12(1), 6318.
- Rolando, A. M. A., Novas, F. E., and Agnolín, F. L. (2019). A reanalysis of *Murusraptor barrosaensis* Coria & Currie (2016) affords new evidence about the phylogenetical relationships of Megaraptora. *Cretaceous Research*, 99, 104–127.
- Russell, D. (1996). Isolated dinosaur bones from the Middle Cretaceous of the Tafilalt, Morocco. *Bulletin du Muséum national d'Histoire naturelle, 4ème série, sec. C, Sciences de la Terre, Paléontologie, Géologie, Minéralogie*, 18(2–3).

- Samathi, A., Chanthasit, P., and Sander, P. M. (2019). Two new basal coelurosaurian theropod dinosaurs from the Lower Cretaceous Sao Khua Formation of Thailand. *Acta Palaeontologica Polonica*, 64(2).
- Samathi, A., Suteethorn, S., Pradit, N., and Suteethorn, V. (2022). New material of *Phuwiangvenator yaemniyomi* (Dinosauria: Theropoda) from the type locality: Implications for the early evolution of Megaraptora. *Cretaceous Research*, 131, 105093.
- Sereno, P. C., and Brusatte, S. L. (2008). Basal abelisaurid and carcharodontosaurid theropods from the Lower Cretaceous Elrhaz Formation of Niger. *Acta Palaeontologica Polonica*, 53(1), 15–46.
- Sereno, P. C., Dutheil, D. B., Iarochene, M., et al. (1996). Predatory dinosaurs from the Sahara and Late Cretaceous faunal differentiation. *Science*, 272(5264), 986–991.
- Sereno, P. C., Martinez, R. N., Wilson, J. A., Varricchio, D. J., Alcober, O. A., and Larsson, H. C. (2008). Evidence for avian intrathoracic air sacs in a new predatory dinosaur from Argentina. *PLOS One*, 3(9), e3303.
- Stovall, J. W., and Langston, W. (1950). *Acrocanthosaurus atokensis*, a new genus and species of Lower Cretaceous Theropoda from Oklahoma. *The American Midland Naturalist*, 43(3), 696–728.
- Stromer, E. (1914). *Ergebnisse der Forschungsreisen Prof. E. Stromers in den Wüsten Ägyptens*. Verlag der Königlich Bayerischen Akademie der Wissenschaften.
- Stromer, E. (1931). *Ergebnisse der Forschungsreisen Prof. E. Stromers in den Wüsten Ägyptens*. II. Wirbeltier-Reste der Baharijstufe (unterstes Cenoman). 10. Ein Skelett-Rest von *Carcharodontosaurus* nov. gen. *Abhandlungen der Bayerischen Akademie der Wissenschaften Mathematisch-naturwissenschaftliche Abteilung*, 9 (neue Folge), 1–23.

Tanaka, K., Anvarov, O. U. O., Zelenitsky, D. K., Ahmedshaev, A. S., and Kobayashi, Y.

(2021). A new carcharodontosaurian theropod dinosaur occupies apex predator niche in the early Late Cretaceous of Uzbekistan. *Royal Society Open Science*, 8(9), 210923.

von Huene, F. (1932). *Die fossile Reptilordnung Saurischia: ihre Entwicklung und Geschichte*. Vol. 2. Gebrüder Borntraeger.

White, M. A., Bell, P. R., Cook, A. G., Poropat, S. F., and Elliott, D. A. (2015). The dentary of *Australovenator wintonensis* (Theropoda, Megaraptoridae); implications for megaraptorid dentition. *PeerJ*, 3, e1512.

White, M. A., Bell, P. R., Poropat, S. F., et al. (2020). New theropod remains and implications for megaraptorid diversity in the Winton Formation (lower Upper Cretaceous), Queensland, Australia. *Royal Society Open Science*, 7(1), 191462.

White, M. A., Falkingham, P. L., Cook, A. G., Hocknull, S. A., and Elliott, D. A. (2013). Morphological comparisons of metacarpal I for *Australovenator wintonensis* and *Rapator ornitholestoides*: Implications for their taxonomic relationships. *Alcheringa: An Australasian Journal of Palaeontology*, 37(4), 435–441.

Zanno, L. E., and Makovicky, P. J. (2013). Neovenatorid theropods are apex predators in the Late Cretaceous of North America. *Nature Communications*, 4(1), 2827.

Coelurosauria

Agnolín, F. L., Ezcurra, M. D., Pais, D. F., and Salisbury, S. W. (2010). A reappraisal of the Cretaceous non-avian dinosaur faunas from Australia and New Zealand: Evidence for their Gondwanan affinities. *Journal of Systematic Palaeontology*, 8(2), 257–300.

- Barrett, P. M., Kear, B. P., and Benson, R. B. (2010). Opalized archosaur remains from the Bulldog Shale (Aptian: Lower Cretaceous) of South Australia. *Alcheringa: An Australasian Journal of Palaeontology*, 34(3), 293–301.
- Bidar, A., Demay, L., and Thomel, G. (1972). *Compsognathus corallestris*, nouvelle espèce de dinosaurien théropode du Portlandien de Canjuers (sud-est de la France). *Annales du Musée d'Histoire Naturelle de Nice*, 1(1), 1–34.
- Brusatte, S. L. (2013). The phylogeny of basal coelurosaurian theropods (Archosauria: Dinosauria) and patterns of morphological evolution during the dinosaur-bird transition. PhD thesis, Columbia University. 944 pp.
- Brusatte, S. L., Lloyd, G. T., Wang, S. C., and Norell, M. A. (2014). Gradual assembly of avian body plan culminated in rapid rates of evolution across the dinosaur-bird transition. *Current Biology*, 24(20), 2386–2392.
- Butler, R. J., and Upchurch, P. (2007). Highly incomplete taxa and the phylogenetic relationships of the theropod dinosaur *Juravenator starki*. *Journal of Vertebrate Paleontology*, 27(1), 253–256.
- Carpenter, K., Miles, C., Ostrom, J. H., Cloward, K. (2005). Redescription of the small maniraptoran theropods *Ornitholestes* and *Coelurus* from the Upper Jurassic Morrison Formation of Wyoming. In *Carnivorous Dinosaurs*, 49. Bloomington: Indiana University Press.
- Cau, A. (2018). The assembly of the avian body plan: A 160-million-year long process. *Bollettino della Società Paleontologica Italiana*, 57(1), 2.
- Chapelle, K. E., Norell, M., Ford, D. P., et al. (2021). A CT-based revised description and phylogenetic analysis of the skull of the basal maniraptoran *Ornitholestes hermanni*

- Osborn 1903. In *The Society of Vertebrate Paleontology Virtual Meeting Conference Program, November 1–5, 2021: 81st Annual Meeting*.
- Chen, P. J., Dong, Z. M., and Zhen, S. N. (1998). An exceptionally well-preserved theropod dinosaur from the Yixian Formation of China. *Nature*, 391(6663), 147–152.
- Chiappe, L. M., and Göhlich, U. B. (2010). Anatomy of *Juravenator starki* (Theropoda: Coelurosauria) from the Late Jurassic of Germany. *Neues Jahrbuch für Geologie und Palaeontologie, Abhandlungen*, 258(3), 257–296.
- Choiniere, J. N., Clark, J. M., Forster, C. A., et al. (2014). A juvenile specimen of a new coelurosaur (Dinosauria: Theropoda) from the Middle–Late Jurassic Shishugou Formation of Xinjiang, People’s Republic of China. *Journal of Systematic Palaeontology*, 12(2), 177–215.
- Choiniere, J. N., Clark, J. M., Forster, C. A., and Xu, X. (2010). A basal coelurosaur (Dinosauria: Theropoda) from the Late Jurassic (Oxfordian) of the Shishugou Formation in Wucaiwan, People’s Republic of China. *Journal of Vertebrate Paleontology*, 30(6), 1773–1796.
- Cisneros, J. C., Raja, N. B., Ghilardi, A. M., et al. (2022). Digging deeper into colonial palaeontological practices in modern day Mexico and Brazil. *Royal Society Open Science*, 9(3), 210898.
- Currie, P. J., and Chen, P. J. (2001). Anatomy of *Sinosauropteryx prima* from Liaoning, northeastern China. *Canadian Journal of Earth Sciences*, 38(12), 1705–1727.
- Dal Sasso, C., and Maganuco, S. (1998). *Scipionyx samniticus* (Theropoda, Coelurosauria) and its exceptionally preserved internal organs. *Journal of Vertebrate Paleontology*, 18 (suppl. 3).

- Dal Sasso, C., and Maganuco, S. (2011). *Scipionyx samniticus* (Theropoda: Compsognathidae) from the Lower Cretaceous of Italy—Osteology, ontogenetic assessment, phylogeny, soft tissue anatomy, taphonomy and palaeobiology. *Memorie della Società Italiana de Scienze Naturali e del Museo Civico di Storia Naturale di Milano*, 37(1), 1–281.
- Dal Sasso, C., and Signore, M. (1998). Exceptional soft-tissue preservation in a theropod dinosaur from Italy. *Nature*, 392(6674), 383–387.
- Gishlick, A. D., and Gauthier, J. A. (2007). On the manual morphology of *Compsognathus longipes* and its bearing on the diagnosis of Compsognathidae. *Zoological Journal of the Linnean Society*, 149(4), 569–581
- Godefroit, P., Cau, A., Dong-Yu, H., Escuillié, F., Wenhao, W., and Dyke, G. (2013). A Jurassic avialan dinosaur from China resolves the early phylogenetic history of birds. *Nature*, 498(7454), 359–362.
- Göhlich, U. B., and Chiappe, L. M. (2006). A new carnivorous dinosaur from the Late Jurassic Solnhofen archipelago. *Nature*, 440(7082), 329–332.
- Hartman, S., Mortimer, M., Wahl, W. R., Lomax, D. R., Lippincott, J., and Lovelace, D. M. (2019). A new paravian dinosaur from the Late Jurassic of North America supports a late acquisition of avian flight. *PeerJ*, 7, e7247.
- Holtz Jr., T. R. (2004). Tyrannosauroidae. In *The Dinosauria*, 2nd ed., edited by Weishampel, D. B., Dodson, P., and Osmólska, H., 111–136. Berkeley: University of California Press.
- Hwang, S. H., Norell, M. A., Qiang, J., and Keqin, G. (2004). A large compsognathid from the Early Cretaceous Yixian Formation of China. *Journal of Systematic Palaeontology*, 2(1), 13–30.

- Ibiricu, L. M., Martinez, R. D., Casal, G. A., and Cerda, I. A. (2013). The behavioral implications of a multi-individual bonebed of a small theropod dinosaur. *PLOS One*, 8(5), e64253.
- Ji, Q., and Ji, S. (1996). On the discovery of the earliest bird fossil in China (*Sinosauropteryx* gen. nov.) and the origin of birds. *Chinese Geology*, 10(233), 30–33.
- Ji, S., Gao, C., Liu, J., Meng, Q., and Ji, Q. (2007a). New material of *Sinosauropteryx* (Theropoda: Compsognathidae) from western Liaoning, China. *Acta Geologica Sinica (English Edition)*, 81(2), 177–182.
- Ji, S., Ji, Q., Lu J., and Yuan, C. (2007b). A new giant compsognathid dinosaur with long filamentous integuments from Lower Cretaceous of northeastern China. *Acta Geologica Sinica*, 81(1), 8–15
- Lenharo, M., and Rodrigues, M. (2022). How a Brazilian dinosaur sparked a movement to decolonize fossil science. *Nature*, 605(7908), 18–19.
- Martínez, R., and Novas, F. (2006). *Aniksosaurus darwini* gen. et sp. nov., a new coelurosaurian theropod from the early Late Cretaceous of central Patagonia, Argentina. *Revista del Museo Argentino de Ciencias Naturales nueva serie*, 8(2), 243–259.
- Molnar, R. E. (1974). A distinctive theropod dinosaur from the Upper Cretaceous of Baja California (Mexico). *Journal of Paleontology*, 1009–1017.
- Molnar, R. E. (1991). The cranial morphology of *Tyrannosaurus rex*. *Palaeontographica. Abteilung A, Paläozoologie, Stratigraphie*, 217, 137–176.
- Molnar, R. E., and Pledge, N. S. (1980). A new theropod dinosaur from South Australia. *Alcheringa*, 4(4), 281–287.
- Naish, D. (2010). *Tetrapod Zoology: Book One*. CFZ Press

- Naish, D., Martill, D. M., and Frey, E. (2004). Ecology, systematics and biogeographical relationships of dinosaurs, including a new theropod, from the Santana Formation (? Albian, Early Cretaceous) of Brazil. *Historical Biology*, 16(2–4), 57–70.
- Novas, F. E., Agnolín, F. L., Ezcurra, M. D., Porfiri, J., and Canale, J. I. (2013). Evolution of the carnivorous dinosaurs during the Cretaceous: The evidence from Patagonia. *Cretaceous Research*, 45, 174–215.
- Novas, F. E., Ezcurra, M. D., Agnolín, F. L., Pol, D., and Ortíz, R. (2012). New Patagonian Cretaceous theropod sheds light about the early radiation of Coelurosauria. *Revista del Museo Argentino de Ciencias Naturales, nueva serie*, 14, 57–81.
- Osborn, H. F. (1903). *Ornitholestes hermanni*, a new compsognathoid dinosaur from the Upper Jurassic. *Bulletin of the American Museum of Natural History*, 19(12), 459–464.
- Owen, R. (1876). Monograph on the fossil reptilia of the Wealden and Purbeck Formations. Suppl. 7, Crocodilia (Poikilopleuron) and Dinosauria? (Chondrosteosaurus). [Wealden.] *Monographs of the Palaeontographical Society*, 30, 1–7.
- Peyer, K. (2006). A reconsideration of *Compsognathus* from the Upper Tithonian of Canjuers, southeastern France. *Journal of Vertebrate Paleontology*, 26(4), 879–896.
- Rauhut, O. W. (2005). Post-cranial remains of ‘coelurosaurs’ (Dinosauria, Theropoda) from the Late Jurassic of Tanzania. *Geological Magazine*, 142(1), 97–107.
- Rauhut, O. W., Foth, C., Tischlinger, H., and Norell, M. A. (2012). Exceptionally preserved juvenile megalosauroid theropod dinosaur with filamentous integument from the Late Jurassic of Germany. *Proceedings of the National Academy of Sciences*, 109(29), 11746–11751.

- Rauhut, O. W., and Xu, X. (2005). The small theropod dinosaurs *Tugulusaurus* and *Phaedrolosaurus* from the Early Cretaceous of Xinjiang, China. *Journal of Vertebrate Paleontology*, 25(1), 107–118.
- Rauhut, O. W. M. (2003). The interrelationships and evolution of basal theropod dinosaurs. *Special Papers in Palaeontology*, 69, 1–213.
- Rivera-Sylva, H. E., and Longrich, N. R. (2024). A new tyrant dinosaur from the Late Campanian of Mexico reveals a tribe of southern tyrannosaurs. *Fossil Studies*, 2(4), 245–272.
- Rui, Q., Xiaolin, W., Shunxing, J., Jin, M., Zhonghe, Z. (2025). Two new compsognathid-like theropods show diversified predation strategies in theropod dinosaurs. *National Science Review*, 12(5), <https://doi.org/10.1093/nsr/nwaf068>.
- Samathi, A., and Chanthasit, P. (2015). New megaraptoran (Dinosauria: Theropoda) from the Early Cretaceous Sao Khua Formation of Thailand. In *Second International Symposium on Asian Dinosaurs, Bangkok*. 69 pp. Bangkok: Nakhon Ratchasima Rajabhat University and Department of Mineral Resources.
- Samathi, A., Chanthasit, P., and Sander, P. M. (2019). Two new basal coelurosaurian theropod dinosaurs from the Lower Cretaceous Sao Khua Formation of Thailand. *Acta Palaeontologica Polonica*, 64(2).
- Sayão, J. M., Saraiva, A. Á. F., Brum, A. S., et al. (2020). The first theropod dinosaur (Coelurosauria, Theropoda) from the base of the Romualdo Formation (Albian), Araripe Basin, northeast Brazil. *Scientific Reports*, 10(1), 10892.

Smyth, R. S., Martill, D. M., Frey, E., Sylva, H. E. R., and Lenz, N. (2020). WITHDRAWN: A maned theropod dinosaur from Gondwana with elaborate integumentary structures.

Cretaceous Research, <https://doi.org/10.1016/j.cretres.2020.104686>.

Wagner, J. A. (1859). Über einige im lithographischen Schiefer neu aufgefundenene Schildkröten und Saurier. *Gelehrte Anzeigen der Bayerischen Akademie der Wissenschaften*, 49, 553.

Xing, L., Bell, P. R., Persons IV, W. S., et al. (2012). Abdominal contents from two large Early Cretaceous compsognathids (Dinosauria: Theropoda) demonstrate feeding on confuciusornithids and dromaeosaurids. *PLOS One*, 7(8), e44012

Xing, L., Miyashita, T., Wang, D., Niu, K., and Currie, P. J. (2020). A new compsognathid theropod dinosaur from the oldest assemblage of the Jehol Biota in the Lower Cretaceous Huajiyang Formation, northeastern China. *Cretaceous Research*, 107, 104285.

Xu, X., Choiniere, J., Tan, Q., et al. (2018). Two Early Cretaceous fossils document transitional stages in alvarezsaurian dinosaur evolution. *Current Biology*, 28(17), 2853–60.

Tyrannosauroida

Averianov, A. O., Krasnolutskiy, S. A., and Ivantsov, S. V. (2010). A new basal coelurosaur (Dinosauria: Theropoda) from the Middle Jurassic of Siberia. *Proceedings of the Zoological Institute RAS*, 314(1), 42–57.

Averianov, A. O., Osochnikova, A., Skutschas, P., et al. (2019). New data on the tyrannosauroid dinosaur *Kileskus* from the Middle Jurassic of Siberia, Russia. *Historical Biology*, 33(7), 897–903.

Benson, R. B. (2008). New information on *Stokesosaurus*, a tyrannosauroid (Dinosauria: Theropoda) from North America and the United Kingdom. *Journal of Vertebrate Paleontology*, 28(3), 732–750.

- Benson, R. B., Rich, T. H., Vickers-Rich, P., and Hall, M. (2012). Theropod fauna from southern Australia indicates high polar diversity and climate-driven dinosaur provinciality. *PLOS One*, 7(5), e37122.
- Britt, B. (1991). Theropods of Dry Mesa Quarry (Morrison Formation, Late Jurassic), Colorado, with emphasis on the osteology of *Torvosaurus tanneri*. *Brigham Young University Geology Studies*, 37, 1–72.
- Brownstein, C. D. (2021). Dinosaurs from the Santonian–Campanian Atlantic coastline substantiate phylogenetic signatures of vicariance in Cretaceous North America. *Royal Society Open Science*, 8(8), 210127.
- Brusatte, S. L., Averianov, A., Sues, H. D., Muir, A., and Butler, I. B. (2016). New tyrannosaur from the mid-Cretaceous of Uzbekistan clarifies evolution of giant body sizes and advanced senses in tyrant dinosaurs. *Proceedings of the National Academy of Sciences*, 113(13), 3447–3452.
- Brusatte, S. L., and Benson, R. B. J. (2012). The systematics of Late Jurassic tyrannosauroids (Dinosauria: Theropoda) from Europe and North America. *Acta Palaeontologica Polonica*.
- Brusatte, S. L., Benson, R. B., and Norell, M. A. (2011). The anatomy of *Dryptosaurus aquilunguis* (Dinosauria: Theropoda) and a review of its tyrannosauroid affinities. *American Museum Novitates*, 3717, 1–53.
- Brusatte, S. L., and Carr, T. D. (2016). The phylogeny and evolutionary history of tyrannosauroid dinosaurs. *Scientific Reports*, 6(1), 20252.

- Brusatte, S. L., Lloyd, G. T., Wang, S. C., and Norell, M. A. (2014). Gradual assembly of avian body plan culminated in rapid rates of evolution across the dinosaur-bird transition. *Current Biology*, 24(20), 2386–2392.
- Carpenter, K., Miles, C., and Cloward, K. (2005a). New small theropod from the Upper Jurassic Morrison Formation of Wyoming. In *The Carnivorous Dinosaurs*, edited by Carpenter, K., 23–48. Bloomington: Indiana University Press.
- Carpenter, K., Miles, C., Ostrom, J. H., and Cloward, K. (2005b). Redescription of the small maniraptoran theropods *Ornitholestes* and *Coelurus* from the Upper Jurassic Morrison Formation of Wyoming. In *The Carnivorous Dinosaurs*, edited by Carpenter, K., 49. Bloomington: Indiana University Press
- Carr, T., Varricchio, D., Sedlmayr, J., et al. (2017). A new tyrannosaur with evidence for anagenesis and crocodile-like facial sensory system. *Scientific Reports*, 7, 44942.
- Carr, T. D., and Williamson, T. E. (2002). Evolution of basal Tyrannosauroida from North America. *Journal of Vertebrate Paleontology*, 22, 41A.
- Carr, T. D., and Williamson, T. E. (2005). A reappraisal of tyrannosauroids from Iren Dabasu, Inner Mongolia, People's Republic of China. *Journal of Vertebrate Paleontology*, 25(3).
- Carr, T. D., and Williamson, T. E. (2010). *Bistahieversor sealeyi*, gen. et sp. nov., a new tyrannosauroid from New Mexico and the origin of deep snouts in Tyrannosauroida. *Journal of Vertebrate Paleontology*, 30(1), 1–16.
- Carr, T. D., Williamson, T. E., and Schwimmer, D. R. (2005). A new genus and species of tyrannosauroid from the Late Cretaceous (Middle Campanian) Demopolis Formation of Alabama. *Journal of Vertebrate Paleontology*, 25(1), 119–143.

- Choiniere, J. N., Clark, J. M., Forster, C. A., et al. (2014). A juvenile specimen of a new coelurosaur (Dinosauria: Theropoda) from the Middle–Late Jurassic Shishugou Formation of Xinjiang, People’s Republic of China. *Journal of Systematic Palaeontology*, 12(2), 177–215.
- Chure, D., and Madsen, J. (1998). An unusual braincase (?*Stokesosaurus clevelandi*) from the Cleveland-Lloyd Dinosaur Quarry, Utah (Morrison Formation; Late Jurassic). *Journal of Vertebrate Paleontology*, 18(1), 115–125.
- Chure, D. J., and Madsen, J. H. (1996). On the presence of furculae in some non-maniraptoran theropods. *Journal of Vertebrate Paleontology*, 16(3), 573–577.
- Delcourt, R., and Grillo, O. N. (2018). Tyrannosauroids from the Southern Hemisphere: Implications for biogeography, evolution, and taxonomy. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 511, 379–387.
- Fiorillo, A. R., and Tykoski, R. S. (2014). A diminutive new tyrannosaur from the top of the world. *PLOS One*, 9(3), e91287.
- Foster, J. R., and Chure, D. J. (2000). An ilium of a juvenile *Stokesosaurus* (Dinosauria, Theropoda) from the Morrison Formation (Upper Jurassic: Kimmeridgian), Meade County, South Dakota. *Brigham Young University Geology Studies*, 45, 5–10.
- Fowler, D. W., Woodward, H. N., Freedman, E. A., Larson, P. L., and Horner, J. R. (2011). Reanalysis of “*Raptorex kriegsteini*”: A juvenile tyrannosaurid dinosaur from Mongolia. *PLOS One*, 6(6), e21376.
- Gilmore, C. W. (1933). On the dinosaurian fauna of the Iren Dabasu Formation. *Bulletin of the American Museum of Natural History*, 67(2), 23–78.

- Hartman, S., Mortimer, M., Wahl, W. R., Lomax, D. R., Lippincott, J., and Lovelace, D. M. (2019). A new paravian dinosaur from the Late Jurassic of North America supports a late acquisition of avian flight. *PeerJ*, 7, e7247.
- Hattori, S., Shibata, M., Kawabe, S., Imai, T., Nishi, H., and Azuma, Y. (2023). New theropod dinosaur from the Lower Cretaceous of Japan provides critical implications for the early evolution of ornithomimosaur. *Scientific Reports*, 13(1), 13842.
- Hendrickx, C., Hartman, S. A., and Mateus, O. (2015). An overview of non-avian theropod discoveries and classification. *PalArch's Journal of Vertebrate Palaeontology*, 12(1), 73.
- Hutt, S., Naish, D., Martill, D. M., Barker, M. J., and Newbery, P. (2001). A preliminary account of a new tyrannosauroid theropod from the Wessex Formation (Early Cretaceous) of southern England. *Cretaceous Research*, 22(2), 227–242.
- Ji, Q., Ji, S.-A., and Zhang, L.-J. (2009). First large tyrannosauroid theropod from the Early Cretaceous Jehol Biota in northeastern China. *Geological Bulletin of China*, 28(10), 1369–1374.
- Kellner, A. W. A. (1999). Short note on a new dinosaur (Theropoda, Coelurosauria) from the Santana Formation (Romualdo Member, Albian), northeastern Brazil. *Boletim do Museu Nacional (Serie Geologia)*, 49, 1–8.
- Li, D., Norell, M. A., Gao, K. Q., Smith, N. D., and Makovicky, P. J. (2010). A longirostrine tyrannosauroid from the Early Cretaceous of China. *Proceedings of the Royal Society B: Biological Sciences*, 277(1679), 183–190.
- Loewen, M. A., Irmis, R. B., Sertich, J. J., Currie, P. J., and Sampson, S. D. (2013). Tyrant dinosaur evolution tracks the rise and fall of Late Cretaceous oceans. *PLOS One*, 8(11), e79420.

- Madsen Jr., J. H. (1974). A new theropod dinosaur from the Upper Jurassic of Utah. *Journal of Paleontology*, 27–31.
- Marsh, O. C. (1877). Notice of a new and gigantic dinosaur. *American Journal of Science and Arts*, 14, 87–88.
- Marsh, O. C. (1879). Notice of new Jurassic reptiles. *American Journal of Science*, 3(108), 501–505.
- McDonald, A. T., Wolfe, D. G., and Kirkland, J. I. (2010). A new basal hadrosauroid (Dinosauria: Ornithopoda) from the Turonian of New Mexico. *Journal of Vertebrate Paleontology*, 30(3), 799–812.
- McKeown, M., Brusatte, S. L., Williamson, T. E., et al. (2020). Neurosensory and sinus evolution as tyrannosauroid dinosaurs developed giant size: Insight from the endocranial anatomy of *Bistahieversor sealeyi*. *The Anatomical Record*, 303(4), 1043–1059.
- Molina-Pérez, R., and Larramendi, A. (2016). *Récords y curiosidades de los dinosaurios: terópodos y otros dinosauromorfos*. Larousse.
- Nesbitt, S. J., Denton Jr., R. K., Loewen, M. A., et al. (2019). A mid-Cretaceous tyrannosauroid and the origin of North American end-Cretaceous dinosaur assemblages. *Nature Ecology and Evolution*, 3(6), 892–899.
- Novas F. A., Agnolín F. L., Ezcurra M. D., Porfiri J., and Canale J. I. (2013) Evolution of the carnivorous dinosaurs during the Cretaceous: The evidence from Patagonia. *Cretaceous Research*, 45, 174–215.
- Osmólska, H. (1996). An unusual theropod dinosaur from the Late Cretaceous Nemegt Formation of Mongolia. *Acta Palaeontologica Polonica*, 41(1), 1–38.

- Ostrom, J. H. (1980). *Coelurus* and *Ornitholestes*: Are they the same? In *Aspects of Vertebrate History: Essays in Honor of Edwin Harris Colbert*, edited by Jacobs, L. L., 245–256. Flagstaff: Museum of Northern Arizona Press.
- Perle, A. (1977). O pervoy nakhodke Alektrozavra (Tyrannosauridae, Theropoda) iz pozdnego Mela Mongolii. *Shinzhlekh Ukhaany Akademi Geologiin Khureelen*, 3(3), 104–113.
- Persons IV, W. S., and Currie, P. J. (2016). An approach to scoring cursorial limb proportions in carnivorous dinosaurs and an attempt to account for allometry. *Scientific Reports*, 6(1), 19828.
- Porfiri, J. D., Novas, F. E., Calvo, J. O., Agnolín, F. L., Ezcurra, M. D., and Cerda, I. A. (2014). Juvenile specimen of *Megaraptor* (Dinosauria, Theropoda) sheds light about tyrannosauroid radiation. *Cretaceous Research*, 51, 35–55.
- Rauhut, O. W. (2003). A tyrannosauroid dinosaur from the Upper Jurassic of Portugal. *Palaeontology*, 46(5), 903–910.
- Rauhut, O. W., Milner, A. C., and Moore-Fay, S. (2010). Cranial osteology and phylogenetic position of the theropod dinosaur *Proceratosaurus bradleyi* (Woodward, 1910) from the Middle Jurassic of England. *Zoological Journal of the Linnean Society*, 158(1), 155–195.
- Rauhut, O. W. M. (2000). The dinosaur fauna from the Guimarota mine. In *Guimarota: A Jurassic Ecosystem*, edited by Krebs, B., and Martin, T., 75–82. Munich: Verlag Dr. Friedrich Pfeil.
- Rich, T. H., and Vickers-Rich, P. (1994). Neoceratopsians and ornithomimosaur: Dinosaurs of Gondwana origin? *National Geographic Research and Exploration*, 10(1), 129–131

- Sayão, J. M., Saraiva, A. Á. F., Brum, A. S., et al. (2020). The first theropod dinosaur (Coelurosauria, Theropoda) from the base of the Romualdo Formation (Albian), Araripe Basin, northeast Brazil. *Scientific Reports*, 10(1), 10892.
- Sereno, P. C., Tan, L., Brusatte, S., Kriegstein, H., Zhao, X., and Cloward, K. (2009). Tyrannosaurid skeletal design first evolved at small body size. *Science*, 326, 418–22.
- Słowiak, J., Brusatte, S. L., and Szczygielski, T. (2024). Reassessment of the enigmatic Late Cretaceous theropod dinosaur, *Bagaraatan ostromi*. *Zoological Journal of the Linnean Society*, 202(3).
- Sullivan, C., Yu, Y., and Xu, X. (2014). Manual flexibility and grasping ability in the basal tyrannosauroid dinosaur *Guanlong wucaii*. Abstract. In *74th Annual Meeting of Society of Vertebrate Paleontology*, November 2014.
- Turner, A. H., Pol, D., Clarke, J. A., Erickson, G. M., and Norell, M. (2007). Supporting online material for: A basal dromaeosaurid and size evolution preceding avian flight. *Science*, 317, 1378–1381.
- von Huene, F. (1926). On several known and unknown reptiles of the order Saurischia from England and France. *Annals and Magazine of Natural History*, ser. 9, 17, 473–489.
- Voris, J. T., Therrien, F., Zelenitzky, D. K., and Brown, C. M. (2020). A new tyrannosaurine (Theropoda: Tyrannosauridae) from the Campanian Foremost Formation of Alberta, Canada, provides insight into the evolution and biogeography of tyrannosaurids. *Cretaceous Research*, 110, 104388.
- Wu, X.-C., Shi, J.-R., Dong, L.-Y., Carr, T. D., Yi, J., and Xu, S.-C. (2019). A new tyrannosauroid from the Upper Cretaceous of Shanxi, China. *Cretaceous Research*, 108, 104357.

- Xing, L., Miyashita, T., Wang, D., Niu, K., and Currie, P. J. (2020). A new compsognathid theropod dinosaur from the oldest assemblage of the Jehol Biota in the Lower Cretaceous Huajiying Formation, northeastern China. *Cretaceous Research*, 107, 104285.
- Xu, X., Clark, J. M., Forster, C. A., et al. (2006). A basal tyrannosauroid dinosaur from the Late Jurassic of China. *Nature*, 439(7077), 715–718.
- Xu, X., Norell, M. A., Kuang, X., Wang, X., Zhao, Q., and Jia, C. (2004). Basal tyrannosauroids from China and evidence for protofeathers in tyrannosauroids. *Nature*, 431(7009), 680–684.
- Xu, X., Wang, K., Zhang, K., et al. (2012). A gigantic feathered dinosaur from the Lower Cretaceous of China. *Nature*, 484(7392), 92–95.
- Zanno, L. E., Tucker, R. T., Canoville, A., Avrahami, H. M., Gates, T. A., and Makovicky, P. J. (2019). Diminutive fleet-footed tyrannosauroid narrows the 70-million-year gap in the North American fossil record. *Communications Biology*, 2(1), 64.

Tyrannosauridae

- Ali, F., Zelenitsky, D. K., Therrien, F., and Weishampel, D. B. (2008). Homology of the “ethmoid complex” of tyrannosaurids and its implications for the reconstruction of the olfactory apparatus of non-avian theropods. *Journal of Vertebrate Paleontology*, 28(1), 123–133.
- Barsbold, R. (1983). Carnivorous dinosaurs from the Cretaceous of Mongolia. *Transactions of the Joint Soviet–Mongolian Paleontological Expedition*, 19, 1–117.
- Bates, K. T., and Falkingham, P. L. (2012). Estimating maximum bite performance in *Tyrannosaurus rex* using multi-body dynamics. *Biological Letters*, 8(4), 660–664.

- Brochu, C. R. (2003). Osteology of *Tyrannosaurus rex*: Insights from a nearly complete skeleton and high-resolution computed tomographic analysis of the skull. *Society of Vertebrate Paleontology Memoirs*, 7, 1–138.
- Brownstein, C. D. (2021). Dinosaurs from the Santonian–Campanian Atlantic coastline substantiate phylogenetic signatures of vicariance in Cretaceous North America. *Royal Society Open Science*, 8(8), 210127.
- Brusatte, S. L., and Carr, T. D. (2016). The phylogeny and evolutionary history of tyrannosauroid dinosaurs. *Scientific Reports*, 6(1), 20252.
- Brusatte, S. L., Carr, T. D., Erickson, G. M., Bever, G. S., and Norell, M. A. (2009). A long-snouted, multihorned tyrannosaurid from the Late Cretaceous of Mongolia. *Proceedings of the National Academy of Sciences*, 106(41), 17261–17266.
- Brusatte, S. L., Carr, T. D., and Norell, M. A. (2012). The osteology of *Alioramus*, a gracile and long-snouted tyrannosaurid (Dinosauria, Theropoda) from the Late Cretaceous of Mongolia. *Bulletin of the American Museum of Natural History*, 366, 1–197.
- Carr, T. D. (1999). Craniofacial ontogeny in Tyrannosauridae (Dinosauria, Coelurosauria). *Journal of Vertebrate Paleontology*, 19(3), 497–520.
- Carr, T. D., Varricchio, D. J., Sedlmayr, J. C., Roberts, E. M., and Moore, J. R. (2017). A new tyrannosaur with evidence for anagenesis and crocodile-like facial sensory system. *Scientific Reports*, 7, 44942.
- Carr, T. D., Williamson, T. E., Britt, B. B., and Stadtman, K. (2011). Evidence for high taxonomic and morphologic tyrannosauroid diversity in the Late Cretaceous (Late Campanian) of the American Southwest and a new short-skulled tyrannosaurid from the Kaiparowits Formation of Utah. *Naturwissenschaften*, 98, 241–246.

- Carr, T. D., Williamson, T. E., and Schwimmer, D. R. (2005). A new genus and species of tyrannosauroid from the Late Cretaceous (Middle Campanian) Demopolis Formation of Alabama. *Journal of Vertebrate Paleontology*, 25(1), 119–143.
- Carrano, M. T. (1998). The evolution of dinosaur locomotion: Functional morphology, biomechanics, and modern analogs. PhD thesis, University of Chicago. 424 pp.
- Currie, P. J. (1998). Possible evidence of gregarious behavior in tyrannosaurids. *GAI*A, 15, 271–277.
- Currie, P. J. (2001). Nomadic Expeditions, Inc. report on fieldwork in Mongolia, September 2000. *Alberta Palaeontological Society Fifth Annual Symposium*, 12–16.
- Currie, P. J. (2002). Report on fieldwork in Mongolia, September 2001. In *Fossils 2002*, 8–12. Alberta Paleontological Society.
- Currie, P. J. (2003). Cranial anatomy of tyrannosaurids from the Late Cretaceous of Alberta. *Acta Palaeontologica Polonica*, 48(2), 191–226.
- Currie, P. J., and Russell, D. A. (2005). The geographic and stratigraphic distribution of articulated and associated dinosaur remains. In *Dinosaur Provincial Park: A Spectacular Ancient Ecosystem Revealed*, edited by Currie, P. J., and Koppelhus, E. B., 537–569. Bloomington: Indiana University Press.
- Currie, P. J., Hurum J. H., and Sabath, K. (2003). Skull structure and evolution in tyrannosaurid dinosaurs. *Acta Palaeontologica Polonica*, 48(2), 227–234.
- Currie, P. J., Trexler, D., Koppelhus, E. B., Wicks, K., and Murphy, N. (2005). An unusual multi-individual tyrannosaurid bonebed in the Two Medicine Formation (Late Cretaceous, Campanian) of Montana (USA). In *The Carnivorous Dinosaurs*, edited by Carpenter, K., 313–324. Bloomington: Indiana University Press.

- Dalman, S. G., and Lucas, S. G. (2018). Tyrannosaurid dinosaurs (Theropoda: Tyrannosauridae) from the Upper Cretaceous (Early Campanian) Allison Member of the Menefee Formation, New Mexico: Implications for the origin of Tyrannosauridae in North America. *New Mexico Museum of Natural History and Science Bulletin*, 79, 99–112.
- Dececchi, T. A., Mloszewski, A. M., Holtz Jr., T. R., Habib, M. B., and Larsson, H. C. (2020). The fast and the frugal: Divergent locomotory strategies drive limb lengthening in theropod dinosaurs. *PLOS One*, 15(5), e0223698.
- Druckenmiller, P. S., Erickson, G. M., Brinkman, D., Brown, C. M., and Eberle, J. J. (2021). Nesting at extreme polar latitudes by non-avian dinosaurs. *Current Biology*, 31(16), 3469–3478.
- Eberth, D. A. (1997). Judith River Wedge. In *Encyclopedia of Dinosaurs*, edited by Currie, P. J., and Padian, K., 199–204. San Diego: Academic Press.
- Eberth, D. A., and Currie, P. J. (2010). Stratigraphy, sedimentology, and taphonomy of the *Albertosaurus* bonebed (upper Horseshoe Canyon Formation; Maastrichtian), southern Alberta, Canada. *Canadian Journal of Earth Sciences*, 47(9), 1119–1143.
- Erickson, G. M., Makovicky, P. J., Currie, P. J., Norell, M. A., Yerby, S. A., and Brochu, C. A. (2004). Gigantism and comparative life-history parameters of tyrannosaurid dinosaurs. *Nature*, 430(7001), 772–775.
- Fiorillo, A. R., and Tykoski, R. S. (2014). A diminutive new tyrannosaur from the top of the world. *PLOS One*, 9(3), e91287.
- Ford, T. L., and Chure, D. J. (2001). Ghost lineages and the paleogeographic and temporal distribution of tyrannosaurids. In *Society of Vertebrate Paleontology, 61st Annual Meeting*, 50a–51a.

- Fowler, D. W., Woodward, H. N., Freedman, E. A., Larson, P. L., and Horner, J. R. (2011). Reanalysis of “*Raptorex kriegsteini*”: A Juvenile Tyrannosaurid Dinosaur from Mongolia. *PLOS One*, **6**(6), e21376.
- Glut, D. F. (2001). *Dinosaurs: The Encyclopedia*. Supplement 2. McFarland & Company, Inc.
- Gradzinski, R. (1970). Sedimentation of dinosaur-bearing upper cretaceous deposits of the Nemegt Basin, Gobi desert. *Palaeontologia Polonica*, *21*, 147–229.
- Hendrickx, C., Bell, P. R., Pittman, M., et al. (2022). Morphology and distribution of scales, dermal ossifications, and other non-feather integumentary structures in non-avian theropod dinosaurs. *Biological Reviews*, *97*(3), 960–1004.
- Hone, D. W., Wang, K., Sullivan, C., et al. (2011). A new, large tyrannosaurine theropod from the Upper Cretaceous of China. *Cretaceous Research*, *32*(4), 495–503.
- Hurum, J. H., and Sabath, K. (2003). Giant theropod dinosaurs from Asia and North America: Skulls of *Tarbosaurus bataar* and *Tyrannosaurus rex* compared. *Acta Palaeontologica Polonica*, *48*(2), 161–190.
- Kielan-Jaworowska, Z., and Barsbold, R. (1972). Narrative of the Polish–Mongolian palaeontological expeditions 1967–1971. *Palaeontologia Polonica*, *27*, 5–13.
- Kielan-Jaworowska, Z., and Dovchin, N. (1968). Narrative of the Polish–Mongolian palaeontological expeditions 1963–1965. *Palaeontologia Polonica*, *19*, 7–32.
- Kurzanov, S. M. (1976). A new carnosaur from the Late Cretaceous of Nogon-Tsav, Mongolia. *Transactions of the Joint Soviet–Mongolian Paleontological Expedition*, *3*, 93–104. In Russian.
- Lambe, L. M. (1914). On the fore-limb of a carnivorous dinosaur from the Belly River Formation of Alberta, and a new genus of Ceratopsia from the same horizon, with

- remarks on the integument of some Cretaceous herbivorous dinosaurs. *Ottawa Naturalist*, 27, 129–135.
- Larson, N. L. (2008). One hundred years of *Tyrannosaurus rex*: The skeletons. In *Tyrannosaurus rex: The Tyrant King*, edited by Larson, P., and Carpenter, K., 1–55. Bloomington: Indiana University Press.
- Loewen, M. A., Irmis, R. B., Sertich, J. J., Currie, P. J., and Sampson, S. D. (2013). Tyrant dinosaur evolution tracks the rise and fall of Late Cretaceous oceans. *PLOS One*, 8(11), e79420.
- Lü, J., Yi, L., Brusatte, S. L., Yang, L., Li, H., and Chen, L. (2014). A new clade of Asian Late Cretaceous long-snouted tyrannosaurids. *Nature Communications*, 5(1), 3788.
- Maleev, E. A. (1955). New carnivorous dinosaurs from the Upper Cretaceous of Mongolia, translated by F. J. Alcock. *Doklady Akademii Nauk SSSR*, 104(5), 779–783.
- Maltese, A. E. (2009). Difficult excavation and preparation of a large *Daspletosaurus* specimen. In *Methods in Fossil Preparation: Proceedings of the First Annual Fossil Preparation and Collections Symposium*, 63–68.
- Matthew, W. D., and Brown, B. (1923). Preliminary notices of skeletons and skulls of Deinodontidae from the Cretaceous of Alberta. *American Museum Novitates*, 89, 1–9.
- McDonald, A. T., Wolfe, D. G., and Dooley Jr., A. C. (2018). A new tyrannosaurid (Dinosauria: Theropoda) from the Upper Cretaceous Menefee Formation of New Mexico. *PeerJ*, 6, e5749.
- McDonald, A. T., Wolfe, D. G., and Dooley Jr., A. C. (2021). New data on the tyrannosaurid dinosaur *Dynamoterror*, including a more complete skeleton, from the Menefee Formation (Middle Campanian) of New Mexico, USA: Implications for tyrannosaurid

- evolution in southern Laramidia. In *The Society of Vertebrate Paleontology Virtual Meeting Conference Program, November 1–5, 2021: 81st Annual Meeting*, 181.
- Osborn, H. F. (1905). *Tyrannosaurus* and other Cretaceous carnivorous dinosaurs. *Bulletin of the American Museum of Natural History*, 21, 259–265.
- Osborn, H. F. (1912). Crania of *Tyrannosaurus* and *Allosaurus*. *Memoirs of the American Museum of Natural History*, 1, 1–30.
- Osborn, H. F. (1916). Skeletal adaptations of *Ornitholestes*, *Struthiomimus*, *Tyrannosaurus*. *Bulletin of the American Museum of Natural History*, 35, 733–771.
- Osmólska, H. (1996). An unusual theropod dinosaur from the Late Cretaceous Nemegt Formation of Mongolia. *Acta Palaeontologica Polonica*, 41(1), 1–38.
- Paul, G. S. (2010). *The Princeton Field Guide to Dinosaurs*. Princeton, N.J.: Princeton University Press.
- Reichel, M. (2010). The heterodonty of *Albertosaurus sarcophagus* and *Tyrannosaurus rex*: Biomechanical implications inferred through 3-D models. *Canadian Journal of Earth Sciences*, 47(9), 1253–1261.
- Russell, D. A. (1970). Tyrannosaurs from the Late Cretaceous of western Canada. *National Museum of Natural Sciences Publications in Paleontology*, 1, 1–34.
- Russell, D. A., and Chamney, T. P. (1967). Notes on the biostratigraphy of Dinosaurian and microfossil faunas in the Edmonton Formation (Cretaceous), Alberta. *National Museum of Canada Natural History Papers*, 35, 1–22.
- Schubert, B. W., and Ungar, P. S. (2005). Wear facets and enamel spalling in tyrannosaurid dinosaurs. *Acta Palaeontologica Polonica*, 50(1).

- Schweitzer, M. H., Wittmeyer, J. L., Horner, J. R., and Toporski, J. K. (2005). Soft-tissue vessels and cellular preservation in *Tyrannosaurus rex*. *Science*, 307(5717), 1952–1955.
- Sereno, P., Tan, L., Brusatte, S. L., Kriegstein, H. J., Zhao, X., and Cloward, K. (2009). Tyrannosaurid skeletal design first evolved at small body size. *Science*, 326(5951), 418–422.
- Stevens, K. A. (2006). Binocular vision in theropod dinosaurs. *Journal of Vertebrate Paleontology*, 26(2), 321–330.
- Tanke, D. H., and Currie, P. J. (1998). Head-biting behavior in theropod dinosaurs: Paleopathological evidence. *GAI*A, 15, 167–184.
- Tanke, D. H., and Currie, P. J. (2010). A history of *Albertosaurus* discoveries in Alberta, Canada. *Canadian Journal of Earth Sciences*, 47(9), 1197–1211.
- Titus, A. L., Knoll, K., Sertich, J. J., et al. (2021). Geology and taphonomy of a unique tyrannosaurid bonebed from the upper Campanian Kaiparowits Formation of southern Utah: Implications for tyrannosaurid gregariousness. *PeerJ*, 9, e11013.
- Voris, J. T., Therrien, F., Zelenitsky, D. K., and Brown, C. M. (2020). A new tyrannosaurine (Theropoda: Tyrannosauridae) from the Campanian Foremost Formation of Alberta, Canada, provides insight into the evolution and biogeography of tyrannosaurids. *Cretaceous Research*, 110, 104388.
- Voris, J. T., Zelenitsky, D. K., Therrien, F., Ridgely, R. C., Currie, P. J., and Witmer, L. M. (2021). Two exceptionally preserved juvenile specimens of *Gorgosaurus libratus* (Tyrannosauridae, Albertosaurinae) provide new insight into the timing of ontogenetic changes in tyrannosaurids. *Journal of Vertebrate Paleontology*, 41(6), e2041651.

- Warshaw, E. A., and Fowler, D. W. (2022). A transitional species of *Daspletosaurus* Russell, 1970 from the Judith River Formation of eastern Montana. *PeerJ*, 10, e14461.
- Watabe, M., and Suzuki, S. (2000). Report on the Japan–Mongolia Joint Paleontological Expedition to the Gobi Desert, 1993. *Hayashibara Museum of Natural Sciences Research Bulletin*, 1, 19–29.
- Wu, X.-C., Shi, J.-R., Dong, L.-Y., Carr, T. D., Yi, J., and Xu, S.-C. (2019). A new tyrannosauroid from the Upper Cretaceous of Shanxi, China. *Cretaceous Research*, 108, 104357.
- Yun, C. G. (2020a). A reassessment of the taxonomic validity of *Dynamoterror* dynastes (Theropoda: Tyrannosauridae). *Zoodiversity*, 54(3).
- Yun, C. G. (2020b). A subadult frontal of *Daspletosaurus torosus* (Theropoda: Tyrannosauridae) from the Late Cretaceous of Alberta, Canada with implications for Tyrannosaurid Ontogeny and Taxonomy. *PalArch's Journal of Vertebrate Palaeontology*, 17(2), 1–13.
- Zanno, L. E., Tucker, R. T., Canoville, A., Avrahami, H. M., Gates, T. A., and Makovicky, P. J. (2019). Diminutive fleet-footed tyrannosauroid narrows the 70-million-year gap in the North American fossil record. *Communications Biology*, 2(1), 64.
- Zheng, W., Jin, X., Xie, J. et al. (2024). The first deep-snouted tyrannosaur from Upper Cretaceous Ganzhou City of southeastern China. *Scientific Reports*, 14, 16276. <https://doi.org/10.1038/s41598-024-66278-5>.

Ornithomimosauria

- Barsbold, R. (1981). Беззубые хищные динозавры Монголии. *Transactions of the Joint Soviet–Mongolian Palaeontological Expedition*, 15, 28–39.

- Barsbold, R. (1983). Carnivorous dinosaurs from the Cretaceous of Mongolia. *Sovmestnaia Sovetsko-Mongolskaia Paleontologicheskaya Ekspeditsiya Trudy*, 19, 1–120.
- Barsbold, R. (1988). A new Late Cretaceous ornithomimid from the Mongolian People's Republic. *Paleontological Journal*, 22, 124–127.
- Barsbold, R., and Perle, A. (1984). The first record of a primitive ornithomimosaur from the Cretaceous of Mongolia. *Paleontological Journal*, 1984(2), 118–120.
- Bronowicz, R. (2011). New material of a derived ornithomimosaur from the Upper Cretaceous Nemegt Formation of Mongolia. *Acta Palaeontologica Polonica*, 56(3), 477–488.
- Brownstein, C. D. (2017). Description of Arundel Clay ornithomimosaur material and a reinterpretation of *Nedcolbertia justinhofmanni* as an “Ostrich Dinosaur”: Biogeographic implications. *PeerJ*, 5, e31110.
- Brusatte, S. L., and Carr, T. D. (2016). The phylogeny and evolutionary history of tyrannosauroid dinosaurs. *Scientific Reports*, 6(1), 20252.
- Brusatte, S. L., Lloyd, G. T., Wang, S. C., and Norell, M. A. (2014). Gradual assembly of avian body plan culminated in rapid rates of evolution across the dinosaur-bird transition. *Current Biology*, 24(20), 2386–2392.
- Buffetaut, E., Suteethorn, V., and Tong, H. (2009). An early ‘ostrich dinosaur’ (Theropoda: Ornithomimosauria) from the Early Cretaceous Sao Khua Formation of NE Thailand. *Geological Society, London, Special Publications*, 315(1), 229–243.
- Carpenter, K., and Young, D. B. (2002). Late Cretaceous dinosaurs from the Denver Basin, Colorado. *Rocky Mountain Geology*, 37(2), 237–254.

- Chinzorig, T., Kobayashi, Y., Tsogtbaatar, K., Currie, P. J., Watabe, M., and Barsbold, R. (2017). First ornithomimid (Theropoda, Ornithomimosauria) from the Upper Cretaceous Djadokhta Formation of Tögrögiin Shiree, Mongolia. *Scientific Reports*, 7(1), 5835.
- Choiniere, J. N., Forster, C. A., and De Klerk, W. J. (2012). New information on *Nqwebasaurus thwazi*, a coelurosaurian theropod from the Early Cretaceous Kirkwood Formation in South Africa. *Journal of African Earth Sciences*, 71, 1–17.
- Claessens, L., and Loewen, M. A. (2015). A redescription of *Ornithomimus velox* Marsh, 1890 (Dinosauria, Theropoda). *Journal of Vertebrate Paleontology*, 36, e1034593.
- Cuesta, E., Vidal, D., Ortega, F., Shibata, M., and Sanz, J. L. (2022). *Pelecanimimus* (Theropoda: Ornithomimosauria) postcranial anatomy and the evolution of the specialized manus in ornithomimosaurs and sternum in maniraptoriforms. *Zoological Journal of the Linnean Society*, 194(2), 553–591.
- Currie, P. J., and Russell, D. A. (2005). The geographic and stratigraphic distribution of articulated and associated dinosaur remains. In *Dinosaur Provincial Park: A Spectacular Ancient Ecosystem Revealed*, edited by Currie, P. J., and Koppelhus, E. B., 537–569. Bloomington: Indiana University Press.
- de Klerk, W. J., Forster, C. A., Sampson, S. D., Chinsamy, A., and Ross, C. F. (2000). A new coelurosaurian dinosaur from the Early Cretaceous of South Africa. *Journal of Vertebrate Paleontology*, 20(2), 324–332.
- Funston, G. F., and Currie, P. J. (2018). A small caenagnathid tibia from the Horseshoe Canyon Formation (Maastrichtian): Implications for growth and lifestyle in oviraptorosaurs. *Cretaceous Research*, 92, 220–230.

- Hartman, S., Mortimer, M., Wahl, W. R., Lomax, D. R., Lippincott, J., and Lovelace, D. M. (2019). A new paravian dinosaur from the Late Jurassic of North America supports a late acquisition of avian flight. *PeerJ*, 7, e7247.
- Hattori, S., Shibata, M., Kawabe, S., Imai, T., Nishi, H., and Azuma, Y. (2023). New theropod dinosaur from the Lower Cretaceous of Japan provides critical implications for the early evolution of ornithomimosaur. *Scientific Reports*, 13(1), 13842.
- Hunt, R. K., and Quinn, J. H. (2018). A new ornithomimosaur from the Lower Cretaceous Trinity Group of Arkansas. *Journal of Vertebrate Paleontology*, 38(1), e1421209.
- Ji, Q., Norell, M. A., Makovicky, P. J., Gao, K. Q., and Yuan, C. (2003). An early ostrich dinosaur and implications for ornithomimosaur phylogeny. *American Museum Novitates*, 3420, 1–19.
- Jin, L., Jun, C., and Godefroit, P. (2012). A new basal ornithomimosaur (Dinosauria: Theropoda) from the Early Cretaceous Yixian Formation, northeast China. *Bernissart Dinosaurs and Early Cretaceous Terrestrial Ecosystems*, 467.
- Kirkland, J. I., Britt, B. B., Whittle, C. H., Madsen, S. K., and Burge, D. L. (1998). A small coelurosaurian theropod from the Yellow Cat Member of the Cedar Mountain Formation (Lower Cretaceous, Barremian) of eastern Utah. *New Mexico Museum of Natural History and Science Bulletin*, 14, 239–248.
- Kobayashi, Y., and Barsbold, R. (2005a). Anatomy of *Harpymimus okladnikov* Barsbold and Perle 1984 (Dinosauria; Theropoda) of Mongolia. In *The Carnivorous Dinosaurs*, edited by Carpenter, K., 97–126. Bloomington: Indiana University Press.

- Kobayashi, Y., and Barsbold, R. (2005b). Reexamination of a primitive ornithomimosaur, *Garudimimus brevipes* Barsbold, 1981 (Dinosauria: Theropoda), from the Late Cretaceous of Mongolia. *Canadian Journal of Earth Sciences*, 42(9), 1501–1521.
- Kobayashi, Y., and Lü, J. C. (2003). A new ornithomimid dinosaur with gregarious habits from the Late Cretaceous of China. *Acta Palaeontologica Polonica*, 48(2).
- Lee, H.-J., Lee, Y.-N., Adams, T. L., et al. (2018). Theropod trackways associated with a *Gallimimus* foot skeleton from the Nemegt Formation, Mongolia. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 494, 160–167.
- Lee, Y. N., Barsbold, R., Currie, P. J., et al. (2014). Resolving the long-standing enigmas of a giant ornithomimosaur *Deinocheirus mirificus*. *Nature*, 515(7526), 257–260.
- Longrich, N. (2008). A new, large ornithomimid from the Cretaceous Dinosaur Park Formation of Alberta, Canada: Implications for the study of dissociated dinosaur remains. *Palaeontology*, 51(4), 983–997.
- Macdonald, I., and Currie, P. J. (2019). Description of a partial *Dromiceiomimus* (Dinosauria: Theropoda) skeleton with comments on the validity of the genus. *Canadian Journal of Earth Sciences*, 56(2), 129–157.
- Makovicky, P. J., Kobayashi, Y., and Currie, P. J. (2004). Ornithomimosauria. In *The Dinosauria*, 2nd ed., edited by Weishampel, D. B., Dodson, P., and Osmólska, H. Berkeley: University of California Press.
- Makovicky, P. J., Li, D., Gao, K. Q., Lewin, M., Erickson, G. M., and Norell, M. A. (2010). A giant ornithomimosaur from the Early Cretaceous of China. *Proceedings of the Royal Society B: Biological Sciences*, 277(1679), 191–198.

- Marsh, O. C. (1890). Description of new dinosaurian reptiles. *The American Journal of Science*, ser. 3, 39, 81–86.
- McFeeters, B., Ryan, M. J., Schröder-Adams, C., and Cullen, T. M. (2016). A new ornithomimid theropod from the Dinosaur Park Formation of Alberta, Canada. *Journal of Vertebrate Paleontology*, 36(6), e1221415.
- McFeeters, B., Ryan, M. J., Schröder-Adams, C., and Currie, P. J. (2017). First North American occurrences of *Qiupalong* (Theropoda: Ornithomimidae) and the palaeobiogeography of derived ornithomimids. *Facets*, 2(1), 355–373.
- Nesov, L. A. (1995). *Dinozavri severnoi Yevrazii: Novye dannye o sostave kompleksov, ekologii i paleobiogeografii*. St. Petersburg, Russia: Scientific Research Institute of the Earth's Crust, St. Petersburg State University. 156 pp.
- Nicholls, E. L., and Russell, A. P. (1981). A new specimen of *Struthiomimus altus* from Alberta, with comments on the classificatory characters of Upper Cretaceous ornithomimids. *Canadian Journal of Earth Sciences*, 18(3), 518–526.
- Osborn, H. F. (1917). Skeletal adaptations of *Ornitholestes*, *Struthiomimus*, *Tyrannosaurus*. *Bulletin of the American Museum of Natural History*, 35, 733–771.
- Osmólska, H., and Roniewicz, E. (1970). Deinocheiridae, a new family of theropod dinosaurs. *Palaeontologica Polonica*, 21, 5–19.
- Osmólska, H., Roniewicz, E., and Barsbold, R. (1972). A new dinosaur, *Gallimimus bullatus* n. gen., n. sp. (Ornithomimidae) from the Upper Cretaceous of Mongolia. *Palaeontologia Polonica*, 27, 103–143.

- Pérez-Moreno, B. P., Sanz, J. L., Buscalioni, A. D., Moratalla, J. J., Ortega, F., and Rasskin-Gutman, D. (1994). A unique multitoothed ornithomimosaur dinosaur from the Lower Cretaceous of Spain. *Nature*, 370(6488), 363–367.
- Radermacher, V. J., Fernandez, V., Schachner, E. R., et al. (2021). A new *Heterodontosaurus* specimen elucidates the unique ventilatory macroevolution of ornithischian dinosaurs. *Elife*, 10, e66036.
- Russell, D. (1972). Ostrich dinosaurs from the Late Cretaceous of western Canada. *Canadian Journal of Earth Sciences*, 9, 375–402.
- Serrano-Brañas, C. I., Espinosa-Chávez, B., Maccracken, S. A., Gutiérrez-Blando, C., de León-Dávila, C., and Ventura, J. F. (2020). *Paraxenisaurus normalensis*, a large deinocheirid ornithomimosaur from the Cerro del Pueblo Formation (Upper Cretaceous), Coahuila, Mexico. *Journal of South American Earth Sciences*, 101, 102610.
- Serrano-Brañas, C. I., Torres-Rodríguez, E., Reyes-Luna, P. C., González-Ramírez, I., and González-León, C. (2016). A new ornithomimid dinosaur from the Upper Cretaceous Packard Shale Formation (Cabullona Group) Sonora, México. *Cretaceous Research*, 58, 49–62.
- Shapiro, M. D., You, H., Shubin, N. H., Luo, Z., and Downs, J. P. (2003). A large ornithomimid pes from the Lower Cretaceous of the Mazongshan area, northern Gansu Province, People's Republic of China. *Journal of Vertebrate Paleontology*, 23(3), 695–698.
- Smith, D., and Galton, P. (1990). Osteology of *Archaeornithomimus asiaticus* (Upper Cretaceous, Iren Dabasu Formation, People's Republic of China). *Journal of Vertebrate Paleontology*, 10(2), 255–265.

- Sues, H. D., and Averianov, A. (2016). Ornithomimidae (Dinosauria: Theropoda) from the Bissekty Formation (Upper Cretaceous: Turonian) of Uzbekistan. *Cretaceous Research*, 57, 90–110.
- Thulborn, R. A. (1982). Speeds and gaits of dinosaurs. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 38(3–4), 227–256.
- Varricchio, D. J., Sereno, P. C., Xijin, Z., Lin, T., Wilson, J. A., and Lyon, G. H. (2008). Mud-trapped herd captures evidence of distinctive dinosaur sociality. *Acta Palaeontologica Polonica*, 53(4), 567–578.
- Watabe, M., Suzuki, S., Tsogtbaatar, K., Tsubamoto, T., and Saneyoshi, M. (2010). Report of the HMNS-MPC Joint Paleontological Expedition in 2006. *Hayashibara Museum of Natural Sciences Research Bulletin*, 3, 11–18.
- Xu, L., Kobayashi, Y., Lü, J., et al. (2011). A new ornithomimid dinosaur with North American affinities from the Late Cretaceous Qiupa Formation in Henan Province of China. *Cretaceous Research*, 32(2), 213–222.
- Zelenitsky, D. K., Therrien, F., Erickson, G. M., et al. (2012). Feathered non-avian dinosaurs from North America provide insight into wing origins. *Science*, 338(6106), 510–514.

Alvarezsauroidea

- Agnolín, F. L., Lu, J. C., Kundrát, M., and Xu, L. (2022). Alvarezsaurid osteology: New data on cranial anatomy. *Historical Biology*, 34(3), 443–452.
- Agnolín, F. L., Powell, J. E., Novas, F. E., and Kundrát, M. (2012). New alvarezsaurid (Dinosauria, Theropoda) from uppermost Cretaceous of north-western Patagonia with associated eggs. *Cretaceous Research*, 35, 33–56.

- Alifanov, V. R., and Barsbold, R. (2009). *Ceratomykus oculus* gen. et sp. nov., a new dinosaur (? Theropoda, Alvarezsauria) from the Late Cretaceous of Mongolia. *Paleontological Journal*, 43, 94–106.
- Alifanov, V. R., and Saveliev, S. V. (2011). Brain structure and neurobiology of alvarezsaurians (Dinosauria), exemplified by *Ceratomykus oculus* (Parvicursoridae) from the Late Cretaceous of Mongolia. *Paleontological Journal*, 45, 183–190.
- Averianov, A. O., and Lopatin, A. V. (2021). A re-appraisal of *Parvicursor remotus* from the Late Cretaceous of Mongolia: Implications for the phylogeny and taxonomy of alvarezsaurid theropod dinosaurs. *Journal of Systematic Palaeontology*, 19(16), 1097–1128.
- Averianov, A. O., and Lopatin, A. V. (2022). A new alvarezsaurid theropod dinosaur from the Upper Cretaceous of Gobi Desert, Mongolia. *Cretaceous Research*, 135, 105168.
- Averianov, A. O., and Sues, H. D. (2022). New material and diagnosis of a new taxon of alvarezsaurid (Dinosauria, Theropoda) from the Upper Cretaceous Bissekty Formation of Uzbekistan. *Journal of Vertebrate Paleontology*, 41(5), e2036174.
- Bonaparte, J. F. (1991). *Los vertebrados fósiles de la Formación Río Colorado, de la ciudad de Neuquén y cercanías, Cretácico superior, Argentina*. Museo Argentino de Ciencias Naturales “Bernardino Rivadavia” e Instituto Nacional de Investigación de las Ciencias Naturales.
- Cau, A., (2018). The assembly of the avian body plan: A 160-million-year long process. *Bollettino della Società Paleontologica Italiana*, 57(1), 2.
- Chiappe, L. M., and Coria, R. A. (2003). A new specimen of *Patagonykus puertai* (Theropoda: Alvarezsauridae) from the Late Cretaceous of Patagonia. *Ameghiniana*, 40(1), 119–122.

- Chiappe, L. M., Norell, M. A., and Clark, J. M. (1998). The skull of a relative of the stem-group bird *Mononykus*. *Nature*, 392(6673), 275–278.
- Choiniere, J. N., Clark, J. M., Forster, C. A., et al. (2014). A juvenile specimen of a new coelurosaur (Dinosauria: Theropoda) from the Middle–Late Jurassic Shishugou Formation of Xinjiang, People's Republic of China. *Journal of Systematic Palaeontology*, 12(2), 177–215.
- Choiniere, J. N., Neenan, J. M., Schmitz, L., et al. (2021). Evolution of vision and hearing modalities in theropod dinosaurs. *Science*, 372(6542), 610–613.
- Choiniere, J. N., Xu, X., Clark, J. M., Forster, C. A., Guo, Y., and Han, F. (2010). A basal alvarezsaurid theropod from the early Late Jurassic of Xinjiang, China. *Science*, 327(5965), 571–574.
- Dong, Z.-M. (1973). [Dinosaurs from Wuerho]. *Memoirs of the Institute of Vertebrate Paleontology and Paleoanthropology, Academia Sinica*, 11, 45–52.
- Fowler, D. W., Wilson, J. P., Fowler, E. A. F., Noto, C. R., Anduza, D., and Horner, J. R. (2020). *Trierarchuncus prairiensis* gen. et sp. nov., the last alvarezsaurid: Hell Creek Formation (uppermost Maastrichtian), Montana. *Cretaceous Research*, 116, 104560.
- Freimuth, W. J., and Wilson, J. P. (2021). New manual unguals of *Trierarchuncus prairiensis* from the Hell Creek Formation, Montana, and the ontogenetic development of the functional alvarezsaurid hand claw. *Cretaceous Research*, 119, 104698.
- Harrison, C. J. O., and Walker C. A., (1975). The Bradycnemidae, a new family of owls from the Upper Cretaceous of Romania. *Palaeontology*, 18(3), 563–570.

- Hartman, S., Mortimer, M., Wahl, W. R., Lomax, D. R., Lippincott, J., and Lovelace, D. M. (2019). A new paravian dinosaur from the Late Jurassic of North America supports a late acquisition of avian flight. *PeerJ*, 7, e7247.
- Hone, D. W., Choiniere, J. N., Tan, Q., and Xu, X. (2012). An articulated pes from a small parvicursorine alvarezsauroid dinosaur from Inner Mongolia, China. *Acta Palaeontologica Polonica*, 58(3), 453–458.
- Karhu, A. A., and Rautian, A. S. (1996). A new family of Maniraptora (Dinosauria: Saurischia) from the Late Cretaceous of Mongolia. *Paleontological Journal*, 30(5), 583–592.
- Kessler, E., Grigorescu, D., and Csiki, Z. (2005). *Elopteryx* revisited—A new bird-like specimen from the Maastrichtian of the Hațeg Basin (Romania). *Acta Palaeontologica Romaniae*, 5, 249–258.
- Kubo, K., Kobayashi, Y., Chinzorig, T., and Tsogtbaatar, K. (2023). A new alvarezsaurid dinosaur (Theropoda, Alvarezsauria) from the Upper Cretaceous Baruungoyot Formation of Mongolia provides insights for bird-like sleeping behavior in non-avian dinosaurs. *PLOS One*, 18(11), e0293801.
- Lee, S., Park, J. Y., Lee, Y. N., et al. (2019). A new alvarezsaurid dinosaur from the Nemegt Formation of Mongolia. *Scientific Reports*, 9(1), 15493.
- Longrich, N. R., and Currie, P. J. (2009). *Albertonykus borealis*, a new alvarezsaur (Dinosauria: Theropoda) from the Early Maastrichtian of Alberta, Canada: Implications for the systematics and ecology of the Alvarezsauridae. *Cretaceous Research*, 30(1), 239–252.
- Lü, J. C., Xu, L., Chang, H. L., et al. (2018). A new alvarezsaurid dinosaur from the Late Cretaceous Qiupa Formation of Luanchuan, Henan Province, central China. *China Geology*, 1(1), 28–35.

- Makovicky, P. J., Apesteguía, S. N., and Gianechini, F. A. (2012). A new Coelurosaurian theropod from the La Buitrera fossil locality of Río Negro, Argentina. *Fieldiana Life and Earth Sciences*, 5, 90–98.
- Makovicky, P. J., Apesteguía, S. N., and Gianechini, F. A. (2017). A new, almost complete specimen of *Alnashetri cerropoliciensis* impacts our understanding of alvarezsauroid evolution. In *Society of Vertebrate Paleontology 77th Annual Meeting: Meeting Program and Abstracts*, 157.
- Martinelli, A. G., and Vera, E. I. (2007). *Achillesaurus manazzonei*, a new alvarezsaurid theropod (Dinosauria) from the Late Cretaceous Bajo de la Carpa Formation, Río Negro Province, Argentina. *Zootaxa*, 1582(1), 1–17.
- Meso, J. G., Baiano, M. A., Canale, J. I., Coria, R. A., and Salgado, L. (2018a). New information on the skull of *Patagonykus puertai* (Theropoda, Alvarezsauridae). *XXXII Jornadas Argentinas de Paleontología de Vertebrados and VII Jornadas Técnicas de Paleontología de Vertebrados*.
- Meso, J. G., Baiano, M., Canale, J. I., Salgado, L., Choiniere, J., and Brusatte, S. (2018b). Phylogenetic relationships of a new alvarezsaurid (Dinosauria: Coelurosauria) from the Allen Formation (Maastrichtian, Upper Cretaceous) of Río Negro Province, Argentina: Implications for the Argentinian taxa. *Reunión de Comunicaciones de la Asociación Paleontológica Argentina, Puerto Madryn*, R11.
- Meso, J. G., Qin, Z., Pittman, M., Canale, J. I., Salgado, L., and Díaz, V. D. (2021). Tail anatomy of the Alvarezsauria (Theropoda, Coelurosauria), and its functional and behavioural implications. *Cretaceous Research*, 124, 104830.

- Molina-Pérez, R., and Larramendi, A. (2016). *Récords y curiosidades de los dinosaurios: terópodos y otros dinosauromorfos*. Larousse.
- Naish, D., and Dyke, G. J. (2004): *Heptasteornis* was no ornithomimid, troodontid, dromaeosaurid or owl: The first alvarezsaurid (Dinosauria: Theropoda) from Europe. *Neues Jahrbuch für Geologie und Paläontologie, Monatshefte*, 7, 385–401.
- Nesbitt, S. J., Clarke, J. A., Turner, A. H., and Norell, M. A. (2011). A small alvarezsaurid from the eastern Gobi Desert offers insight into evolutionary patterns in the Alvarezsauroidea. *Journal of Vertebrate Paleontology*, 31(1), 144–153.
- Norman, D. B. (1990). Problematic theropoda: Coelurosaurs. In *The Dinosauria*, edited by Weishampel, D. B., Dodson, P., and Osmólska, H., 280–305. Berkeley: University of California Press.
- Novas, F. E. (1994). *Patagonykus puertai* n. gen. et sp., and the phylogenetic relationships of the Alvarezsauridae (Theropoda, Maniraptora). In *VI Congreso Argentino de Paleontología y Bioestratigrafía*, edited by Cúneo, R. Museo Paleontológico Egidio Feruglio, Trelew Abstracts.
- Novas, F. E. (1997). Anatomy of *Patagonykus puertai* (Theropoda, Avialae, Alvarezsauridae), from the Late Cretaceous of Patagonia. *Journal of Vertebrate Paleontology*, 17(1), 137–166.
- Paul, G. S. (2010). *The Princeton Field Guide to Dinosaurs*. Princeton, N.J.: Princeton University Press.
- Perle, A., Norell, M. A., Chiappe, L. M., and Clark, J. M. (1993). Flightless bird from the Cretaceous of Mongolia. *Nature*, 362, 623–626.

- Qin, Z., Clark, J., Choiniere, J., and Xu, X. (2019). A new alvarezsaurian theropod from the Upper Jurassic Shishugou Formation of western China. *Scientific Reports*, 9(1), 11727.
- Rauhut, O. W. M., and Xu, X. (2005). The small theropod dinosaurs *Tugulusaurus* and *Phaedrolosaurus* from the Early Cretaceous of Xinjiang, China. *Journal of Vertebrate Paleontology*, 25(1), 107–118.
- Sereno, P. C. (2001). Alvarezsaurids: Birds or ornithomimosaur? In *New Perspectives on the Origin and Early Evolution of Birds: Proceedings of the International Symposium in Honor of John H. Ostrom*, edited by Gauthier, J., and Gall, L. F., 69–98. New Haven: Yale Peabody Museum.
- Turner, A. H., Nesbitt, S. J., and Norell, M. A. (2009). A large alvarezsaurid from the Late Cretaceous of Mongolia. *American Museum Novitates*, 3648, 1–14.
- Watabe, M., and Suzuki, S. (2000). Report on the Japan–Mongolia Joint Paleontological Expedition to the Gobi Desert, 1993. *Hayashibara Museum of Natural Sciences Research Bulletin*, 1, 17–29.
- Watabe, M., Suzuki, S., Tsogtbaatar, K., Tsubamoto, T., and Saneyoshi, M. (2010). Report of the HMNS-MPC Joint Paleontological Expedition in 2006. *Hayashibara Museum of Natural Sciences Research Bulletin*, 3, 11–18.
- Xing, L., Miyashita, T., Wang, D., Niu, K., and Currie, P. J. (2020). A new compsognathid theropod dinosaur from the oldest assemblage of the Jehol Biota in the Lower Cretaceous Huajiying Formation, northeastern China. *Cretaceous Research*, 107, 104285.
- Xu, X., Choiniere, J., Tan, Q., et al. (2018). Two Early Cretaceous fossils document transitional stages in alvarezsaurian dinosaur evolution. *Current Biology*, 28(17), 2853–2860.

- Xu, X., Sullivan, C., Pittman, M., et al. (2011). A monodactyl nonavian dinosaur and the complex evolution of the alvarezsauroid hand. *Proceedings of the National Academy of Sciences*, 108(6), 2338–2342.
- Xu, X., Upchurch, P., Ma, Q., et al. (2013). Osteology of the Late Cretaceous alvarezsauroid *Linhenykus monodactylus* from China and comments on alvarezsauroid biogeography. *Acta Palaeontologica Polonica*, 58(1), 25–46.
- Xu, X., Wang, D. Y., Sullivan, C., et al. (2010). A basal parvicursorine (Theropoda: Alvarezsauridae) from the Upper Cretaceous of China. *Zootaxa*, 2413(1), 1–19.
- Zanno, L. E., Tucker, R. T., Canoville, A., Avrahami, H. M., Gates, T. A., and Makovicky, P. J. (2019). Diminutive fleet-footed tyrannosauroid narrows the 70-million-year gap in the North American fossil record. *Communications Biology*, 2(1), 64.

Therizinosauria

- Averianov, A. O., and Lopatin, A. V. (2022). A new alvarezsaurid theropod dinosaur from the Upper Cretaceous of Gobi Desert, Mongolia. *Cretaceous Research*, 135, 105168.
- Averianov, A. O., and Sues, H. D. (2021). New material and diagnosis of a new taxon of alvarezsaurid (Dinosauria, Theropoda) from the Upper Cretaceous Bissekty Formation of Uzbekistan. *Journal of Vertebrate Paleontology*, 41(5), e2036174.
- Azuma, Y., Xu, X., Shibata, M., Kawabe, S., Miyata, K., and Imai, T. (2016). A bizarre theropod from the Early Cretaceous of Japan highlighting mosaic evolution among coelurosaurs. *Scientific Reports*, 6(1), 20478.

- Barrett, P. M. (2009). The affinities of the enigmatic dinosaur *Eshanosaurus deguchiiianus* from the Early Jurassic of Yunnan Province, People's Republic of China. *Palaeontology*, 52(4), 681–688.
- Barsbold, R. (1976). Новые данные о теризинозавре (Therizinosauridae, Theropoda) [New data on *Therizinosaurus* (Therizinosauridae, Theropoda)]. In *Paleontology and Biostratigraphy of Mongolia: The Joint Soviet–Mongolian Paleontological Expedition, Transactions*, edited by Kramarenko, N. N., Luvsandansan, B., Voronin, Y. I., et al., 76–92. Moscow: Nauka Press.
- Barsbold, R. (1983). Хищные динозавры мела Монголии [Carnivorous dinosaurs from the Cretaceous of Mongolia]. *Transactions of the Joint Soviet–Mongolian Paleontological Expedition*, 19, 5–119.
- Barsbold, R., and Perle, A. (1980). Segnosauria, a new suborder of carnivorous dinosaurs. *Acta Palaeontologica Polonica*, 25(2), 190–192.
- Burch, S. H. (2006). The range of motion of the glenohumeral joint of the therizinosaur *Neimongosaurus yangi* (Dinosauria: Theropoda). *Journal of Vertebrate Paleontology*, 26 (suppl. 3), 46A.
- Button, K., You, H., Kirkland, J. I., and Zanno, L. E. (2017). Incremental growth of therizinosaurian dental tissues: Implications for dietary transitions in Theropoda. *PeerJ*, 5, e4129.
- Dong, Z. (1979). Cretaceous dinosaur fossils in southern China [Cretaceous dinosaurs of the Huanan (south China)]. In *Mesozoic and Cenozoic Redbeds in Southern China*, edited by Institute of Vertebrate Paleontology and Paleoanthropology and Nanjing Institute of Paleontology, 342–350. Beijing: Science Press. In Chinese.

- Dong, Z., Yu, H., and Dong, Z. M. (1997). A new segnosaur from Mazongshan area, Gansu Province, China. *Sino-Japanese Silk Road Dinosaur Expedition*, 90–95.
- Harrison, C. J. O., and Walker C. A., (1975). The Bradycnemidae, a new family of owls from the Upper Cretaceous of Romania. *Palaeontology*, 18(3), 563–570.
- Hartman, S., Mortimer, M., Wahl, W. R., Lomax, D. R., Lippincott, J., and Lovelace, D. M. (2019). A new paravian dinosaur from the Late Jurassic of North America supports a late acquisition of avian flight. *PeerJ*, 7, e7247.
- Hattori, S., Kawabe, S., Imai, T., et al. (2021). Osteology of *Fukuivenator paradoxus*: A bizarre maniraptoran theropod from the Early Cretaceous of Fukui, Japan. *Memoir of the Fukui Prefectural Dinosaur Museum*, 20, 1–82.
- Hedrick, B. P., Zanno, L. E., Wolfe, D. G., and Dodson, P. (2015). The slothful claw: Osteology and taphonomy of *Nothronychus mckinleyi* and *N. graffami* (Dinosauria: Theropoda) and anatomical considerations for derived therizinosaurids. *PLOS One*, 10(6), e0129449.
- Kirkland, J. I., and Wolfe, D. G. (2001). First definitive therizinosaurid (Dinosauria; Theropoda) from North America. *Journal of Vertebrate Paleontology*, 21(3), 410–414.
- Kirkland, J. I., Zanno, L. E., Sampson, S. D., Clark, J. M., and DeBlieux, D. D. (2005). A primitive therizinosaurid dinosaur from the Early Cretaceous of Utah. *Nature*, 435(7038), 84–87.
- Kobayashi, Y., Takasaki, R., Fiorillo, A. R., Chinzorig, T., and Hikida, Y. (2022). New therizinosaurid dinosaur from the marine Osoushinai Formation (Upper Cretaceous, Japan) provides insight for function and evolution of therizinosaur claws. *Scientific Reports*, 12(1), 7207.

- Kubo, K., Kobayashi, Y., Chinzorig, T., and Tsogtbaatar, K. (2023). A new alvarezsaurid dinosaur (Theropoda, Alvarezsauria) from the Upper Cretaceous Baruungoyot Formation of Mongolia provides insights for bird-like sleeping behavior in non-avian dinosaurs. *PLOS One*, 18(11), e0293801.
- Lautenschlager, S. (2013). Cranial myology and bite force performance of *Erlikosaurus andrewsi*: A novel approach for digital muscle reconstructions. *Journal of Anatomy*, 222(2), 260–272.
- Lautenschlager, S. (2014). Morphological and functional diversity in therizinosaur claws and the implications for theropod claw evolution. *Proceedings of the Royal Society B: Biological Sciences*, 28(1785), 20140497.
- Lee, S. A., and Richards, Z. (2018). The surprisingly strong arms of the therizinosaur dinosaurs. *The Physics Teacher*, 56(7), 432–435.
- Li, D., Peng, C., You, H., et al. (2007). A large therizinosauroid (Dinosauria: Theropoda) from the Early Cretaceous of northwestern China. *Acta Geologica Sinica (English Edition)*, 81(4), 539–549.
- Li, D., You, H., and Zhang, J. (2008). A new specimen of *Suzhousaurus megatherioides* (Dinosauria: Therizinosaurioidea) from the Early Cretaceous of northwestern China. *Canadian Journal of Earth Sciences*, 45(7), 769–779.
- Li, Q., Clarke, J. A., Gao, K. Q., et al. (2014). Melanosome evolution indicates a key physiological shift within feathered dinosaurs. *Nature*, 507(7492), 350–353.
- Maleev, E. A. (1954). Новый черепахообразный ящер в Монголии [New turtle-like reptile in Mongolia]. *Природа [Priroda]* (3), 106–108.

- Murakami, M., Hirayama, R., Hikida, Y., and Hirano, H. (2008). A theropod dinosaur (Saurischia: Maniraptora) from the Upper Cretaceous Yezo Group of Hokkaido, northern Japan. *Paleontological Research*, 12(4), 421–425.
- Naish, D., and Dyke, G. J. (2004): *Heptasteornis* was no ornithomimid, troodontid, dromaeosaurid or owl: The first alvarezsaurid (Dinosauria: Theropoda) from Europe. *Neues Jahrbuch für Geologie und Paläontologie, Monatshefte*, 7, 385–401.
- Paul, G. S. (2016). *The Princeton Field Guide to Dinosaurs*. Princeton, N.J.: Princeton University Press.
- Perle, A. (1979). Segnosauridae—A new family of Theropoda from the Lower Cretaceous of Mongolia. *Trudy, Sovmestnaâ Sovetsko—Mongol'skaâ paleontologičeskaâ èkspediciâ*, 8, 45–55.
- Perle, A. (1982). О находке задней конечности *Therizinosaurus* sp. из верхнего мела Монголии [On a new finding of the hindlimb of *Therizinosaurus* sp. from the Late Cretaceous of Mongolia]. *Problems in Mongolian Geology*, 5, 94–98.
- Pu, H., Kobayashi, Y., Lü, J., et al. (2013). An unusual basal therizinosaur dinosaur with an ornithischian dental arrangement from northeastern China. *PLOS One*, 8(5), e63423.
- Qian. 2011. Chinese dinosaur spectrum (60) - [Shifeng Tiantai dragon] (*Tiantaisaurus shifengensis* Dong, et al, 2007). *Journal of Geology*, 35(4), 385.
- Qian, M.-P., Zhang, Z.-Y., Jiang, Y., et al. (2012). 浙江白垩纪镰刀龙类恐龙 [Cretaceous therizinosaurs in Zhejiang of eastern China]. *Journal of Geology*, 36(4), 337–348.
- Rozhdestvensky, A. K. (1970). О гигантских когтевых фалангах загадочных рептилий мезозоя [On the giant claws of enigmatic Mesozoic reptiles]. *Paleontological Journal*, 1970(1), 131–141.

- Russell, D. A., and Dong, Z. M. (1993). The affinities of a new theropod from the Alxa Desert, Inner Mongolia, People's Republic of China. *Canadian Journal of Earth Sciences*, 30(10), 2107–2127.
- Senter, P., Kirkland, J. I., and DeBlieux, D. D. (2012). *Martharaptor greenriverensis*, a new theropod dinosaur from the Lower Cretaceous of Utah. *PLOS One*, 7(8), e43911.
- Smith, D. K., Sanders, R. K., and Wolfe, D. G. (2018). A re-evaluation of the basicranial soft tissues and pneumaticity of the therizinosaurian *Nothronychus mckinleyi* (Theropoda; Maniraptora). *PLOS One*, 13(7), e0198155.
- Wang, X., Cau, A., Wang, Z., et al. (2023). A new theropod dinosaur from the Lower Cretaceous Longjiang Formation of Inner Mongolia (China). *Cretaceous Research*, 151, 105605.
- Xu, X., Tang, Z. L., and Wang, X. L. (1999). A therizinosauroid dinosaur with integumentary structures from China. *Nature*, 399(6734), 350–354.
- Xu, X., Zhang, Z.-H., Sereno, P. C., et al. (2002). A new therizinosauroid (Dinosauria, Theropoda) from the Upper Cretaceous Iren Dabasu Formation of Nei Mongol. *Vertebrata Palasiatica*, 40, 228–240.
- Xu, X., Zhao, X., and Clark, J. M. (2001). A new therizinosaur from the Lower Jurassic Lower Lufeng Formation of Yunnan, China. *Journal of Vertebrate Paleontology*, 21(3), 477–483.
- Xu, X., Zheng, X., and You, H. (2009). A new feather type in a nonavian theropod and the early evolution of feathers. *Proceedings of the National Academy of Sciences*, 106(3), 832–834.
- Yao, X., Liao, C. C., Sullivan, C., and Xu, X. (2019). A new transitional therizinosaurian theropod from the Early Cretaceous Jehol Biota of China. *Scientific Reports*, 9(1), 5026.

- You, H., Morschhauser, E. M., Li, D., and Dodson, P. (2018). Introducing the Mazongshan dinosaur fauna. *Journal of Vertebrate Paleontology*, 38 (suppl. 1), 1–11.
- Zanno, L. E. (2010a). Osteology of *Falcarius utahensis* (Dinosauria: Theropoda): Characterizing the anatomy of basal therizinosaurs. *Zoological Journal of the Linnean Society*, 158(1), 196–230.
- Zanno, L. E. (2010b). A taxonomic and phylogenetic re-evaluation of Therizinosauria (Dinosauria: Maniraptora). *Journal of Systematic Palaeontology*, 8(4), 503–543.
- Zanno, L. E., Gillette, D. D., Albright, L. B., and Titus, A. L. (2009). A new North American therizinosaurid and the role of herbivory in predatory dinosaur evolution. *Proceedings of the Royal Society B: Biological Sciences*, 276(1672), 3505–3511.
- Zanno, L. E., Tsogtbaatar, K., Chinzorig, T., and Gates, T. A. (2016). Specializations of the mandibular anatomy and dentition of *Segnosaurus galbinensis* (Theropoda: Therizinosauria). *PeerJ*, 4, e1885.
- Zhang, X.-H., Xu, X., Zhao, Z.-J., Sereno, P. C., Kuang, X.-W., and Tan, L. (2001). A long-necked therizinosaurid dinosaur from the Upper Cretaceous Iren Dabasu Formation of Nei Mongol, People's Republic of China. *Vertebrata Palasiatica*, 39(4), 282–290.

Oviraptorosauria and Oviraptoridae

- Atkins-Weltman, K. L., Simon, D. J., Woodward, H. N., Funston, G. F., and Snively, E. (2024). A new oviraptorosaur (Dinosauria: Theropoda) from the end-Maastrichtian Hell Creek Formation of North America. *PLOS One*, 19(1), e0294901.
- Balanoff, A. M. (2011). Oviraptorosauria: Morphology, phylogeny, and endocranial evolution. PhD thesis, Columbia University, New York.

- Balanoff, A. M., and Norell, M. A. (2012). Osteology of *Khaan mckennai* (Oviraptorosauria: Theropoda). *Bulletin of the American Museum of Natural History*, 2012(372), 1–77.
- Balanoff, A. M., Xu, X., Kobayashi, Y., Matsufune, Y., and Norell, M. A. (2009). Cranial osteology of the theropod dinosaur *Incisivosaurus gauthieri* (Theropoda: Oviraptorosauria). *American Museum Novitates*, 3651, 1–35.
- Barsbold, R. (1981). Беззубые хищные динозавры Монголии. *Transactions of the Joint Soviet–Mongolian Palaeontological Expedition*, 15, 28–39. In Russian.
- Barsbold, R. (1986). Raubdinosaurier Oviraptoren. In *Herpetologische Untersuchungen in der Mongolischen Volksrepublik*, edited by Vorobyeva, E. I., 210–223. Akademia Nauk SSSR.
- Barsbold, R. (1997). Oviraptorosauria. In *Encyclopedia of Dinosaurs*, edited by Currie, P. J., and Padian, K., 505–509. Berkeley: Academic Press.
- Barsbold, R., Osmólska, H., Watabe, M., Currie, P. J., and Tsogtbaatar, K. (2000). A new oviraptorosaur [Dinosauria, Theropoda] from Mongolia: The first dinosaur with a pygostyle. *Acta Palaeontologica Polonica*, 45(2), 97–106.
- Benner, E. K. C., Cullen, M., and Evans, D. C. (2016). A new large-bodied caenagnathid specimen (Theropoda, Oviraptorosauria) from the Hell Creek Formation (Late Cretaceous) of Montana, with implications for osteohistological variability in caenagnathids. *Society of Vertebrate Paleontology 76th Annual Meeting, October 2016: Abstract of Papers*, 96.
- Cau, A. (2018). The assembly of the avian body plan: A 160-million-year long process. *Bollettino della Società Paleontologica Italiana*, 57(1), 2.

- Cau, A., and Madzia, D. (2021). The phylogenetic affinities and morphological peculiarities of the bird-like dinosaur *Borogovia gracilicrus* from the Upper Cretaceous of Mongolia. *PeerJ*, 9, e12640.
- Clark, J. M., Norell, M. A., and Barsbold, R. (2001). Two new oviraptorids (Theropoda: Oviraptorosauria), Upper Cretaceous Djadokhta Formation, Ukhaa Tolgod, Mongolia. *Journal of Vertebrate Paleontology*, 21(2), 209–213.
- Clark, J. M., Norell, M. A., Chiappe, L. M., Akademi, M. S. U., and Mongolian–American Museum Paleontological Project. (1999). An oviraptorid skeleton from the late Cretaceous of Ukhaa Tolgod, Mongolia, preserved in an avianlike brooding position over an oviraptorid nest. *American Museum Novitates*, 3265.
- Colbert, E. H., and Russell, D. A. (1969). The small Cretaceous dinosaur *Dromaeosaurus*. *American Museum Novitates*, 2380, 1–49.
- Currie, P. J. (1989). The first records of *Elmisaurus* (Saurischia, Theropoda) from North America. *Canadian Journal of Earth Sciences*, 26(6), 1319–1324.
- Currie, P. J. (2002). Report on fieldwork in Mongolia, September 2001. *Alberta Palaeontological Society Sixth Annual Symposium*, 8–12.
- Currie, P. J., Godfrey, S. J., and Nessel, L. (1994). New caenagnathid (Dinosauria, Theropoda) specimens from the Upper Cretaceous of North America and Asia. *Canadian Journal of Earth Sciences*, 30(10–11), 2255–2272.
- Currie, P. J., Funston, G. F., and Osmólska, H. (2015). New specimens of the crested theropod dinosaur *Elmisaurus rarus* from Mongolia. *Acta Palaeontologica Polonica*, 61(1), 143–157.

- Currie, P. J., and Russell, D. A. (1988). Osteology and relationships of *Chirostenotes pergracilis* (Saurischia, Theropoda) from the Judith River (Oldman) Formation of Alberta, Canada. *Canadian Journal of Earth Sciences*, 25(7), 972–986.
- Dyke, G. J., and Norell, M. A. (2005). *Caudipteryx* as a non-avian theropod rather than a flightless bird. *Acta Palaeontologica Polonica*, 50(1), 101–116.
- Erickson, G. M., Rauhut, O. W., Zhou, Z., et al. (2009). Was dinosaurian physiology inherited by birds? Reconciling slow growth in *Archaeopteryx*. *PLOS One*, 4(10), e7390.
- Fanti, F., Currie, P. J., and Badamgarav, D. (2012). New Specimens of *Nemegtomaia* from the Baruungoyot and Nemegt Formations (Late Cretaceous) of Mongolia. *PLOS One*, 7(2), e31330.
- Flora, H. M., Wilson, J. P., Gardner, J. D., and Fowler, D. W. (2015). A three-dimensionally articulated probable oviraptorosaur from the Hell Creek Formation of Montana. In *Society of Vertebrate Paleontology 75th Annual Meeting: Meeting Program and Abstracts*, 124–125.
- Funston, G. (2020). Caenagnathids of the Dinosaur Park Formation (Campanian) of Alberta, Canada: Anatomy, osteohistology, taxonomy, and evolution. *Vertebrate Anatomy Morphology Palaeontology*, 8, 105–153.
- Funston, G. F., Chinzorig, T., Tsogtbaatar, K., Kobayashi, Y., Sullivan, C., and Currie, P. J. (2020). A new two-fingered dinosaur sheds light on the radiation of Oviraptorosauria. *Royal Society Open Science*, 7(10), 201184.
- Funston, G., and Currie, P. (2014). A previously undescribed caenagnathid mandible from the late Campanian of Alberta, and insights into the diet of *Chirostenotes pergracilis* (Dinosauria: Oviraptorosauria). *Canadian Journal of Earth Sciences*, 51(2), 156–165.

- Funston, G. F., and Currie, P. J. (2016). A new caenagnathid (Dinosauria: Oviraptorosauria) from the Horseshoe Canyon Formation of Alberta, Canada, and a reevaluation of the relationships of Caenagnathidae. *Journal of Vertebrate Paleontology*, 36(4), e1160910.
- Funston, G. F., and Currie, P. J. (2021). New material of *Chirostenotes pergracilis* (Theropoda, Oviraptorosauria) from the Campanian Dinosaur Park Formation of Alberta, Canada. *Historical Biology*, 33(9), 1671–1685.
- Funston, G. F., Currie, P. J., Eberth, D. A., et al. (2016). The first oviraptorosaur (Dinosauria: Theropoda) bonebed: Evidence of gregarious behaviour in a maniraptoran theropod. *Scientific Reports*, 6(1), 35782.
- Funston, G. F., Currie, P. J., Ryan, M. J., and Dong, Z. M. (2019). Birdlike growth and mixed-age flocks in avimimids (Theropoda, Oviraptorosauria). *Scientific Reports*, 9(1), 18816.
- Funston, G. F., Currie, P. J., Tsogtbaatar, C., and Khishigjav, T. (2021). A partial oviraptorosaur skeleton suggests low caenagnathid diversity in the Late Cretaceous Nemegt Formation of Mongolia. *PLOS One*, 16(7), e0254564.
- Funston, G. F., Mendonca, S. E., Currie, P. J., and Barsbold, R. (2018). Oviraptorosaur anatomy, diversity and ecology in the Nemegt Basin. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 494, 101–120.
- Funston, G. F., Persons IV, W. S., Bradley, G. J., and Currie, P. J. (2015). New material of the large-bodied caenagnathid *Caenagnathus collinsi* from the Dinosaur Park Formation of Alberta, Canada. *Cretaceous Research*, 54, 179–187.
- Gee, H., and Rey, L. V. (2012). *A Field Guide to Dinosaurs: The Essential Handbook for Travelers in the Mesozoic*. Chartwell Books.

Gilmore, C. W. (1924). A new coelurid dinosaur from the Belly River Cretaceous of Alberta.

Canada Department of Mines Geological Survey Bulletin (Geological Series), 38(43), 1–12.

Grellet-Tinner, G., Chiappe, L., Norell, M., and Bottjer, D. (2006). Dinosaur eggs and nesting behaviors: A paleobiological investigation. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 232(2–4), 294–321.

Hartman, S., Mortimer, M., Wahl, W. R., Lomax, D. R., Lippincott, J., and Lovelace, D. M. (2019). A new paravian dinosaur from the Late Jurassic of North America supports a late acquisition of avian flight. *PeerJ*, 7, e7247.

Hattori, S., Kawabe, S., Imai, T., et al. (2021). Osteology of *Fukuivenator paradoxus*: A bizarre maniraptoran theropod from the early cretaceous of Fukui, Japan. *Memoir of the Fukui Prefectural Dinosaur Museum*, 20, 1–82.

He, T., Wang, X.-L., and Zhou, Z.-H. (2008). A new genus and species of caudipterid dinosaur from the Lower Cretaceous Jiufotang Formation of western Liaoning, China. *Vertebrata Palasiatica*, 46(3), 178–189.

Headden, J. A. (2011). The “Mitrata” oviraptorid. The Bite Stuff, June 23, 2011.
<https://qilong.wordpress.com/2011/06/23/the-mitrata-oviraptorid/>.

Holtz Jr., T. R., Molnar, R. E., and Currie P. J. (2004). Basal Tetanurae. In *The Dinosauria*, 2nd ed., edited by Weishampel, D. B., Dodson, P., and Osmólska, H., 71–110. Berkeley: University of California Press.

Holtz, T., Williams, S. A., Tremaine, K., and Mathews, J. (2014). New additions to the Hell Creek Formation (Upper Maastrichtian) vertebrate fauna of Carter County, Montana. In *Society of Vertebrate Paleontology 74th Meeting Berlin: Abstracts of Papers*, 149.

- Jensen, S. O. K. (2008). Beak morphology in oviraptorids, based on extant birds and turtles. Master's thesis, University of Oslo. 48 pp.
- Ji, Q., Currie, P. J., Norell, M. A., and Ji, S. (1998). Two feathered dinosaurs from northeastern China. *Nature*, 393(6687), 753–761.
- Ji, Q., and Ji, S. (1997). Protarchaeopterygid bird (*Protarchaeopteryx* gen. nov.)—Fossil remains of archaeopterygids from China. *Chinese Geology*, 238, 38–41.
- Ji, Q., Lü, J., Wei, X. F., and Wang, X. R. (2012). A new oviraptorosaur from the Yixian Formation of Jianchang, western Liaoning Province, China. *Geological Bulletin of China*, 31(12), 2102–2107.
- Kundrát, M., and Janáček, J. (2007). Cranial pneumatization and auditory perceptions of the oviraptorid dinosaur *Conchoraptor gracilis* (Theropoda, Maniraptora) from the Late Cretaceous of Mongolia. *Naturwissenschaften*, 94(9), 769–778.
- Kurzanov, S. M. (1981). [An unusual theropod from the Upper Cretaceous of Mongolia] [Fossil Vertebrates of Mongolia]. [Joint Soviet–Mongolian Paleontological Expedition], 24, 39–50. Nauka Moscow. In Russian.
- Kurzanov, S. M. (1983). [*Avimimus* and the problem of the origin of birds]. In Iskopaemye reptilii Mongolii, edited by Resetov. *Trudy, Sovmestnaa Sovetsko-Mongolskaa paleontologiceskaa ekspedicia*, 24, 104–109.
- Kurzanov, S. M. (1987). Avimimidae and the problem of the origin of birds. *Transactions of the Joint Soviet–Mongolian Paleontological Expedition*, 31, 5–92. In Russian.
- Lamanna, M. C., Sues, H. D., Schachner, E. R., and Lyson, T. R. (2014). A new large-bodied oviraptorosaurian theropod dinosaur from the latest Cretaceous of western North America. *PLOS One*, 9(3), e92022.

- Lee, S., Lee, Y. N., Chinsamy, A., Lü, J., Barsbold, R., and Tsogtbaatar, K. (2019). A new baby oviraptorid dinosaur (Dinosauria: Theropoda) from the Upper Cretaceous Nemegt Formation of Mongolia. *PLOS One*, 14(2), e0210867.
- Li, Y., Yin, Z., and Liu, Y. (1995). The discovery of a new genus of dinosaur egg from Xixia, Henan, China. *Journal of Wuhan Institute of Chemical Technology*, 17, 38–41.
- Longrich, N. R., Barnes, K., Clark, S., and Millar, L. (2013a). Caenagnathidae from the Upper Campanian Aguja Formation of West Texas, and a revision of the Caenagnathinae. *Bulletin of the Peabody Museum of Natural History*, 54(1), 23–49.
- Longrich, N. R., Barnes, K., Clark, S., and Millar, L. (2013b). Correction to “Caenagnathidae from the Upper Campanian Aguja Formation of West Texas, and a revision of the Caenagnathinae.” *Bulletin of the Peabody Museum of Natural History*, 54(2), 263–264.
- Longrich, N. R., Currie, P. J., and Dong, Z. (2010). A new oviraptorid (Dinosauria: Theropoda) from the Upper Cretaceous of Bayan Mandahu, Inner Mongolia. *Palaeontology*, 53(5), 945–960.
- Lü, J. (2003). A new oviraptorosaurid (Theropoda: Oviraptorosauria) from the Late Cretaceous of southern China. *Journal of Vertebrate Paleontology*, 22(4), 871–875.
- Lü, J. C. (2005). *Oviraptorid Dinosaurs from Southern China*. Beijing: Geological Publishing House. 208 pp.
- Lü, J., Chen, R., Brusatte, S. L., Zhu, Y., and Shen, C. (2016). A Late Cretaceous diversification of Asian oviraptorid dinosaurs: Evidence from a new species preserved in an unusual posture. *Scientific Reports*, 6(1), 35780.

- Lü, J., Currie, P. J., Xu, L., Zhang, X., Pu, H., and Jia, S. (2013). Chicken-sized oviraptorid dinosaurs from central China and their ontogenetic implications. *Naturwissenschaften*, 100, 165–175.
- Lü, J., Huang, D., and Qiu, L., (2005). The pectoral girdle and the forelimb of *Heyuannia* (Dinosauria: Oviraptorosauria). In *The Carnivorous Dinosaurs*, edited by Carpenter, K., 256–273. Bloomington: Indiana University Press.
- Lü, J., Li, G., Kundrát, M., et al. (2017). High diversity of the Ganzhou oviraptorid fauna increased by a new “cassowary-like” crested species. *Scientific Reports*, 7(1), 6393.
- Lü, J., Pu, H., Kobayashi, Y., et al. (2015). A new oviraptorid dinosaur (Dinosauria: Oviraptorosauria) from the Late Cretaceous of southern China and its paleobiogeographical implications. *Scientific Reports*, 5(1), 11490.
- Lü, J., Tomida, Y., Azuma, Y., et al. (2005). *Nemegtomaia* gen. nov., a replacement name for the oviraptorosaurian dinosaur *Nemegtia* Lü et al., 2004, a preoccupied name. *Bulletin of the National Science Museum, Tokyo*, ser. C, 31, 51.
- Lü, J., Xu, L., Jiang, X., et al. (2009). A preliminary report on the new dinosaurian fauna from the Cretaceous of the Ruyang Basin, Henan Province of central China. *Journal of the Palaeontological Society of Korea*, 25, 43–56.
- Lü, J., Yi, L., Zhong, H., and Wei, X. (2013). A new oviraptorosaur (Dinosauria: Oviraptorosauria) from the Late Cretaceous of southern China and its paleoecological implications. *PLOS One*, 8(11), e80557.
- Lü, J., and Zhang, B.-K. (2005). A new oviraptorid (Theropoda: Oviraptorosauria) from the Upper Cretaceous of the Nanxiong Basin, Guangdong Province of southern China. *Acta Palaeontologica Sinica*, 44(3), 412–422.

- Ma, W., Wang, J., Pittman, M., et al. (2017). Functional anatomy of a giant toothless mandible from a bird-like dinosaur: Gigantoraptor and the evolution of the oviraptorosaurian jaw. *Scientific Reports*, 7(1), 16247.
- Makovicky, P. J., and Sues, H. D. (1998). Anatomy and phylogenetic relationships of the theropod dinosaur *Microvenator celer* from the Lower Cretaceous of Montana. *American Museum Novitates*, 3240.
- Maryańska, T., Osmólska, H., and Wolsan, M. (2002). Avialan status for Oviraptorosauria. *Acta Palaeontologica Polonica*, 47(1).
- Meade, L. E., and Ma, W. (2022). Cranial muscle reconstructions quantify adaptation for high bite forces in Oviraptorosauria. *Scientific Reports*, 12(1), 3010.
- Norell, M. A., Balanoff, A. M., Barta, D. E., and Erickson, G. M. (2018). A second specimen of *Citipati osmolskae* associated with a nest of eggs from Ukhaa Tolgod, Omnogov Aimag, Mongolia. *American Museum Novitates*, 3899, 1–44.
- Norell, M. A., Clark, J. M., Chiappe, L. M., and Dashzeveg, D. (1995). A nesting dinosaur. *Nature*, 378(6559), 774–776.
- Norell, M. A., Clark, J. M., Dashzeveg, D., et al. (1994). A theropod dinosaur embryo and the affinities of the Flaming Cliffs dinosaur eggs. *Science*, 266(5186), 779–782.
- Osborn, H. F. (1924). Three new Theropoda, *Protoceratops* zone, central Mongolia. *American Museum Novitates*, 144, 1–12.
- Osmólska, H. (1981). Coossified tarsometatarsi in theropod dinosaurs and their bearing on the problem of bird origins. *Palaeontologia Polonica*, 42, 79–95.

- Osmólska, H., Currie, P. J., and Barsbold, R. (2004). Oviraptorosauria. In *The Dinosauria*, 2nd ed., edited by Weishampel, D. B., Dodson, P., and Osmólska, H., 165–183. Berkeley: University of California Press.
- Ostrom, J. H. (1970). *Stratigraphy and Paleontology of the Cloverly Formation (Lower Cretaceous) of the Bighorn Basin Area, Wyoming and Montana*. 50th anniversary ed. New Haven: Yale University Press, 2020.
- Parks, W. A. (1933). New species of dinosaurs and turtles from the Upper Cretaceous formations of Alberta. *University of Toronto Studies, Geological Series*, 43, 4–44.
- Persons IV, W. S., Funston, G. F., Currie, P. J., and Norell, M. A. (2015). A possible instance of sexual dimorphism in the tails of two oviraptorosaur dinosaurs. *Scientific Reports*, 5(1), 9472.
- Prum, R. O. (2010). Moulting tail feathers in a juvenile oviraptorosaur. *Nature*, 468(7320), E1–E1.
- Pu, H., Zelenitsky, D. K., Lü, J., et al. (2017). Perinate and eggs of a giant caenagnathid dinosaur from the Late Cretaceous of central China. *Nature Communications*, 8(1), 14952.
- Rhodes, M. M., Funston, G. F., and Currie, P. J. (2020). New material reveals the pelvic morphology of Caenagnathidae (Theropoda, Oviraptorosauria). *Cretaceous Research*, 114, 104521.
- Russell, D. A. (1972). Ostrich dinosaurs from the Late Cretaceous of western Canada. *Canadian Journal of Earth Sciences*, 9(4), 375–402.
- Saneyoshi, M., Watabe, M., Tsubamoto, T., Tsogtbaatar, K., Chinzorig, T., and Suzuki, S. (2010). Report of the HMNS-MPC Joint Paleontological Expedition in 2007. *Hayashibara Museum of National Sciences Research Bulletin*, 3, 19–28.

- Senter, P., Barsbold, R., Britt, B. B., and Burnham, D. A. (2004). Systematics and evolution of Dromaeosauridae (Dinosauria, theropoda). *Bulletin of the Gunma Museum of Natural History*, 8, 1–20.
- Senter, P., and Parrish, J. M. (2005). Functional analysis of the hands of the theropod dinosaur *Chirostenotes pergracilis*: Evidence for an unusual paleoecological role. *PaleoBios*, 25, 9–19.
- Simon, D. J., and Evans, D. (2021). Osteohistology supports immature ontogenetic status of North American oviraptorosaurs *Apatoraptor pennatus* and *Chirostenotes pergracilis*. *Journal of Vertebrate Paleontology Programs and Abstracts*, 41, 237–238.
- Sternberg, C. M. (1932). Two new theropod dinosaurs from the Belly River Formation of Alberta. *Canadian Field-Naturalist*, 46(5), 99–105.
- Sternberg, R. M. (1940). A toothless bird from the Cretaceous of Alberta. *Journal of Paleontology*, 14(1), 81–85.
- Sues, H.-D., and Averianov, A. (2015). New material of *Caenagnathasia martinsoni* (Dinosauria: Theropoda: Oviraptorosauria) from the Bissekty Formation (Upper Cretaceous: Turonian) of Uzbekistan. *Cretaceous Research*, 54, 50–59.
- Sullivan, R. M., Jasinski, S. E., and Van Tomme, M. P. A. (2011). A new caenagnathid *Ojoraptorsaurus boerei*, n. gen., n. sp. (Dinosauria, Oviraptorosauria) from the Upper Cretaceous Ojo Alamo Formation (Naashoibito Member), San Juan Basin, New Mexico. *New Mexico Museum of Natural History Science Bulletin*, 53, 418–427.
- Tsogtbaatar, K., and Chinzorig, T. (2010). Fossil specimens prepared in Mongolian Paleontological Center, 2002–2008. *Hayashibara Museum of Sciences Research Bulletin*, 3, 155–166.

- Tsuihiji, T., Watabe, M., Barsbold, R., and Tsogtbaatar, K. (2015). A gigantic caenagnathid oviraptorosaurian (Dinosauria: Theropoda) from the Upper Cretaceous of the Gobi Desert, Mongolia. *Cretaceous Research*, 56, 60–65.
- Tsuihiji, T., Watabe, M., Tsogtbaatar, K., and Barsbold, R. (2016). Dentaries of a caenagnathid (Dinosauria: Theropoda) from the Nemegt Formation of the Gobi Desert in Mongolia. *Cretaceous Research*, 63, 148–153.
- Tsuihiji, T., Witmer, L. M., Watabe, M., et al. (2017). New information on the cranial morphology of *Avimimus* (Theropoda: Oviraptorosauria). *Journal of Vertebrate Paleontology*, 37(4), e1347177.
- Wang, S., Sun, C., Sullivan, C., and Xu, X. (2013). A new oviraptorid (Dinosauria: Theropoda) from the Upper Cretaceous of southern China. *Zootaxa*, 3640(2), 242–257.
- Watabe, M., and Suzuki, S. (2000). Report on the Japan–Mongolia Joint Paleontological Expedition to the Gobi Desert, 1996. *Hayashibara Museum of Natural Sciences Research Bulletin*, 1, 58–68.
- Watabe, M., and Tsogtbaatar, K. (2004). Report on the Japan–Mongolia Joint Paleontological Expedition to the Gobi Desert, 2000. *Hayashibara Museum of Natural Sciences Research Bulletin*, 2, 45–67.
- Watabe, M. S., Suzuki, S., and Tsogtbaatar, K. (2006). Geological and geographical distribution of bird-like theropod, *Avimimus* in Mongolia. *Journal of Vertebrate Paleontology*, 26(3), 136A–137A.
- Webster, D. (1996). Dinosaurs of the Gobi: Unearthing a fossil trove. *National Geographic*, 190(1), 70–89.

- Wei, X., Pu, H., Xu, L., Liu, D., and Lü, J. (2013). A new oviraptorid dinosaur (Theropoda: Oviraptorosauria) from the Late Cretaceous of Jiangxi Province, southern China. *Acta Geologica Sinica (English Edition)*, 87(4), 899–904.
- Xu, X. (2020). Filamentous integuments in nonavian theropods and their kin: Advances and future perspectives for understanding the evolution of feathers. *The Evolution of Feathers: From Their Origin to the Present*, 67–78.
- Xu, X., Cheng, Y. N., Wang, X. L., and Chang, C. H. (2002). An unusual oviraptorosaurian dinosaur from China. *Nature*, 419(6904), 291–293.
- Xu, X., and Han, F.-L. (2010). A new oviraptorid dinosaur (Theropoda: Oviraptorosauria) from the Upper Cretaceous of China. *Vertebrata Palasiatica*, 48(1), 11–18.
- Xu, X., Tan, Q., Wang, J., Zhao, X., and Tan, L. (2007). A gigantic bird-like dinosaur from the Late Cretaceous of China. *Nature*, 447(7146), 844–847.
- Xu, X., Tan, Q., Wang, S., et al. (2013). A new oviraptorid from the Upper Cretaceous of Nei Mongol, China, and its stratigraphic implications. *Vertebrata Palasiatica*, 51(2), 85–101.
- Xu, X., Zheng, X., and You, H. (2010). Exceptional dinosaur fossils show ontogenetic development of early feathers. *Nature*, 464(7293), 1338–1341.
- Xue, Z., Bi, Y., and Chen (1996). *The Development and Environmental Changes of the Intermontane Basins in the Eastern Part of Qinling Mountains*. Beijing: Geological Publishing House.
- Yu, Y., Wang, K., Chen, S., et al. (2018). A new caenagnathid dinosaur from the Upper Cretaceous Wangshi Group of Shandong, China, with comments on size variation among oviraptorosaurs. *Scientific Reports*, 8(1), 5030.

- Zanno, L. E. (2010). A taxonomic and phylogenetic re-evaluation of Therizinosauria (Dinosauria: Maniraptora). *Journal of Systematic Palaeontology*, 8(4), 503–543.
- Zanno, L. E., and Sampson, S. D. (2005). A new oviraptorosaur (Theropoda, Maniraptora) from the Late Cretaceous (Campanian) of Utah. *Journal of Vertebrate Paleontology*, 25(4), 897–904.
- Zheng, X., O'Connor, J., Wang, X., Wang, M., Zhang, X., and Zhou, Z. (2014). On the absence of sternal elements in *Anchiornis* (Paraves) and *Sapeornis* (Aves) and the complex early evolution of the avian sternum. *Proceedings of the National Academy of Sciences*, 111(38), 13900–13905.
- Zhou, Z., and Wang, X. (2000). A new species of *Caudipteryx* from the Yixian Formation of Liaoning, northeast China. *Vertebrata Palasiatica*, 38(2), 113–130.

Paraves

- Agnolín, F. L., Motta, M. J., Brissón Egli, F., Lo Coco, G., and Novas, F. E. (2019). Paravian phylogeny and the dinosaur-bird transition: An overview. *Frontiers in Earth Science*, 6, 252.
- Alonso, P. D., Milner, A. C., Ketcham, R. A., Cookson, M. J., and Rowe, T. B. (2004). The avian nature of the brain and inner ear of *Archaeopteryx*. *Nature*, 430(7000), 666–669.
- Brusatte, S. L., Lloyd, G. T., Wang, S. C., and Norell, M. A. (2014). Gradual assembly of avian body plan culminated in rapid rates of evolution across the dinosaur-bird transition. *Current Biology*, 24(20), 2386–2392.
- Cau, A., Beyrand, V., Voeten, D. F., et al. (2017). Synchrotron scanning reveals amphibious ecomorphology in a new clade of bird-like dinosaurs. *Nature*, 552(7685), 395–399.

- Coleman, J. (2023). ‘Weird’ dinosaur prompts rethink of bird evolution. *Nature*, 621(7978), 239–239.
- Czerkas, S. A., and Yuan, C. (2002). An arboreal maniraptoran from northeast China. In *Feathered Dinosaurs and the Origin of Flight*, edited by Czerkas, S. J., 63–95. Blanding, Utah: The Dinosaur Museum.
- Dececchi, T. A., Larsson, H., and Hone, D. (2012). *Yixianosaurus longimanus* (Theropoda: Dinosauria) and its bearing on the evolution of Maniraptora and ecology of the Jehol Biota. *Vertebrata Palasiatica*, 50(2), 111–139.
- Dececchi, T. A., Roy, A., Pittman, M., et al. (2020). Aerodynamics show membrane-winged theropods were a poor gliding dead-end. *Isience*, 23(12).
- Erickson, G. M., Rauhut, O. W., Zhou, Z., et al. (2009). Was dinosaurian physiology inherited by birds? Reconciling slow growth in *Archaeopteryx*. *PLOS One*, 4(10), e7390.
- Foth, C., and Rauhut, O. W. M. (2017). Re-evaluation of the Haarlem *Archaeopteryx* and the radiation of maniraptoran theropod dinosaurs. *BMC Evolutionary Biology*, 17(1), 236.
- Foth, C., Tischlinger, H., and Rauhut, O. W. (2014). New specimen of *Archaeopteryx* provides insights into the evolution of pennaceous feathers. *Nature*, 511(7507), 79–82.
- Gianechini, F. A., Ercoli, M. D., and Díaz-Martínez, I. (2020). Differential locomotor and predatory strategies of Gondwanan and derived Laurasian dromaeosaurids (Dinosauria, Theropoda, Paraves): Inferences from morphometric and comparative anatomical studies. *Journal of Anatomy*, 236(5), 772–797.
- Gianechini, F. A., Makovicky, P. J., and Apesteguía, S. (2017). The cranial osteology of *Buitreraptor gonzalezorum* Makovicky, Apesteguía, and Agnolín, 2005 (Theropoda,

- Dromaeosauridae), from the Late Cretaceous of Patagonia, Argentina. *Journal of Vertebrate Paleontology*, 37(1), e1255639.
- Godefroit, P., Cau, A., Dong-Yu, H., Escuillié, F., Wenhao, W., and Dyke, G. (2013a). A Jurassic avialan dinosaur from China resolves the early phylogenetic history of birds. *Nature*, 498(7454), 359–362.
- Godefroit, P., Demuynck, H., Dyke, G., Hu, D., Escuillié, F., and Claeys, P. (2013b). Reduced plumage and flight ability of a new Jurassic paravian theropod from China. *Nature Communications*, 4(1), 1394.
- Guo, X., Xu, L., and Jia, S. (2018). Morphological and phylogenetic study based on new materials of *Anchiornis huxleyi* (Dinosauria, Theropoda) from Jianchang, Western Liaoning, China. *Acta Geologica Sinica (English Edition)*, 92(1), 1–15.
- Häberlein, E. O. (1877). [Offer of the second specimen of *Archaeopteryx lithographica*]. *Neues Jahrbuch für Mineralogie, Geologie und Palaeontologie*, 1877, 448.
- Heller, F. (1959). Ein dritter *Archaeopteryx*-Fund aus den Solnhofener Plattenkalken von Langenaltheim/Mfr. *Erlanger Geologische Abhandlungen*, 31, 1–25.
- Hu, D., Clarke, J. A., Eliason, C. M., et al. (2018). A bony-crested Jurassic dinosaur with evidence of iridescent plumage highlights complexity in early paravian evolution. *Nature Communications*, 9(1), 217.
- Hu, D., Hou, L., Zhang, L., and Xu, X. (2009). A pre-*Archaeopteryx* troodontid theropod from China with long feathers on the metatarsus. *Nature*, 461(7264), 640–643.
- Imai, T., Azuma, Y., Kawabe, S., et al. (2019). An unusual bird (Theropoda, Avialae) from the Early Cretaceous of Japan suggests complex evolutionary history of basal birds. *Communications Biology*, 2(1), 399.

- Ji, Q., Ji, S. A., You, H., et al. (2002). Discovery of an avialae bird from China, *Shenzhouraptor sinensis* gen. et sp. nov. *Geological Bulletin of China*, 21(7), 363–369.
- Jiang. (2011). A new discovery of *Anchiornis* from western of Liaoning, China. Master's thesis, Chengdu University of Technology, Chengdu.
- Kundrát, M., Nudds, J., Kear, B. P., Lü, J., and Ahlberg, P. (2018). The first specimen of *Archaeopteryx* from the Upper Jurassic Mörnsheim Formation of Germany. *Historical Biology*, 31(1), 3–63.
- Lefèvre, U., Cau, A., Cincotta, A., et al. (2017). A new Jurassic theropod from China documents a transitional step in the macrostructure of feathers. *The Science of Nature*, 104, 1–13.
- Lefèvre, U., Hu, D., Escuillié, F. O., Dyke, G., and Godefroit, P. (2014). A new long-tailed basal bird from the Lower Cretaceous of north-eastern China. *Biological Journal of the Linnean Society*, 113(3), 790–804.
- Li, Q., Gao, K. Q., Vinther, J., et al. (2010). Plumage color patterns of an extinct dinosaur. *Science*, 327(5971), 1369–1372.
- Lindgren, J., Sjövall, P., Carney, R. M., et al. (2015). Molecular composition and ultrastructure of Jurassic paravian feathers. *Scientific Reports*, 5(1), 13520.
- Mayr, G., Pohl, B., and Peters, D. S. (2005). A well-preserved *Archaeopteryx* specimen with theropod features. *Science*, 310(5753), 1483–1486.
- Meyer, H. v. (1861). Die Feder von Solenhofen [The feather of Solnhofen]. *Neues Jahrbuch für Mineralogie, Geognosie, Geologie und Petrefakten-Kunde*, 1861, 678–679.
- O'Connor, J. K., and Chang, H. (2015). Hindlimb feathers in paravians: Primarily “wings” or ornaments? *Biology Bulletin*, 42(7), 616–621.

- O'Connor, J. K., Sun, C., Xu, X., Wang, X., and Zhou, Z. (2012). A new species of *Jeholornis* with complete caudal integument. *Historical Biology*, 24(1), 29–41.
- Pei, R., Li, Q., Meng, Q., Norell, M. A., and Gao, K. Q. (2017). New specimens of *Anchiornis huxleyi* (Theropoda: Paraves) from the Late Jurassic of northeastern China. *Bulletin of the American Museum of Natural History*, 2017(411), 1–67.
- Pei, R., Pittman, M., Goloboff, P. A., et al. (2020). Potential for powered flight neared by most close avialan relatives, but few crossed its thresholds. *Current Biology*, 30(20), 4033–4046.
- Rauhut, O. W., Foth, C., and Tischlinger, H. (2018). The oldest *Archaeopteryx* (Theropoda: Avialiae): A new specimen from the Kimmeridgian/Tithonian boundary of Schamhaupten, Bavaria. *PeerJ*, 6, e4191.
- Rauhut, O. W., Tischlinger, H., and Foth, C. (2019). A non-archaeopterygid avialan theropod from the Late Jurassic of southern Germany. *Elife*, 8, e43789.
- Schwarz, D., Kundrát, M., Tischlinger, H., Dyke, G., and Carney, R. M. (2019). Ultraviolet light illuminates the avian nature of the Berlin *Archaeopteryx* skeleton. *Scientific Reports*, 9(1), 6518.
- Senter, P., Kirkland, J. I., DeBlieux, D. D., Madsen, S., and Toth, N. (2012). New dromaeosaurids (Dinosauria: Theropoda) from the Lower Cretaceous of Utah, and the evolution of the dromaeosaurid tail. *PLOS One*, 7(5), e36790.
- Voeten, D. F., Cubo, J., De Margerie, E., et al. (2018). Wing bone geometry reveals active flight in *Archaeopteryx*. *Nature Communications*, 9(1), 923.
- Wang, M., O'Connor, J. K., Xu, X., and Zhou, Z. (2019). A new Jurassic scansoriopterygid and the loss of membranous wings in theropod dinosaurs. *Nature*, 569(7755), 256–259.

- Wang, X., Huang, J., Kundrát, M., et al. (2020). A new jeholornithiform exhibits the earliest appearance of the fused sternum and pelvis in the evolution of avialan dinosaurs. *Journal of Asian Earth Sciences*, 199, 104401.
- Wellnhofer, P. (1988). A new specimen of *Archaeopteryx*. *Science*, 240(4860), 1790–1790.
- Xu, L., Wang, M., Chen, R., et al. (2023). A new avialan theropod from an emerging Jurassic terrestrial fauna. *Nature*, 621(7978), 336–343.
- Xu, X., Sullivan, C., and Wang, S. (2013) The systematic position of the enigmatic theropod dinosaur *Yixianosaurus longimanus*. *Vertebrata Palasiatica*, 51(3), 169–183.
- Xu, X., and Wang, X.-L. (2003). A new maniraptoran dinosaur from the Early Cretaceous Yixian Formation of western Liaoning. *Vertebrata Palasiatica*, 41(3), 195–202.
- Xu, X., You, H., Du, K., and Han, F. (2011). An *Archaeopteryx*-like theropod from China and the origin of Avialae. *Nature*, 475(7357), 465–470.
- Xu, X., and Zhang, F. (2005). A new maniraptoran dinosaur from China with long feathers on the metatarsus. *Naturwissenschaften*, 92, 173–177.
- Xu, X., Zhao, Q., Norell, M., et al. (2009). A new feathered maniraptoran dinosaur fossil that fills a morphological gap in avian origin. *Chinese Science Bulletin*, 54(3), 430–435.
- Xu, X., Zheng, X., Sullivan, C., et al. (2015). A bizarre Jurassic maniraptoran theropod with preserved evidence of membranous wings. *Nature*, 521(7550), 70–73.
- Zhang, F., Zhou, Z., Xu, X., and Wang, X. (2002). A juvenile coelurosaurian theropod from China indicates arboreal habits. *Naturwissenschaften*, 89, 394–398.
- Zhang, F., Zhou, Z., Xu, X., Wang, X., and Sullivan, C. (2008). A bizarre Jurassic maniraptoran from China with elongate ribbon-like feathers. *Nature*, 455(7216), 1105–1108.

- Zheng, X., O'Connor, J., Huchzermeyer, F., et al. (2013). Preservation of ovarian follicles reveals early evolution of avian reproductive behaviour. *Nature*, 495(7442), 507–511.
- Zheng, X., O'Connor, J., Wang, X., Wang, M., Zhang, X., and Zhou, Z. (2014). On the absence of sternal elements in *Anchiornis* (Paraves) and *Sapeornis* (Aves) and the complex early evolution of the avian sternum. *Proceedings of the National Academy of Sciences*, 111(38), 13900–13905.
- Zhou, Z., and Zhang, F. (2002). A long-tailed, seed-eating bird from the Early Cretaceous of China. *Nature*, 418(6896), 405–409.
- Zhou, Z., and Zhang, F. (2003). *Jeholornis* compared to *Archaeopteryx*, with a new understanding of the earliest avian evolution. *Naturwissenschaften*, 90, 220–225.

Troodontidae

- Agnolín, F. L., Motta, M. J., Brissón Egli, F., Lo Coco, G., and Novas, F. E. (2019). Paravian phylogeny and the dinosaur-bird transition: An overview. *Frontiers in Earth Science*, 6, 252.
- Averianov, A., and Sues, H. D. (2016). Troodontidae (Dinosauria: Theropoda) from the Upper Cretaceous of Uzbekistan. *Cretaceous Research*, 59, 98–110.
- Averianov, A. O., and Sues, H. D. (2007). A new troodontid (Dinosauria: Theropoda) from the Cenomanian of Uzbekistan, with a review of troodontid records from the territories of the former Soviet Union. *Journal of Vertebrate Paleontology*, 27(1), 87–98.
- Barsbold, R. (1974). Saurornithoididae, a new family of small theropod dinosaurs from central Asia and North America. *Palaeontologia Polonica*, 30, 5–22.

- Bever, G. S., and Norell, M. A. (2009). The perinate skull of *Byronosaurus* (Troodontidae) with observations on the cranial ontogeny of paravian theropods. *American Museum Novitates*, 3657, 1–52.
- Brusatte, S. L., Lloyd, G. T., Wang, S. C., and Norell, M. A. (2014). Gradual assembly of avian body plan culminated in rapid rates of evolution across the dinosaur-bird transition. *Current Biology*, 24(20), 2386–2392.
- Cau, A., Brougham, T., and Naish, D. (2015). The phylogenetic affinities of the bizarre Late Cretaceous Romanian theropod *Balaur bondoc* (Dinosauria, Maniraptora): Dromaeosaurid or flightless bird? *PeerJ*, 3, e1032.
- Cau, A., and Madzia, D. (2021). The phylogenetic affinities and morphological peculiarities of the bird-like dinosaur *Borogovia gracilicrus* from the Upper Cretaceous of Mongolia. *PeerJ*, 9, e12640.
- Cullen, T. M., Zanno, L., Larson, D. W., Todd, E., Currie, P. J., and Evans, D. C. (2021). Anatomical, morphometric, and stratigraphic analyses of theropod biodiversity in the Upper Cretaceous (Campanian) Dinosaur Park Formation. *Canadian Journal of Earth Sciences*, 58(9), 870–884.
- Currie, P. J., and Dong, Z.-M. (2001). New information on Cretaceous troodontids (Dinosauria, Theropoda) from the People's Republic of China. *Canadian Journal of Earth Sciences*, 38(12), 1753–1766.
- Currie, P. J., and Peng, J. H. (1993). A juvenile specimen of *Saurornithoides mongoliensis* from the Upper Cretaceous of northern China. *Canadian Journal of Earth Sciences*, 30(10), 2224–2230.

- Dong, Z.-M., Currie, P. J., and Russell, D. A. (1989). The 1988 field program of the Dinosaur Project. *Vertebrata Palasiatica*, 27(3), 233–236.
- Elżanowski, A., and Wellnhofer, P. (1992). A new link between theropods and birds from the Cretaceous of Mongolia. *Nature*, 359(6398), 821–823.
- Evans, D. C., Cullen, T. M., Larson, D. W., and Rego, A. (2017). A new species of troodontid theropod (Dinosauria: Maniraptora) from the Horseshoe Canyon Formation (Maastrichtian) of Alberta, Canada. *Canadian Journal of Earth Sciences*, 54(8), 813–826.
- Fiorillo, A. R. (2008). On the occurrence of exceptionally large teeth of Troodon (Dinosauria: Saurischia) from the Late Cretaceous of northern Alaska. *Palaios*, 23(5), 322–328.
- Flight, P. A. (2007). A basal dromaeosaurid and size evolution. *Science*, 315, 1561.
- Foth, C., Tischlinger, H., and Rauhut, O. W. (2014). New specimen of *Archaeopteryx* provides insights into the evolution of pennaceous feathers. *Nature*, 511(7507), 79–82.
- Gao, C., Morschhauser, E. M., Varricchio, D. J., Liu, J., and Zhao, B. (2012). A second soundly sleeping dragon: New anatomical details of the Chinese troodontid *Mei long* with implications for phylogeny and taphonomy. *PLOS One*, 7(9), e45203.
- Hartman, S., Mortimer, M., Wahl, W. R., Lomax, D. R., Lippincott, J., and Lovelace, D. M. (2019). A new paravian dinosaur from the Late Jurassic of North America supports a late acquisition of avian flight. *PeerJ*, 7, e7247.
- Hendrickx, C., Mateus, O., da Lourinhã, M., Araújo, R., da Lourinhã, M., and Choiniere, J. (2019). The distribution of dental features in non-avian theropod dinosaurs: Taxonomic potential, degree of homoplasy, and major evolutionary trends. *Palaeontologia Electronica*, 22.3.74, 1–110.

- Ji, Q., Ji, S., Lu, J., et al. (2005). First avialian bird from China (*Jinfengopteryx elegans* gen. et sp. nov.). *Geological Bulletin of China*, 24(3), 197–205.
- Ji, S., and Ji, Q. (2007). *Jinfengopteryx* compared to *Archaeopteryx*, with comments on the mosaic evolution of long-tailed avialan birds. *Acta Geologica Sinica (English Edition)*, 81(3), 337–343.
- Kurzanov, S. M., and Osmólska, H. (1991). *Tochisaurus nemegtensis* gen. et sp. n., a new troodontid (Dinosauria, Theropoda) from Mongolia. *Acta Palaeontologica Polonica*, 36(1).
- Larson, D. W., Brinkman, D. B., and Bell, P. R. (2010). Faunal assemblages from the upper Horseshoe Canyon Formation, an Early Maastrichtian cool-climate assemblage from Alberta, with special reference to the *Albertosaurus sarcophagus* bonebed. *Canadian Journal of Earth Sciences*, 47(9), 1159–1181.
- Larson, D. W., and Currie, P. J. (2013). Multivariate analyses of small theropod dinosaur teeth and implications for paleoecological turnover through time. *PLOS One*, 8(1), e54329.
- Leidy, J. (1856). Notices of remains of extinct reptiles and fishes, discovered by Dr. F. V. Hayden in the Bad Lands of the Judith River, Nebraska Territory. *Proceedings of the Academy of Natural Sciences*, 8, 72–73
- Lü, J., Xu, L., Liu, Y., Zhang, X., Jia, S., and Ji, Q. (2010). A new troodontid theropod from the Late Cretaceous of central China, and the radiation of Asian troodontids. *Acta Palaeontologica Polonica*, 55(3), 381–388.
- Makovicky, P. J., Norell, M. A., Clark, J. M., and Rowe, T. (2003). Osteology and relationships of *Byronosaurus jaffei* (Theropoda: Troodontidae). *American Museum Novitates*, 3402, 1–32.

Manabe. (2005). *The Dinosaur Expo 2005: Evolution of Dinosaurs from their Origin to Birds*.

Asahi Shinbunsha.

Norell, M. A., and Hwang, S. H. (2004). A troodontid dinosaur from Ukhaa Tolgod (Late Cretaceous Mongolia). *American Museum Novitates*, 3446, 1–9.

Norell, M. A., Makovicky, P. J., Bever, G. S., et al. (2009). A review of the Mongolian cretaceous dinosaur Saurornithoides (Troodontidae: Theropoda). *American Museum Novitates*, 3654, 1–63.

Norell, M. A., Makovicky, P. J., and Clark, J. M. (2000). A new troodontid theropod from Ukhaa Tolgod, Mongolia. *Journal of Vertebrate Paleontology*, 20(1), 7–11.

Osborn, H. F. (1924). Three new Theropoda, *Protoceratops* zone, Central Mongolia. *American Museum Novitates*, 144, 12.

Osmólska, H. (1987). *Borogovia gracilicrus* gen. et sp. n., a new troodontid dinosaur from the Late Cretaceous of Mongolia, *Acta Palaeontologica Polonica*, 32, 133–150.

Pei, R., Norell, M. A., Barta, D. E., Bever, G. S., Pittman, M., and Xu, X. (2017). Osteology of a new Late Cretaceous troodontid specimen from Ukhaa Tolgod, Ömnögovi Aimag, Mongolia. *American Museum Novitates*, 3889, 1–47.

Pei, R., Pittman, M., Goloboff, P. A., et al. (2020). Powered flight potential approached by wide range of close avian relatives but achieved selectively. *BioRxiv*, 2020.04.17.046169.

Pei, R., Qin, Y., Wen, A., et al. (2022). A new troodontid from the Upper Cretaceous Gobi Basin of Inner Mongolia, China. *Cretaceous Research*, 130, 105052.

Russell, D. A. (1969). A new specimen of *Stenonychosaurus* from the Oldman Formation (Cretaceous) of Alberta. *Canadian Journal of Earth Sciences*, 6(4), 595–612.

- Russell, D. A., and Dong, Z. M. (1993). A nearly complete skeleton of a new troodontid dinosaur from the Early Cretaceous of the Ordos Basin, Inner Mongolia, People's Republic of China. *Canadian Journal of Earth Sciences*, 30(10), 2163–2173.
- Sellés, A. G., Vila, B., Brusatte, S. L., Currie, P. J., and Galobart, A. (2021). A fast-growing basal troodontid (Dinosauria: Theropoda) from the latest Cretaceous of Europe. *Scientific Reports*, 11(4855), 1–12.
- Senter, P., Kirkland, J. I., Bird, J., and Bartlett, J. A. (2010). A new troodontid theropod dinosaur from the Lower Cretaceous of Utah. *PLOS One*, 5(12), e14329.
- Shen, C., Lü, J., Liu, S., Kundrát, M., Brusatte, S. L., and Gao, H. (2017a). A new troodontid dinosaur from the Lower Cretaceous Yixian Formation of Liaoning Province, China. *Acta Geologica Sinica*, 91(3), 763–780.
- Shen, C., Zhao, B., Gao, C. L., Lü, J., and Kundrát, M. (2017b). A new troodontid dinosaur (*Liaoningvenator curriei* gen. et sp. nov.) from the Early Cretaceous Yixian Formation in western Liaoning Province. *Acta Geoscientica Sinica*, 38(3), 359–371.
- Tsuihiji, T., Barsbold, R., Watabe, M., et al. (2014). An exquisitely preserved troodontid theropod with new information on the palatal structure from the Upper Cretaceous of Mongolia. *Naturwissenschaften*, 101, 131–142.
- Turner, A. H., Makovicky, P. J., and Norell, M. A. (2012). A review of dromaeosaurid systematics and paravian phylogeny. *Bulletin of the American Museum of Natural History*, 371, 1–206.
- Turner, A. H., Pol, D., Clarke, J. A., Erickson, G. M., and Norell, M. (2007). A basal dromaeosaurid and size evolution preceding avian flight. *Science*, 317(5843), 1378–1381.

- van der Reest, A. J., and Currie, P. J. (2017). Troodontids (Theropoda) from the Dinosaur Park Formation, Alberta, with a description of a unique new taxon: Implications for deinonychosaur diversity in North America. *Canadian Journal of Earth Sciences*, 54(9), 919–935.
- Varricchio, D. J. (1997). Troodontidae. In *Encyclopedia of Dinosaurs*, edited by Currie, P. J., and Padian, K. New York: Academic Press.
- Varricchio, D. J., Jackson, F., Borkowski, J. J., and Horner, J. R. (1997). Nest and egg clutches of the dinosaur *Troodon formosus* and the evolution of avian reproductive traits. *Nature*, 385(6613), 247–250.
- Varricchio, D. J., Kunderát, M., and Hogan, J. (2018). An intermediate incubation period and primitive brooding in a theropod dinosaur. *Scientific Reports*, 8(1), 12454.
- White, M. A. (2009). The subarctometatarsus: Intermediate metatarsus architecture demonstrating the evolution of the arctometatarsus and advanced agility in theropod dinosaurs. *Alcheringa*, 33(1), 1–21.
- Xu, X., Currie, P., Pittman, M., et al. (2017). Mosaic evolution in an asymmetrically feathered troodontid dinosaur with transitional features. *Nature Communications*, 8(1), 14972.
- Xu, X., Han, F., and Zhao, Q. (2014). Homologies and homeotic transformation of the theropod ‘semilunate’ carpal. *Scientific Reports*, 4(1), 1–7.
- Xu, X., and Norell, M. A. (2004). A new troodontid dinosaur from China with avian-like sleeping posture. *Nature*, 431(7010), 838–841.
- Xu, X., and Norell, M. A. (2006). Non-avian dinosaur fossils from the Lower Cretaceous Jehol Group of western Liaoning, China. *Geological Journal*, 41(3–4), 419–437.

- Xu, X., Norell, M. A., Wang, X. L., Makovicky, P. J., and Wu, X. C. (2002). A basal troodontid from the Early Cretaceous of China. *Nature*, 415(6873), 780–784.
- Xu, X., Tan, Q., Sullivan, C., Han, F., and Xiao, D. (2011). A short-armed troodontid dinosaur from the Upper Cretaceous of Inner Mongolia and its implications for troodontid evolution. *PLOS One*, 6(9), e22916.
- Xu, X., and Wang, X.-L. (2004). A new troodontid (Theropoda: Troodontidae) from the Lower Cretaceous Yixian Formation of western Liaoning, China. *Acta Geologica Sinica*, 78(1), 22–26.
- Xu, X., Zhao, J., Corwin, S., Tan, Q.-W., Martin, S., and Ma, Q.-Y. (2012). The taxonomy of the troodontid IVPP V 10597 reconsidered. *Vertebrata Palasiatica*, 50(2), 140–150.
- Yin, Y. L., Pei, R., and Zhou, C. F. (2018). Cranial morphology of *Sinovenator changii* (Theropoda: Troodontidae) on the new material from the Yixian Formation of western Liaoning, China. *PeerJ*, 6, e4977.
- Zanno, L. E., Varricchio, D. J., O'Connor, P. M., Titus, A. L., and Knell, M. J. (2011). A new troodontid theropod, *Talos sampsoni* gen. et sp. nov., from the Upper Cretaceous western interior basin of North America. *PLOS One*, 6(9), e24487.

Dromaeosauridae

- Agnolín, F. L., and Novas, F. E. (2013). Avian ancestors. A review of the phylogenetic relationships of the theropods Unenlagiidae, Microraptoria, Anchiornis and Scansoriopterygidae. *SpringerBriefs in Earth System Sciences*, 1–96.
- Alexander, D. E., Gong, E., Martin, L. D., Burnham, D. A., and Falk, A. R. (2010). Model tests of gliding with different hindwing configurations in the four-winged dromaeosaurid

- Microraptor gui*. *Proceedings of the National Academy of Sciences, USA*, 107(7), 2972–2976.
- Allain, R., and Taquet, P. (2000). A new genus of Dromaeosauridae (Dinosauria, Theropoda) from the Upper Cretaceous of France. *Journal of Vertebrate Paleontology*, 20(2), 404–407.
- Bell, P. R., and Currie, P. J. (2016). A high-latitude dromaeosaurid, *Boreonykus certekorum*, gen. et sp. nov. (Theropoda), from the upper Campanian Wapiti Formation, west-central Alberta. *Journal of Vertebrate Paleontology*, 36(1), e1034359.
- Brownstein, C. D. (2019). *Halszkaraptor escuilliei* and the evolution of the paravian bauplan. *Scientific Reports*, 9(1), 16455.
- Brum, A. S., Pegas, R. V., Bandeira, K. L., Souza, L. G., Campos, D. A., and Kellner, A. W. (2021). A new unenlagiine (Theropoda, Dromaeosauridae) from the Upper Cretaceous of Brazil. *Papers in Palaeontology*, 7(4), 2075–2099.
- Brusatte, S. L., Lloyd, G. T., Wang, S. C., and Norell, M. A. (2014). Gradual assembly of avian body plan culminated in rapid rates of evolution across the dinosaur-bird transition. *Current Biology*, 24(20), 2386–2392.
- Calvo, J. O., Porfiri, J. D., and Kellner, A. W. (2004). On a new maniraptoran dinosaur (Theropoda) from the Upper Cretaceous of Neuquén, Patagonia, Argentina. *Arquivos do Museu Nacional do Rio de Janeiro*, 62, 549–566.
- Carpenter, K. (2002). Forelimb biomechanics of nonavian theropod dinosaurs in predation. *Senckenbergiana Lethaea*, 82, 59–76.
- Carrano, M. T., Benson, R. B., and Sampson, S. D. (2012). The phylogeny of tetanurae (Dinosauria: Theropoda). *Journal of Systematic Palaeontology*, 10(2), 211–300.

- Cau, A. (2018). The assembly of the avian body plan: A 160-million-year long process. *Bollettino della Società Paleontologica Italiana*, 57(1), 2.
- Cau, A. (2020). The body plan of *Halszkaraptor escuilliei* (Dinosauria, Theropoda) is not a transitional form along the evolution of dromaeosaurid hypercarnivory. *PeerJ*, 8, e8672.
- Cau, A., Beyrand, V., Voeten, D. F., et al. (2017). Synchrotron scanning reveals amphibious ecomorphology in a new clade of bird-like dinosaurs. *Nature*, 552(7685), 395–399.
- Cau, A., and Madzia, D. (2018). Redescription and affinities of *Hulsanpes perlei* (Dinosauria, Theropoda) from the Upper Cretaceous of Mongolia. *PeerJ*, 6, e4868.
- Cau, A., and Madzia, D. (2021). The phylogenetic affinities and morphological peculiarities of the bird-like dinosaur *Borogovia gracilicrus* from the Upper Cretaceous of Mongolia. *PeerJ*, 9, e12640.
- Chanthasit, P., and Buffetaut, E. (2009). New data on the Dromaeosauridae (Dinosauria: Theropoda) from the Late Cretaceous of southern France. *Bulletin de la Société géologique de France*, 180(2), 145–154.
- Chiappe, L. M. (2007). *Glorified Dinosaurs: The Origin and Early Evolution of Birds*. Sydney: UNSW Press.
- Chiappe, L. M., and Dyke, G. J. (2002). The Mesozoic radiation of birds. *Annual Review of Ecology and Systematics*, 33(1), 91–124.
- Currie, P. J., and Carabajal, A. P. (2012). A new specimen of *Austroraptor cabazai* Novas, Pol, Canale, Porfiri and Calvo, 2008 (Dinosauria, Theropoda, Unenlagiidae) from the Latest Cretaceous (Maastrichtian) of Río Negro, Argentina. *Ameghiniana*, 49(4), 662–667.

- Czerkas, S. A., and Ji, Q. (2002). A preliminary report on an omnivorous volant bird from northeast China. In *Feathered Dinosaurs and the Origin of Flight*, edited by Czerkas, S. J., 127–135. Blanding, UT: The Dinosaur Museum.
- Fabbri, M., Navalón, G., Benson, R. B., et al. (2022). Subaqueous foraging among carnivorous dinosaurs. *Nature*, 603(7903), 852–857.
- Forster, C. A., O'Connor, P. M., Chiappe, L. M., and Turner, A. H. (2020). The osteology of the Late Cretaceous paravian *Rahonavis ostromi* from Madagascar.
- Forster, C. A., Sampson, S. D., Chiappe, L. M., and Krause, D. W. (1998). Genus correction. *Science*, 280(5361), 179.
- Foth, C., Tischlinger, H., and Rauhut, O. W. M. (2014). New specimen of *Archaeopteryx* provides insights into the evolution of pennaceous feathers. *Nature*, 511(7507), 79–82.
- Gianechini, F. A., Agnolín, F. L., and Ezcurra, M. D. (2010). A reassessment of the purported venom delivery system of the bird-like raptor *Sinornithosaurus*. *Paläontologische Zeitschrift*, 85, 103–107.
- Gianechini, F. A., and Apesteguía, S. (2011a). Dinosaurid theropods from Argentina. *Anais da Academia Brasileira de Ciências*, 83(1), 163–195.
- Gianechini, F. A., and Apesteguía, S. (2011b). Unenlagiinae revisited: Dromaeosaurid theropods from South America. *Anais da Academia Brasileira de Ciências*, 83, 163–195.
- Gianechini, F. A., Makovicky, P. J., and Apesteguía, S. (2017). The cranial osteology of *Buitreraptor gonzalezorum* Makovicky, Apesteguía, and Agnolín, 2005 (Theropoda, Dromaeosauridae), from the Late Cretaceous of Patagonia, Argentina. *Journal of Vertebrate Paleontology*, 37(1), e1255639.

- Gianechini, F. A., and Zurriaguz, V. L. (2021). Vertebral pneumaticity of the paravian theropod *Unenlagia comahuensis*, from the Upper Cretaceous of Patagonia, Argentina. *Cretaceous Research*, 127, 104925.
- Gong, E., Martin, L. D., Burnham, D. A., and Falk, A. R. (2010). The birdlike raptor *Sinornithosaurus* was venomous. *Proceedings of the National Academy of Sciences*, 107(2), 766–768.
- Han, G., Chiappe, L. M., Ji, S. A., et al. (2014). A new raptorial dinosaur with exceptionally long feathering provides insights into dromaeosaurid flight performance. *Nature Communications*, 5(1), 4382.
- Hartman, S., Mortimer, M., Wahl, W. R., Lomax, D. R., Lippincott, J., and Lovelace, D. M. (2019). A new paravian dinosaur from the Late Jurassic of North America supports a late acquisition of avian flight. *PeerJ*, 7, e7247.
- Howse, S. C. B., and Milner, A. R. (1993). *Ornithodesmus*—A maniraptoran theropod dinosaur from the Lower Cretaceous of the Isle of Wight, England. *Palaeontology*, 36, 425–437.
- Kurzanov, S. M. (1976). Brain-case structure in the carnosaur *Itemirus* n. gen. and some aspects of the cranial anatomy of dinosaurs. *Paleontological Journal*, 1976(3), 361–369.
- Le Loeuff, J., and Buffetaut, E. (1998). A new dromaeosaurid theropod from the Upper Cretaceous of southern France. *Oryctos*, 1, 105–112.
- Lee, M. S., Cau, A., Naish, D., and Dyke, G. J. (2014). Sustained miniaturization and anatomical innovation in the dinosaurian ancestors of birds. *Science*, 345(6196), 562–566.
- Lee, S., Lee, Y. N., Currie, P. J., et al. (2022). A non-avian dinosaur with a streamlined body exhibits potential adaptations for swimming. *Communications Biology*, 5(1), 1185.

- Li, Q., Gao, K.-Q., Meng, Q., et al. (2012). Reconstruction of *Microraptor* and the evolution of iridescent plumage. *Science*, 335(6073), 1215–1219.
- Liu, J., Ji, S., Tang, F., and Gao, C. (2004). A new species of dromaeosaurids from the Yixian Formation of western Liaoning. *Geological Bulletin of China*, 23(8), 778–783.
- Longrich, N. R., and Currie, P. J. (2009). A microraptorine (Dinosauria–Dromaeosauridae) from the Late Cretaceous of North America. *Proceedings of the National Academy of Sciences*, 106(13), 5002–5007.
- Lü, J., and Brusatte, S. L. (2015). A large, short-armed, winged dromaeosaurid (Dinosauria: Theropoda) from the Early Cretaceous of China and its implications for feather evolution. *Scientific Reports*, 5(1), 1–11.
- Makovicky, P. J., Apesteguía, S., and Agnolín, F. L. (2005). The earliest dromaeosaurid theropod from South America. *Nature*, 437(7061), 1007–1011.
- Makovicky, P. J., Gorscak, E., and Zhou, C. (2018). A new specimen of the large-bodied dromaeosaurid *Tianyuraptor* provides new insights on microraptorine anatomy, taxonomy, and plumage evolution. Abstract. In *78th Annual Meeting of Society of Vertebrate Paleontology: Meeting Program and Abstracts*, 174.
- Martínez, R., and Novas, F. (2006). *Aniksosaurus darwini* gen. et sp. nov., a new coelurosaurian theropod from the early Late Cretaceous of central Patagonia, Argentina. *Revista del Museo Argentino de Ciencias Naturales nueva serie*, 8(2), 243–259.
- Motta, M. J., Agnolín, F. L., Brissón Egli, F., and Novas, F. E. (2020). New theropod dinosaur from the Upper Cretaceous of Patagonia sheds light on the paravian radiation in Gondwana. *The Science of Nature*, 107(3), 1–8.

- Nessov, L. A. (1995). *Dinosaurs of Northern Eurasia: New Data about Assemblages, Ecology and Paleobiogeography*. Saint Petersburg, Russia: Izdatelstvo Sankt-Peterburgskogo Universiteta. 156 pp.
- Norell, M., Ji, Q., Gao, K., Yuan, C., Zhao, Y., and Wang, L. (2002). ‘Modern’ feathers on a non-avian dinosaur. *Nature*, 416(6876), 36–37.
- Norell, M. A., Clark, J. M., Turner, A. H., Makovicky, P. J., Barsbold, R., and Rowe, T. (2006). A new dromaeosaurid theropod from Ukhaa Tolgod (Omnogov, Mongolia). *American Museum Novitates*, 3545, 1–51.
- Novas, F. E., and Agnolín, F. L. (2004). *Unquillosaurus ceibalii* Powell, a giant maniraptoran (Dinosauria, Theropoda) from the Late Cretaceous of Argentina. *Revista del Museo Argentino de Ciencias Naturales*, 6(1), 61–66.
- Novas, F. E., Agnolín, F. L., Ezcurra, M. D., Porfiri, J., and Canale, J. I. (2013). Evolution of the carnivorous dinosaurs during the Cretaceous: The evidence from Patagonia. *Cretaceous Research*, 45, 174–215.
- Novas, F. E., Egli, F. B., Agnolín, F. L., Gianechini, F. A., and Cerda, I. (2018). Postcranial osteology of a new specimen of *Buitreraptor gonzalezorum* (Theropoda, Unenlagiidae). *Cretaceous Research*, 83, 127–167.
- Novas, F. E., and Pol, D. (2005). New evidence on deinonychosaurian dinosaurs from the Late Cretaceous of Patagonia. *Nature*, 433(7028), 858–861.
- Novas, F. E., Pol, D., Canale, J. I., Porfiri, J. D., and Calvo, J. O. (2008). A bizarre Cretaceous theropod dinosaur from Patagonia and the evolution of Gondwanan dromaeosaurids. *Proceedings of the Royal Society B: Biological Sciences*, 276(1659), 1101–1107.

- Novas, F. E., and Puerta, P. F. (1997). New evidence concerning avian origins from the Late Cretaceous of Patagonia. *Nature*, 387(6631), 390–392.
- O'Connor, J., Zhou, Z., and Xu, X. (2011). Additional specimen of *Microraptor* provides unique evidence of dinosaurs preying on birds. *Proceedings of the National Academy of Sciences*, 108(49), 19662–19665.
- O'Connor, P. M., and Forster, C. A. (2010). A late cretaceous (Maastrichtian) avifauna from the Maevarano Formation, Madagascar. *Journal of Vertebrate Paleontology*, 30(4), 1178–1201.
- Osmólska, H. (1982). *Hulsanpes perlei* n.g. n.sp. (Deinonychosauria, Saurischia, Dinosauria) from the Upper Cretaceous Barun Goyot Formation of Mongolia. *Neues Jahrbuch für Geologie und Paläontologie, Monatshefte*, 7, 440–448.
- Paul, G. S. (2016). *The Princeton Field Guide to Dinosaurs*. Princeton, N.J.: Princeton University Press.
- Pei, R., Li, Q., Meng, Q., Gao, K. Q., and Norell, M. A. (2014). A new specimen of *Microraptor* (Theropoda: Dromaeosauridae) from the Lower Cretaceous of western Liaoning, China. *American Museum Novitates*, 3821, 1–28.
- Pei, R., Pittman, M., Goloboff, P. A., et al. (2020). Powered flight potential approached by wide range of close avian relatives but achieved selectively. *BioRxiv*, 2020.04.17.046169.
- Porfiri, J. D., Calvo, J. O., and dos Santos, D. (2011). A new small deinonychosaur (Dinosauria: Theropoda) from the Late Cretaceous of Patagonia, Argentina. *Anais da Academia Brasileira de Ciências*, 83, 109–116.

- Porfiri, J. D., Calvo, J. O., dos Santos, D., and Valieri, R. D. J., (2007). New record of *Neuquenraptor* (Theropoda, Dromaeosauridae) from the Late Cretaceous of Patagonia. *Ameghiniana*, 44 (suppl.), 34R.
- Poust, A. W., Gao, C., Varricchio, D. J., Wu, J., and Zhang, F. (2020). A new microraptorine theropod from the Jehol Biota and growth in early dromaeosaurids. *The Anatomical Record*, 303(4), 963–987.
- Powell, J. E. (1979). On a dinosaur association and other evidences of Upper Cretaceous vertebrates from the La Candelaria region, Salta Province, Argentina. *Ameghiniana*, 16(1–2), 191–204.
- Seeley, H. G. (1887). On a sacrum, apparently indicating a new type of bird, *Ornithodesmus cluniculus*, Seeley, from the Wealden of Brook. *Quarterly Journal of the Geological Society*, 43(1–4), 206–211.
- Senter, P., Kirkland, J. I., DeBlieux, D. D., Madsen, S., and Toth, N. (2012). New dromaeosaurids (Dinosauria: Theropoda) from the Lower Cretaceous of Utah, and the evolution of the dromaeosaurid tail. *PLOS One*, 7(5), e36790.
- Sues, H.-D., and Averianov, A. (2014). Dromaeosauridae (Dinosauria: Theropoda) from the Bissekty Formation (Upper Cretaceous: Turonian) of Uzbekistan and the phylogenetic position of *Itemirus medullaris* Kurzanov, 1976. *Cretaceous Research*, 51, 225–240.
- Torices, A., Currie, P. J., Canudo, J. I., and Pereda-Suberbiola, X. (2015). Theropod dinosaurs from the Upper Cretaceous of the south Pyrenees basin of Spain. *Acta Palaeontologica Polonica*, 60(3), 611–626.
- Turner, A. H., Hwang, S. H., and Norell, M. A. (2007a). A small derived theropod from Öösh, Early Cretaceous, Baykhangor Mongolia. *American Museum Novitates*, 3557, 1–27.

- Turner, A. H., Makovicky, P. J., and Norell, M. A. (2012). A review of dromaeosaurid systematics and paravian phylogeny. *Bulletin of the American Museum of Natural History*, 2012(371), 1–206.
- Turner, A. H., Pol, D., Clarke, J. A., Erickson, G. M., and Norell, M. A. (2007b). A basal dromaeosaurid and size evolution preceding avian flight. *Science*, 317(5843), 1378–1381.
- Turner, A. H., Pol, D., and Norell, M. A. (2011). Anatomy of *Mahakala omnogovae* (Theropoda: Dromaeosauridae), Tögrögiin Shiree, Mongolia. *American Museum Novitates*, 3722, 1–66.
- Wang, X., Cau, A., Guo, B., Ma, F., Qing, G., and Liu, Y. (2022). Intestinal preservation in a birdlike dinosaur supports conservatism in digestive canal evolution among theropods. *Scientific Reports*, 12(1), 19965.
- Xu, X., and Qin, Z. C. (2017). A new tiny dromaeosaurid dinosaur from the Lower Cretaceous Jehol Group of western Liaoning and niche differentiation among the Jehol dromaeosaurids. *Vertebrata Palasiatica*, 55(2), 129–144.
- Xu, X., and Wang, X.-L. (2004). A new dromaeosaur (Dinosauria: Theropoda) from the Early Cretaceous Yixian Formation of western Liaoning. *Vertebrata Palasiatica*, 42(2), 11–119.
- Xu, X., Wang, X.-L., and Wu, X.-C. (1999). A dromaeosaurid dinosaur with a filamentous integument from the Yixian Formation of China. *Nature*, 401(6750), 262–266.
- Xu, X., Zhou, Z., and Wang, X. (2000). The smallest known non-avian theropod dinosaur. *Nature*, 408, 705–708.
- Xu, X., Zhou, Z., Wang, X., Kuang, X., Zhang, F., and Du, X. (2003). Four-winged dinosaurs from China. *Nature*, 421(6921), 335–340.

Zheng, X., Xu, X., You, H., Zhao, Q., and Dong, Z. (2009). A short-armed dromaeosaurid from the Jehol Group of China with implications for early dromaeosaurid evolution.

Proceedings of the Royal Society B: Biological Sciences, 277(1679), 211–217.

Eudromaeosauria

Averianov, A. O., and Lopatin, A. V. (2021). A new theropod dinosaur (Theropoda, Dromaeosauridae) from the Late Cretaceous of Tajikistan. *Doklady Earth Sciences*, 499, 570–574.

Barsbold, R. (1983). Хищные динозавры мела Монголии [Carnivorous dinosaurs from the Cretaceous of Mongolia]. *Transactions of the Joint Soviet–Mongolian Paleontological Expedition*, 19, 5–119.

Barsbold, R., and Osmólska, H. (1999). The skull of *Velociraptor* (Theropoda) from the Late Cretaceous of Mongolia. *Acta Palaeontologica Polonica*, 44(2), 189–219.

Baszio, S. (1997). Investigations on Canadian dinosaurs: Systematic palaeontology of isolated dinosaur teeth from the Latest Cretaceous of south Alberta, Canada. *Courier Forschungsinstitut Senckenberg*, 196, 33–77.

Bell, P. R., and Currie, P. J. (2016). A high-latitude dromaeosaurid, *Boreonykus certekorum*, gen. et sp. nov. (Theropoda), from the upper Campanian Wapiti Formation, west-central Alberta. *Journal of Vertebrate Paleontology*, 36(1), e1034359.

Bell, P. R., Currie, P. J., and Russell, D. A. (2015). Large caenagnathids (Dinosauria, Oviraptorosauria) from the uppermost Cretaceous of western Canada. *Cretaceous Research*, 52, 101–107.

- Brinkman, D. L., Cifelli, R. L., and Czaplewski, N. J. (1998). First occurrence of *Deinonychus antirrhopus* (Dinosauria: Theropoda) from the Antlers Formation (Lower Cretaceous: Aptian–Albian) of Oklahoma. *Oklahoma Geological Survey Bulletin*, 146, 1–27.
- Britt, B. B., Chure, D. J., Stadtman, K. L., Madsen, J. H., Scheetz, R. D., and Burge, D. L. (2001). New osteological data and the affinities of *Utahraptor* from the Cedar Mountain Fm. (Early Cretaceous) of Utah. *Journal of Vertebrate Paleontology*, 21(3), 36A.
- Brum, A. S., Pegas, R. V., Bandeira, K. L., Souza, L. G., Campos, D. A., and Kellner, A. W. (2021). A new unenlagiine (Theropoda, Dromaeosauridae) from the Upper Cretaceous of Brazil. *Papers in Palaeontology*, 7(4), 2075–2099.
- Brusatte, S. L., Vremir, M., Csiki-Sava, Z., et al. (2013). The osteology of *Balaur bondoc*, an island-dwelling dromaeosaurid (Dinosauria: Theropoda) from the Late Cretaceous of Romania. *Bulletin of the American Museum of Natural History*, 2013(374), 1–100.
- Burnham, D. A. (2004). New information on *Bambiraptor feinbergi* from the Late Cretaceous of Montana. In *Feathered Dragons: Studies on the Transition from Dinosaurs to Birds*, edited by Currie, P. J., Koppelhus, E. B., Shugar, M. A., and Wright, J. L., 67–111. Indianapolis: Indiana University Press.
- Burnham, D. A., Derstler, K. L., Currie, P. J., Bakker, R. T., Zhou, Z., and Ostrom, J. H. (2000). Remarkable new birdlike dinosaur (Theropoda: Maniraptora) from the Upper Cretaceous of Montana. *University of Kansas Paleontological Contributions*, 13, 1–14.
- Cau, A., Beyrand, V., Voeten, D. F., et al. (2017). Synchrotron scanning reveals amphibious ecomorphology in a new clade of bird-like dinosaurs. *Nature*, 552(7685), 395–399.

- Cau, A., Brougham, T., and Naish, D. (2015). The phylogenetic affinities of the bizarre Late Cretaceous Romanian theropod *Balaur bondoc* (Dinosauria, Maniraptora): Dromaeosaurid or flightless bird? *PeerJ*, 3, e1032.
- Cau, A., and Madzia, D. (2021). The phylogenetic affinities and morphological peculiarities of the bird-like dinosaur *Borogovia gracilicrus* from the Upper Cretaceous of Mongolia. *PeerJ*, 9, e12640.
- Choiniere, J. N., Neenan, J. M., Schmitz, L., et al. (2021). Evolution of vision and hearing modalities in theropod dinosaurs. *Science*, 372(6542), 610–613.
- Csiki, Z., Vremir, M., Brusatte, S. L., and Norell, M. A. (2010). An aberrant island-dwelling theropod dinosaur from the Late Cretaceous of Romania. *Proceedings of the National Academy of Sciences*, 107(35), 15357–15361.
- Currie, P. J. (1987). Theropods of the Judith River Formation. *Occasional Paper of the Tyrrell Museum of Palaeontology*, 3, 52–60.
- Currie, P. J. (1995). New information on the anatomy and relationships of *Dromaeosaurus albertensis* (Dinosauria: Theropoda). *Journal of Vertebrate Paleontology*, 15(3), 576–591.
- Currie, P. J., and Evans, D. C. (2020). Cranial anatomy of new specimens of *Saurornitholestes langstoni* (Dinosauria, Theropoda, Dromaeosauridae) from the Dinosaur Park Formation (Campanian) of Alberta. *The Anatomical Record*, 303(4), 691–715.
- Currie P. J., Rigby Jr., J. K., and Sloan, R. E. (1990). Theropod teeth from the Judith River Formation of southern Alberta, Canada. In *Dinosaur Systematics: Perspectives and Approaches*, edited by Carpenter, K., and Currie, P. J. 107–125. Cambridge University Press.

- Currie, P. J., and Varricchio, D. J. (2004). A new dromaeosaurid from the Horseshoe Canyon Formation (Upper Cretaceous) of Alberta, Canada. In *Feathered Dragons: Studies on the Transition from Dinosaurs to Birds*, edited by Currie, P. J., Koppelhus, E. B., Shugar, M. A., and Wright, J. L., 112. Bloomington: Indiana University Press.
- Czerkas, S. A., and Ji, Q. (2002). A preliminary report on an omnivorous volant bird from northeast China. In *Feathered Dinosaurs and the Origin of Flight*, edited by Czerkas, S. J., 127–135. Blanding, UT: The Dinosaur Museum.
- DePalma, R. A., Burnham, D. A., Martin, L. D., Larson, P. L., and Bakker, R. T. (2015). The first giant raptor (Theropoda: Dromaeosauridae) from the Hell Creek Formation. *Paleontological Contributions*, 14, 1–16.
- Dyke, G. J., Cau, A., Naish, D., and Birch, S. (2014). *Archaeopteryx* and paravian phylogeny: The enigma of *Balaur*. Abstract. In *74th Meeting of Society of Vertebrate Paleontology: Meeting Program and Abstracts*, 123.
- Eberth, D. A., and Currie, P. J. (2010). Stratigraphy, sedimentology, and taphonomy of the *Albertosaurus* bonebed (Upper Horseshoe Canyon Formation; Maastrichtian), southern Alberta, Canada. *Canadian Journal of Earth Sciences*, 47(9), 1130–1131.
- Erickson, G. M., Rauhut, O. W. M., Zhou, Z., et al. (2009). Was dinosaurian physiology inherited by birds? Reconciling slow growth in *Archaeopteryx*. *PLOS One*, 4(10), e7390.
- Evans, D. C., Larson, D. W., and Currie, P. J. (2013). A new dromaeosaurid (Dinosauria: Theropoda) with Asian affinities from the latest Cretaceous of North America. *Naturwissenschaften*, 100, 1041–1049.
- Foth, C., Tischlinger, H., and Rauhut, O. W. M. (2014). New specimen of *Archaeopteryx* provides insights into the evolution of pennaceous feathers. *Nature*, 511(7507), 79–82.

- Gianechini, F. A., Makovicky, P. J., and Apesteguía, S. (2017). The cranial osteology of *Buitreraptor gonzalezorum* Makovicky, Apesteguía, and Agnolín, 2005 (Theropoda, Dromaeosauridae), from the Late Cretaceous of Patagonia, Argentina. *Journal of Vertebrate Paleontology*, 37(1), e1255639.
- Godefroit, P., Cau, A., Dong-Yu, H., Escuillié, F., Wenhao, W., and Dyke, G. (2013). A Jurassic avialan dinosaur from China resolves the early phylogenetic history of birds. *Nature*, 498(7454), 359–362.
- Hartman, S., Mortimer, M., Wahl, W. R., Lomax, D. R., Lippincott, J., and Lovelace, D. M. (2019). A new paravian dinosaur from the Late Jurassic of North America supports a late acquisition of avian flight. *PeerJ*, 7, e7247.
- Hohman, C. J., and Varricchio, D. (2021). Ontogenetic implications of two distinct dromaeosaurid maxillae from the Cretaceous (Campanian) Two Medicine Formation of Montana, U.S.A. Abstract. In *The Society of Vertebrate Paleontology Virtual Meeting Conference Program, November 1–5, 2021*, 142–143.
- Jasinski, S. E., Sullivan, R. M., and Dodson, P. (2020). New dromaeosaurid dinosaur (Theropoda, Dromaeosauridae) from New Mexico and biodiversity of dromaeosaurids at the end of the Cretaceous. *Scientific Reports*, 10(1), 5105.
- Kirkland, J. I., Burge, D., and Gaston, R. (1993). A large dromaeosaur (Theropoda) from the Lower Cretaceous of eastern Utah. *Hunteria*, 2(10), 1–16.
- Kirkland, J. I., Loewen, M., DeBlieux, D., Madsen, S. K., and Choiniere, J. (2011). New theropod cranial material from the Yellow Cat Member, Cedar Mountain Formation, Stikes Quarry, north of Arches National Park, east-central, Utah. *Journal of Vertebrate Paleontology*, 17(3) suppl., 137.

- Lee, M. S., Cau, A., Naish, D., and Dyke, G. J. (2014). Sustained miniaturization and anatomical innovation in the dinosaurian ancestors of birds. *Science*, 345(6196), 562–566.
- Longrich, N. R., and Currie, P. J. (2009). A microraptorine (Dinosauria–Dromaeosauridae) from the Late Cretaceous of North America. *Proceedings of the National Academy of Sciences*, 106(13), 5002–5007.
- Longrich, N. R., Martill, D. M., and Jacobs, M. L. (2022). A new dromaeosaurid dinosaur from the Wessex Formation (Lower Cretaceous, Barremian) of the Isle of Wight, and implications for European palaeobiogeography. *Cretaceous Research*, 134, 105123.
- Lü, J.-C., Xu, L., Zhang, X.-L., et al. (2007). New dromaeosaurid dinosaur from the Late Cretaceous Qiupa Formation of Luanchuan area, western Henan, China. *Geological Bulletin of China*, 26(7), 777–786.
- Manning, P. L., Margetts, L., Johnson, M. R., et al. (2009). Biomechanics of dromaeosaurid dinosaur claws: Application of x-ray microtomography, nanoindentation and finite element analysis. *Anatomical Record*, 292, 1397–1405.
- Matthew, W. D., and Brown, B. (1922). The family Deinodontidae, with notice of a new genus from the Cretaceous of Alberta. *Bulletin of the American Museum of Natural History*, 46(6), 367–385.
- Maxwell, W. D., and Ostrom, J. H. (1995). Taphonomy and paleobiological implications of Tenontosaurus–Deinonychus associations. *Journal of Vertebrate Paleontology*, 15(4), 707–712.
- Maxwell, W. D., and Witmer, L. M. (1996). New material of *Deinonychus* (Dinosauria, Theropoda). *Journal of Vertebrate Paleontology*, 16(3), 51A.

- Napoli, J. G., Ruebenstahl, A. A., Bhullar, B. A. S., Turner, A. H., and Norell, M. A. (2021). A new dromaeosaurid (Dinosauria: Coelurosauria) from Khulsan, central Mongolia. *American Museum Novitates*, 3982, 1–47.
- Nessov, L. A. (1995). *Dinosaurs of Northern Eurasia: New Data about Assemblages, Ecology and Paleobiogeography*. Saint Petersburg, Russia: Izdatelstvo Sankt-Peterburgskogo Universiteta. 156 pp. In Russian.
- Norell, M. A., Clark, J. M., and Perle, A. (1992). New dromaeosaur material from the Late Cretaceous of Mongolia. *Journal of Vertebrate Paleontology*, 12(3), 45A.
- Norell, M. A., Clark, J. M., Turner, A. H., Makovicky, P. J., Barsbold, R., and Rowe, T. (2006). A new dromaeosaurid theropod from Ukhaa Tolgod (Ömnögovi, Mongolia). *American Museum Novitates*, 3545, 1–51.
- Norell, M. A., and Makovicky, P. J. (1997). Important features of the dromaeosaur skeleton: Information from a new specimen. *American Museum Novitates*, 3215, 1–28.
- Norell, M., Makovicky, P. J., Akademi, M. S. U., and Mongolian-American Museum Paleontological Project. (1999). Important features of the dromaeosaurid skeleton. II, Information from newly collected specimens of *Velociraptor mongoliensis*. *American Museum Novitates*, 3282, 1–45.
- Novas, F. E., Brissón Egli, F., Agnolín, F. L., Gianechini, F. A., and Cerda, I. (2018). Postcranial osteology of a new specimen of *Buitreraptor gonzalezorum* (Theropoda, Unenlagiidae). *Cretaceous Research*, 83, 127–167.
- O'Connor, J., Zhou, Z., and Xu, X. (2011). Additional specimen of *Microraptor* provides unique evidence of dinosaurs preying on birds. *Proceedings of the National Academy of Sciences*, 108(49), 19662–19665.

- Osborn, H. F., Kaisen, P. C., and Olsen, G. (1924). Three new theropoda, *Protoceratops* zone, central Mongolia. *American Museum Novitates*, 144, 1–12.
- Ostrom, J. H. (1969). A new theropod dinosaur from the Lower Cretaceous of Montana. *Postilla*, 128, 1–17.
- Ostrom, J. H. (1976). On a new specimen of the Lower Cretaceous theropod dinosaur *Deinonychus antirrhopus*. *Breviora*, 439, 1–21.
- Parsons, W. L., and Parsons, K. M. (2015). Morphological variations within the ontogeny of *Deinonychus antirrhopus* (Theropoda, Dromaeosauridae). *PLOS One*, 10(4), e0121476.
- Pei, R., Pittman, M., Goloboff, P. A., et al. (2020). Powered flight potential approached by wide range of close avian relatives but achieved selectively. *BioRxiv*, 2020.04.17.046169.
- Perle, A., Norell, M. A., and Clark, J. M. (1999). A new maniraptoran Theropod—*Achillobator giganticus* (Dromaeosauridae)—from the Upper Cretaceous of Burkhan, Mongolia. *Contributions from the Geology and Mineralogy Chair, National Museum of Mongolia*, 101, 1–105.
- Powers, M. J., Fabbri, M., Doschak, M. R., et al. (2022). A new hypothesis of eudromaeosaurian evolution: CT scans assist in testing and constructing morphological characters. *Journal of Vertebrate Paleontology*, 41(5), e2010087.
- Senter, P. (2006). Comparison of forelimb function between *Deinonychus* and *Bambiraptor* (Theropoda: Dromaeosauridae). *Journal of Vertebrate Paleontology*, 26(4), 897–906.
- Senter, P. (2011). Using creation science to demonstrate evolution 2: Morphological continuity within Dinosauria (supporting information). *Journal of Evolutionary Biology*, 24(10), 2197–2216.

- Senter, P., Kirkland, J. I., DeBlieux, D. D., Madsen, S., and Toth, N. (2012). New dromaeosaurids (Dinosauria: Theropoda) from the Lower Cretaceous of Utah, and the evolution of the dromaeosaurid tail. *PLOS One*, 7(5), e36790.
- Sues, H.-D. (1978). A new small theropod dinosaur from the Judith River Formation (Campanian) of Alberta Canada. *Zoological Journal of the Linnean Society*, 62, 381–400.
- Sues, H.-D., and Averianov, A. (2014). Dromaeosauridae (Dinosauria: Theropoda) from the Bissekty Formation (Upper Cretaceous: Turonian) of Uzbekistan and the phylogenetic position of *Itemirus medullaris* Kurzanov, 1976. *Cretaceous Research*, 51, 225–240.
- Suzuki, S., and Watabe, M. (2000). Report on the Japan–Mongolia Joint Paleontological Expedition to the Gobi Desert, 1998. *Hayashibara Museum of Natural Sciences Research Bulletin*, 1, 83–98.
- Turner, A. H., Makovicky, P. J., and Norell, M. A. (2007). Feather quill knobs in the dinosaur *Velociraptor*. *Science*, 317(5845), 1721.
- Turner, A. H., Makovicky, P. J., and Norell, M. A. (2012). A review of dromaeosaurid systematics and paravian phylogeny. *Bulletin of the American Museum of Natural History*, 2012(371), 1–206.
- Turner, A. H., Montanari, S., and Norell, M. A. (2021). A new dromaeosaurid from the Late Cretaceous Khulsan locality of Mongolia. *American Museum Novitates*, 3965, 1–48.
- Utah Geological Survey. (2021). New *Utahraptor* discoveries continue to be revealed from Utah’s most astounding fossil block. Utah Geological Survey, February 25, 2021. <https://geology.utah.gov/new-utahraptor-discoveries-continue-to-be-revealed-from-utahs-most-astounding-fossil-block/>.

- Xu, X., Choiniere, J. N., Pittman, M. D., et al. (2010). A new dromaeosaurid (Dinosauria: Theropoda) from the Upper Cretaceous Wulansuhai Formation of Inner Mongolia, China. *Zootaxa*, 2403, 1–9.
- Xu, X., Michael, P., Corwin, S., et al. (2015). The taxonomic status of the Late Cretaceous dromaeosaurid *Linheraptor exquisitus* and its implications for dromaeosaurid systematics. *Vertebrata Palasiatica*, 53(1), 29–62
- Xu, X., Zhou, Z., Wang, X., Kuang, X., Zhang, F., and Du, X. (2003). Four-winged dinosaurs from China. *Nature*, 421(6921), 335–340.

Nomina Dubia

- Agnolín, F. L., Ezcurra, M. D., Pais, D. F., and Salisbury, S. W. (2010). A reappraisal of the Cretaceous non-avian dinosaur faunas from Australia and New Zealand: Evidence for their Gondwanan affinities. *Journal of Systematic Palaeontology*, 8(2), 257–300.
- Antunes, M. T., and Broin, F. (1988). Le Crétacé terminal de Beira Litoral, Portugal: remarques stratigraphiques et écologiques, étude complémentaire de *Rosasia soutoi* (Chelonii, Bothremydidate). *Ciências de Terra*, 9, 153–200.
- Antunes, M. T., and Sigogneau-Russell, D. (1991). Nouvelles données sur les Dinosaures du Crétacé supérieur du Portugal. *Comptes rendus de l'Académie des sciences. Série 2, Mécanique, Physique, Chimie, Sciences de l'univers, Sciences de la Terre*, 313(1), 113–119.
- Averianov, A., and Sues, H.-D. (2019). Morphometric analysis of the teeth and taxonomy of the enigmatic theropod *Richardoestesia* from the Upper Cretaceous of Uzbekistan. *Journal of Vertebrate Paleontology*, e1614941.

- Benson, R. B. J. (2009). An assessment of variability in theropod dinosaur remains from the Bathonian (Middle Jurassic) of Stonesfield and New Park Quarry, UK and taxonomic implications for *Megalosaurus bucklandii* and *Iliosuchus incognitus*. *Palaeontology*, 52, 857–877.
- Brusatte, S. L., Hone, D. W. E., and Xu, X. (2013). Phylogenetic revision of *Chingkankousaurus fragilis*, a forgotten tyrannosauroid specimen from the Late Cretaceous of China. In *Tyrannosaur! Studies in Tyrannosaurid Paleobiology*, edited by Parrish, J. M., Molnar, R. E., Currie, P. J., and Koppelhus, E. B. Bloomington: Indiana University Press.
- Buffetaut, E., Cuny, G., and Le Loeuff, J. (1991). French dinosaurs: The best record in Europe? *Modern Geology*, 16(1-2), 17–42.
- Carpenter, K. (1982). Baby dinosaurs from the Late Cretaceous Lance and Hell Creek Formations and a description of a new species of theropod. *Contributions to Geology, University of Wyoming*, 20(2), 123–134.
- Carrano, M. T., Benson, R. B. J., and Sampson, S. D. (2012). The phylogeny of Tetanurae (Dinosauria: Theropoda). *Journal of Systematic Palaeontology*, 10(2), 211–300.
- Carrano, M. T., Loewen, M. A., and Sertich, J. J. W. (2011). New materials of *Masiakasaurus knopfleri* Sampson, Carrano, and Forster, 2001, and implications for the morphology of the Noasauridae (Theropoda: Ceratosauria). *Smithsonian Contributions to Paleobiology*, 95, 1–53.
- Carroll, R. L. (1988). *Vertebrate Paleontology and Evolution*. New York: W. H. Freeman and Company.

- Chure, D. J. (2000). A new species of *Allosaurus* from the Morrison Formation of Dinosaur National Monument (UT–CO) and a revision of the theropod family Allosauridae. PhD diss., Columbia University, New York.
- Cope, E. D. (1876). Descriptions of some vertebrate remains from the Fort Union Beds of Montana, *Proceedings of the Academy of Natural Sciences*, 28, 248–261.
- Currie, P. (2005). Theropods, including birds. In *Dinosaur Provincial Park: A Spectacular Ancient Ecosystem Revealed*, edited by Currie, P. J., and Koppelhus, E. B., 367–397. Bloomington: Indiana University Press.
- Currie, P. J., and Evans, D. C. (2019). Cranial anatomy of new specimens of *Saurornitholestes langstoni* (Dinosauria, Theropoda, Dromaeosauridae) from the Dinosaur Park Formation (Campanian) of Alberta. *The Anatomical Record*, 303(4), 691–715.
- Currie, P. J., Rigby, K. J., and Sloan, R. E. (1990). Theropod teeth from the Judith River Formation of southern Alberta, Canada. In *Dinosaur Systematics: Perspectives and Approaches*, edited by Currie, P. J., and Carpenter, K., 107–125. Cambridge: Cambridge University Press.
- Das-Gupta, H. C. (1931). On a new theropod dinosaur (*Orthogoniosaurus matleyi*, n. gen. et n. sp.) from the Lameta beds of Jubbulpore. *Journal of the Asiatic Society of Bengal*, new ser., 16(20), 367–369.
- de Lapparent, A. F. (1960). Les Dinosauriens du “Continental intercalaire” du Sahara central. *Mémoires de la Société géologique de France, nouvelle série*, 39(88A), 1–57.
- Dong, Z., Zhou, S., and Zhang, Y. (1983). Dinosaurs from the Jurassic of Sichuan. *Palaeontologica Sinica*, new ser. C, 162(23), 136 pp.

- Dong, Z.-M. (1973). [Dinosaurs from Wuerho]. *Memoirs of the Institute of Vertebrate Paleontology and Paleoanthropology, Academic Sinica*, 11, 45–52.
- Fox, W. (1866). Another new Wealden reptile. *The Athenaeum*, 2014, 740.
- Holtz Jr., T. R. (2004). Tyrannosauroidae. In *The Dinosauria*, 2nd ed., edited by Weishampel, D. B., Dodson, P., and Osmólska, H., 124. Berkeley: University of California Press.
- Holtz Jr., T. R., Molnar, R. E., and Currie, P. J. (2004). Basal Tetanurae. In *The Dinosauria*, 2nd ed., edited by Weishampel, D. B., Dodson, P., and Osmólska, H., 71–110. Berkeley: University of California Press.
- Hwang, S. H. (2005). Phylogenetic patterns of enamel microstructure in dinosaur teeth. *Journal of Morphology*, 266, 208–240.
- Jaekel, O. (1913–14). Über die Wirbeltierfunde in der oberen Trias von Halberstadt. *Paläontologische Zeitschrift* 1, 155–215.
- Jensen, J. A. (1981). Another look at *Archaeopteryx* as the world's oldest bird. *Encyclopaedia*, 58, 109–128.
- Larson, D. W., and Currie, P. J. (2013). Multivariate analyses of small theropod dinosaur teeth and implications for paleoecological turnover through time. *PLOS One*, 8(1), e54329.
- Leidy, J. (1856). Notices of the remains of extinct reptiles and fishes, discovered by Dr. F. V. Hayden in the Bad Lands of the Judith River, Nebraska Territory. *Proceedings of the Academy of Natural Sciences*, 8(2), 72.
- Leidy, J. (1865). Memoir on the extinct reptiles of the Cretaceous formations of the United States. *Smithsonian Contributions to Knowledge*, 14, 1–135.
- Leidy, J. (1868). Remarks on a jaw fragment of *Megalosaurus*. *Proceedings of the Academy of Natural Sciences of Philadelphia*.

- Marsh, O. C. (1877). Notice of some new vertebrate fossils. *American Journal of Arts and Sciences*, 14, 249–256.
- Matthew, W. D., and Brown, B. (1922). The family Deinodontidae, with notice of a new genus from the Cretaceous of Alberta. *Bulletin of the American Museum of Natural History*, 46(6), 367–385.
- Molina-Pérez, R., and Larramendi, A. (2016). *Récords y curiosidades de los dinosaurios: terópodos y otros dinosauromorfos*. Larousse.
- Molina-Pérez, R., Larramendi, A., Connolly, D., and Cruz, G. Á. R. (2019). *Dinosaur Facts and Figures: The Theropods and Other Dinosauriformes*. Princeton, N.J.: Princeton University Press.
- Molnar, R. E., Kurzanov, S. M., and Dong, Z.-M. (1990). Carnosauria. In *The Dinosauria*, edited by Weishampel, D. B., Dodson, P., and Osmólska, H., 169–209. Berkeley: University of California Press.
- Molnar, R. E., and Wiffen, J. (1994). A Late Cretaceous polar dinosaur fauna from New Zealand. *Cretaceous Research*, 15(6), 689–706.
- Naish, D. (2011). Theropod dinosaurs. In *English Wealden Fossils*, edited by Batten, D. J., 526–559. London: The Palaeontological Association.
- Nesov, L. A. (1995). *Dinozavri severnoi Yevrasii: Novye dannye o sostave kompleksov, ekologii i paleobiogeografii*. St. Petersburg, Russia: Scientific Research Institute of the Earth's Crust, St. Petersburg State University. 156 pp.
- Nesov, L. A. (1985). Rare bony fishes, terrestrial lizards, and mammals in the estuarine and coastal lowland zone of the Kyzyl-Kum Cretaceous. *Yearbook of the All-Union Paleontological Association*, 28, 199–219.

- Nopcsa, F. (1928). The genera of reptiles. *Palaeobiologica*, 1, 163–188.
- Novas, A., and Bandyopadhyay, S. (2004). Cretaceous theropods from India: A review of specimens described by Huene and Matley (1933). *Revista del Museo Argentino del Ciencias Naturales*, 6(1), 67–103.
- Okazaki, Y. (1992). A new genus and species of carnivorous dinosaur from the Lower Cretaceous Kwanmon Group, northern Kyushu. *Bulletin of the Kitakyushu Museum of Natural History*, 11, 87–90.
- Olshevsky, G. (1991). *A Revision of the Parainfraclass Archosauria Cope, 1869, Excluding the Advanced Crocodylia*. Vol. 2 of *Mesozoic Meanderings*. San Diego: George Olshevsky Publications Requiring Research.
- Osborn, H. F. (1924). Sauropoda and Theropoda from the Lower Cretaceous of Mongolia. *American Museum Novitates*, 128, 1–7.
- Owen, R. (1854). On some fossil reptilian and mammalian remains from the Purbecks. *Quarterly Journal of the Geological Society*, 10(1–2), 420–433.
- Rauhut, O. W., and Hungerbühler, A. (1998). A review of European Triassic theropods. *GAIA*, 15, 75–88.
- Rauhut, O. W. M., Milner, A. C., and Moore-Fay, S. (2010). Cranial osteology and phylogenetic position of the theropod dinosaur *Proceratosaurus bradleyi* (Woodward, 1910) from the Middle Jurassic of England. *Zoological Journal of the Linnean Society*, 158(1), 155–195.
- Riabinin, A. N. (1931). Two dinosaurian vertebrae from the Lower Cretaceous of Transcaspiian Steppes. *Zapiski Russkogo Min. Obshchestva*, ser. 2, 60, 110–113.
- Russell, D. (1970). Tyrannosaurs from the Late Cretaceous of western Canada. *National Museum of Natural Science Publications in Palaeontology*, 1, 1–34.

- Sahni, A. (1972). The vertebrate fauna of the Judith River Formation, Montana. *Bulletin of the American Museum of Natural History*, 147(6).
- Skawiński, T., Ziegler, M., Czepiński, Ł., et al. (2017). A re-evaluation of the historical ‘dinosaur’ remains from the Middle-Upper Triassic of Poland. *Historical Biology*, 29(4), 442–472.
- Swinton, W. E. (1936). The dinosaurs of the Isle of Wight. *Proceedings of the Geologists’ Association*, 47, 204–220.
- Tykoski, R. S., and Rowe, T. (2004). Ceratosauria. In *The Dinosauria*, 2nd ed., edited by Weishampel, D. B., Dodson, P., and Osmólska, H., 47–70. Berkeley: University of California Press.
- von Huene, F. R. F. (1932). Die fossile Reptil-Ordnung Saurischia, ihre Entwicklung und Geschichte. *Monographien zur Geologie und Palaeontologie*, ser. 1, 4, 1–361.
- von Huene, F. R. F., and Matley, C. A. (1933). The Cretaceous Saurischia and Ornithischia of the central provinces of India. *Palaeontologia Indica*, 21(1).
- Weishampel, D. B. (2006). Another look at the dinosaurs of the East Coast of North America. *Actas de las III Jornadas Internacionales sobre Paleontología de Dinosaurios y su Entorno, Salas de los Infantes, Burgos, Spain. Colectivo Arqueológico-Paleontológico Salense Actas*, 129–168.
- Weishampel, D. B., Dodson, P., and Osmólska, H., eds. (2004). *The Dinosauria*, 2nd ed. Berkeley: University of California Press.
- Wilson, J. A. (2012). Small theropod dinosaurs from the latest Cretaceous of India. *Journal of Vertebrate Paleontology. Program and Abstracts 2012*, 194.

- Yadagiri, P. (1982). Osteological studies of a carnosaurian dinosaur from the Lower Jurassic Kota Formation: Andhra Pradesh. *Geological Survey of India (Progress Report for Field Season Programme 1981–1982), Regional Palaeontological Laboratories, Southern Region*. 7 pp.
- Young, C. C. (1942). Fossil vertebrates from Kuangyuan, N. Szechuan, China. *Bulletin of the Geological Society of China*, 22(3–4), 293–309.
- Young, C. C. (1958). The dinosaurian remains of Laiyang, Shantung. *Palaeontologia Sinica*, new ser. C, 42(16), 1–138.
- Yun, C. (2020). A Carcharodontosaurid tooth from the Hasandong Formation (Lower Cretaceous) of South Korea. *Mongolian Geoscientist*, 50, 2–10.