

References

Time Periods and Continental Movements

Berggren, W. A., and Van Couvering, J. A., eds. (2014). *Catastrophes and Earth History: The New Uniformitarianism*. Princeton, N.J.: Princeton University Press.

Boulila, S., Haq, B. U., Hara, N., Müller, R. D., Galbrun, B., and Charbonnier, G. (2021).

Potential encoding of coupling between Milankovitch forcing and Earth's interior processes in the Phanerozoic eustatic sea-level record. *Earth-Science Reviews*, 220, 103727.

Caruthers, A. H., Smith, P. L., and Gröcke, D. R. (2013). The Pliensbachian–Toarcian (Early Jurassic) extinction, a global multi-phased event. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 386, 104–118.

Dal Corso, J., Bernardi, M., Sun, Y., et al. (2020). Extinction and dawn of the modern world in the Carnian (Late Triassic). *Science Advances*, 6(38), eaba0099.

Dalla Vecchia, F. M. (2009). *Telmatosaurus* and the other hadrosauroids of the Cretaceous European Archipelago. An update. *Natura Nascosta*, 39, 1–18.

Danisch, J., Nutz, A., Kabiri L., and Bodin, S. (2017). Timing of sea-level fluctuations and carbon cycle perturbation associated with the Sinemurian-Pliensbachian boundary event: New insight from the High Atlas Mountains of Morocco. *International Meeting of Sedimentology 2017*, 219.

Danise, S., and Holland, S. M. (2018). A sequence stratigraphic framework for the Middle to Late Jurassic of the Sundance Seaway, Wyoming: Implications for correlation, basin evolution, and climate change. *The Journal of Geology*, 126(4), 371–405.

- Dera, G., Toumoulin, A., and De Baets, K. (2016). Diversity and morphological evolution of Jurassic belemnites from South Germany. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 457, 80–97.
- Einarsson, E., and Kear, B. P. (2011). A mid-Campanian marine extinction event—Possible evidence from the Kristianstad Basin of southern Sweden. In *The 2nd Wiman Meeting. Carl Wiman's Legacy: 100 Years of Swedish Palaeontology*, 7–8.
- Ernst, R. E., Bond, D. P., Zhang, S. H., et al. (2021). Large igneous province record through time and implications for secular environmental changes and geological time-scale boundaries. In *Large Igneous Provinces: A Driver of Global Environmental and Biotic Changes*, 1–26.
- Ezcurra, M. D., and Agnolín, F. L. (2012a). An abelisauroid dinosaur from the Middle Jurassic of Laurasia and its implications on theropod palaeobiogeography and evolution. *Proceedings of the Geologists' Association*, 123(3), 500–507.
- Ezcurra, M. D., and Agnolín, F. L. (2012b). A new global palaeobiogeographical model for the Late Mesozoic and Early Tertiary. *Systematic Biology*, 61(4), 553–566.
- Falzone, F., Petrizzo, M. R., Clarke, L. J., MacLeod, K. G., and Jenkyns, H. C. (2016). Long-term Late Cretaceous oxygen- and carbon-isotope trends and planktonic foraminiferal turnover: A new record from the southern midlatitudes. *GSA Bulletin*, 128(11–12), 1725–1735.
- Gradstein, F. M., ed. (2012). *The Geologic Time Scale 2012*. Elsevier.
- Haq, B. U. (2014). Cretaceous eustasy revisited. *Global and Planetary Change*, 113, 44–58.
- Haq, B. U. (2018a). Jurassic sea-level variations: A reappraisal. *GSA Today*, 28(1), 4–10.
- Haq, B. U. (2018b). Triassic eustatic variations reexamined. *GSA Today*, 28(12), 4–9.

- Krause, D. W., Sertich, J. J., O'Connor, P. M., Curry Rogers, K., and Rogers, R. R. (2019). The Mesozoic biogeographic history of Gondwanan terrestrial vertebrates: Insights from Madagascar's fossil record. *Annual Review of Earth and Planetary Sciences*, 47(1), 519–553.
- Linnert, C., Robinson, S. A., Lees, J. A., et al. (2017). Did Late Cretaceous cooling trigger the Campanian–Maastrichtian boundary event? *Newsletters on Stratigraphy*.
- Longrich, N. R., Pereda-Suberbiola, X., Jalil, N. E., Khaldoune, F., and Jourani, E. (2017). An abelisaurid from the latest Cretaceous (late Maastrichtian) of Morocco, North Africa. *Cretaceous Research*, 76, 40–52.
- Lovecchio, J., Rohais, S., Ramos, V., Joseph, P., and Bolatti, N. (2019). Mesozoic breakup of southwest Gondwana and basin formation along the Argentinean Atlantic margin. In *2019 AAPG Annual Convention and Exhibition*.
- Molina-Pérez, R., Larramendi, A., Connolly, D., and Cruz, G. Á. R. (2019). *Dinosaur Facts and Figures: The Theropods and Other Dinosauriformes*. Princeton, N.J.: Princeton University Press.
- Novas, F. E., Agnolín, F. L., Ezcurra, M. D., Porfiri, J., and Canale, J. I. (2013). Evolution of the carnivorous dinosaurs during the Cretaceous: The evidence from Patagonia. *Cretaceous Research*, 45, 174–215.
- Puértolas-Pascual, E., Blanco, A., Brochu, C. A., and Canudo, J. I. (2016). Review of the Late Cretaceous–Early Paleogene crocodylomorphs of Europe: Extinction patterns across the K-PG boundary. *Cretaceous Research*, 57, 565–590.
- Rabi, M., and Sebők, N. (2015). A revised Eurogondwana model: Late Cretaceous notosuchian crocodyliforms and other vertebrate taxa suggest the retention of episodic faunal links

- between Europe and Gondwana during most of the Cretaceous. *Gondwana Research*, 28(3), 1197–1211.
- Racki, G., and Lucas, S. G. (2020). Timing of dicynodont extinction in light of an unusual Late Triassic Polish fauna and Cuvier's approach to extinction. *Historical Biology*, 32(4), 452–461.
- Ruban, D. A. (2022). The hypothetical Aalenian biotic crisis: Reconsidering the literary evidence and agenda for future research. *Historical Biology*, 34(12), 2287–2294.
- Schmieder, M., Jourdan, F., Tohver, E., and Cloutis, E. A. (2014). ⁴⁰Ar/³⁹Ar age of the Lake Saint Martin impact structure (Canada)—Unchaining the Late Triassic terrestrial impact craters. *Earth and Planetary Science Letters*, 406, 37–48.
- Seton, M., Gaina, C., Müller, R. D., and Heine, C. (2009). Mid-Cretaceous seafloor spreading pulse: Fact or fiction? *Geology*, 37(8), 687–690.
- Tennant, J. P., Mannion, P. D., Upchurch, P., Sutton, M. D., and Price, G. D. (2017). Biotic and environmental dynamics through the Late Jurassic–Early Cretaceous transition: Evidence for protracted faunal and ecological turnover. *Biological Reviews*, 92(2), 776–814.
- Tortosa, T., Buffetaut, E., Vialle, N., Dutour, Y., Turini, E., and Cheylan, G. (2014). A new abelisaurid dinosaur from the Late Cretaceous of southern France: Palaeobiogeographical implications. *Annales de Paléontologie*, 100(1), 63–86.
- Upchurch, P., Andres, B., Butler, R. J., and Barrett, P. M. (2015). An analysis of pterosaurian biogeography: Implications for the evolutionary history and fossil record quality of the first flying vertebrates. *Historical Biology*, 27(6), 697–717.
- Wen, J., Nie, Z. L., and Ickert-Bond, S. M. (2016). Intercontinental disjunctions between eastern Asia and western North America in vascular plants highlight the biogeographic

importance of the Bering land bridge from Late Cretaceous to Neogene. *Journal of Systematics and Evolution*, 54(5), 469–490.

Wilson, A. O. (2020). Chapter 3 Lithostratigraphy and depositional characteristics, age dating and sequence stratigraphy. *Geological Society, London, Memoirs*, 53(1), 37–94.

Xu, X., Upchurch, P., Mannion, P. D., et al. (2018). A new Middle Jurassic diplodocoid suggests an earlier dispersal and diversification of sauropod dinosaurs. *Nature Communications*, 9(1), 2700.

Sauropodomorpha

Bai, Z., Yang, J., and Wang, G. (1990). *Yimenosaurus*, a new genus of Prosauropoda from Yimen County, Yunnan Province. *Yuxiwenebo (Yuxi Culture and Scholarship)*, 1, 14–23.

Ballell, A., Rayfield, E. J., and Benton, M. J. (2020). Osteological redescription of the Late Triassic sauropodomorph dinosaur *Thecodontosaurus antiquus* based on new material from Tytherington, southwestern England. *Journal of Vertebrate Paleontology*, 40(2), e1770774.

Ballell, A., Rayfield, E. J., and Benton, M. J. (2022). Walking with early dinosaurs: Appendicular myology of the Late Triassic sauropodomorph *Thecodontosaurus antiquus*. *Royal Society Open Science*, 9(1), 211356.

Beccari, V., Mateus, O., Wings, O., Milàn, J., and Clemmensen, L. B. (2021). *Issi saaneq* gen. et sp. nov.—A new sauropodomorph dinosaur from the Late Triassic (Norian) of Jameson Land, Central East Greenland. *Diversity*, 13(11), 561.

Benton, M. J., Juul, L., Storrs, G. W., and Galton, P. M. (2000). Anatomy and systematics of the prosauropod dinosaur *Thecodontosaurus antiquus* from the Upper Triassic of southwest England. *Journal of Vertebrate Paleontology*, 20(1), 77–108.

- Bonaparte J. F., Jorge, F., and Maria, R. A. (1999). A new early Late Triassic saurischian dinosaur from Rio Grande do Sul state, Brazil. *National Science Museum Monographs*, 15, 89–109.
- Bonaparte, J. F., Brea, G., Schultz, C. L., and Martinelli, A. G. (2007). A new specimen of *Guaibasaurus candelariensis* (basal Saurischia) from the Late Triassic Caturrita Formation of southern Brazil. *Historical Biology*, 19(1), 73–82.
- Bonnan, M., and Senter, P. (2007). Were the basal sauropodomorph dinosaurs *Plateosaurus* and *Massospondylus* habitual quadrupeds? In *Evolution and Palaeobiology of Early Sauropodomorph Dinosaurs*, edited by Barrett, P. M., and Batten, D. J., 139–155. Special Papers in Palaeontology, vol. 77. London: Palaeontological Association.
- Bronzati, M., and Rauhut, O. W. (2018). Braincase redescription of *Efraasia minor* Huene, 1908 (Dinosauria: Sauropodomorpha) from the Late Triassic of Germany, with comments on the evolution of the sauropodomorph braincase. *Zoological Journal of the Linnean Society*, 182(1), 173–224.
- Bronzati, M., Müller, R. T., and Langer, M. C. (2019). Skull remains of the dinosaur *Saturnalia tupiniquim* (Late Triassic, Brazil): With comments on the early evolution of sauropodomorph feeding behaviour. *PLOS One*, 14(9), e0221387.
- Cabreira, S. F., Kellner, A. W. A., Dias-da-Silva, S., et al. (2016). A unique Late Triassic dinosauromorph assemblage reveals dinosaur ancestral anatomy and diet. *Current Biology*, 26(22), 3090–3095.
- Cabreira, S. F., Schultz, C. L., Bittencourt, J. S., et al. (2011). New stem-sauropodomorph (Dinosauria, Saurischia) from the Triassic of Brazil. *Naturwissenschaften*, 98, 1035–1040.

- Ezcurra, M. D. (2010). A new early dinosaur (Saurischia: Sauropodomorpha) from the Late Triassic of Argentina: A reassessment of dinosaur origin and phylogeny. *Journal of Systematic Palaeontology*, 8(3), 371–425.
- Galton, P. M. (1973). On the anatomy and relationships of *Efraasia diagnostica* (Huene) n. gen., a prosauropod dinosaur (Reptilia: Saurischia) from the Upper Triassic of Germany, *Paläontologische Zeitschrift*, 47(3/4), 229–255.
- Galton, P. M. (1985). Cranial anatomy of the prosauropod dinosaur *Sellosaurus gracilis* from the Middle Stubensandstein (Upper Triassic) of Nordwürttemberg, West Germany. *Stuttgarter Beiträge zur Naturkunde*, ser. B, 118, 1–39.
- Galton, P. M. (1999). Prosauropod dinosaurs from the Upper Triassic of Germany. In *Actas de las I Jornadas Internacionales sobre Paleontología de Dinosaurios y su Entorno: Salas de los Infantes (Burgos, España), septiembre de 1999*, 25–92. Colectivo Arqueológico y Paleontológico de Salas.
- Galton, P. M. (2001). The prosauropod dinosaur *Plateosaurus* Meyer, 1837 (Saurischia: Sauropodomorpha; Upper Triassic). II. Notes on the referred species. *Revue de Paléobiologie*, 20(2), 435–502.
- Galton, P. M. (2007a). Notes on the remains of archosaurian reptiles, mostly basal sauropodomorph dinosaurs, from the 1834 fissure fill (Rhaetian, Upper Triassic) at Clifton in Bristol, southwest England. *Revue de Paléobiologie*, 26(2), 505.
- Galton, P. M. (2007b). *Pantydraco* n. gen. for *Thecodontosaurus caducus* Yates, 2003, a basal sauropodomorph dinosaur from the Upper Triassic or Lower Jurassic of South Wales, UK. *Neues Jahrbuch für Geologie und Paläontologie*, 243(1), 119.

- Galton, P. M. (2012). Case 3560 *Plateosaurus engelhardti* Meyer, 1837 (Dinosauria, Sauropodomorpha): Proposed replacement of unidentifiable name-bearing type by a neotype. *Bulletin of Zoological Nomenclature*, 69(3), 203–212.
- Galton, P. M., and Bakker, R. T. (1985). The cranial anatomy of the prosauropod dinosaur “*Efraasia diagnostica*”, a juvenile individual of *Sellosaurus gracilis* from the Upper Triassic of Nordwürttemberg, West Germany. *Stuttgarter Beiträge zur Naturkunde B*, 117, 1–15
- Galton, P. M., and Kermack, D. (2010). The anatomy of *Pantyraco caducus*, a very basal sauropodomorph dinosaur from the Rhaetian (Upper Triassic) of South Wales, UK. *Revue de Paléobiologie*, 29, 341–404.
- Garcia, M. S., Müller, R. T., Pretto, F. A., Da-Rosa, Á. A., and Dias-da-Silva, S. (2021). Taxonomic and phylogenetic reassessment of a large-bodied dinosaur from the earliest dinosaur-bearing beds (Carnian, Upper Triassic) from southern Brazil. *Journal of Systematic Palaeontology*, 19(1), 1–37.
- Griffin, C. T., Wynd, B. M., Munyikwa, D., et al. (2022). Africa’s oldest dinosaurs reveal early suppression of dinosaur distribution. *Nature*, 609(7926), 313–319.
- Keeble, E., Whiteside, D. I., and Benton, M. J. (2018). The terrestrial fauna of the Late Triassic Pant-y-ffynnon Quarry fissures, South Wales, UK and a new species of *Clevosaurus* (Lepidosauria: Rhynchocephalia). *Proceedings of the Geologists’ Association*, 129(2), 99–119.
- Krupandan, E. D. (2019). Unravelling the Biology of the Southern African Sauropodomorph Dinosaurs, *Plateosauravus* and the ‘Maphutseng dinosaur.’ PhD diss., University of Cape Town, South Africa.

- Langer, M. (2003). The pelvic and hind limb anatomy of the stem-sauropodomorph *Saturnalia tupiniquim* (Late Triassic, Brazil). *Paleobios*, 23, 1–30.
- Langer, M. C., Abdala, F., Richter, M., and Benton, M. J. (1999). A sauropodomorph dinosaur from the Upper Triassic (Carman) of southern Brazil. *Comptes Rendus de l'Académie des Sciences-Series IIA-Earth and Planetary Science*, 329(7), 511–517.
- Langer, M. C., Bittencourt, J. S., and Schultz, C. L. (2010). A reassessment of the basal dinosaur *Guaibasaurus candelariensis*, from the Late Triassic Caturrita Formation of south Brazil. *Earth and Environmental Science Transactions of the Royal Society of Edinburgh*, 101(3–4), 301–332.
- Langer, M. C., McPhee, B. W., Marzola, J.C.D.A., Roberto-da-Silva, L., and Cabreira, S. F. (2019). Anatomy of the dinosaur *Pampadromaeus barberenai* (Saurischia—Sauropodomorpha) from the Late Triassic Santa Maria Formation of southern Brazil. *PLOS One*, 14(2), e0212543.
- Leal, L. A., Kellner, A., and Azevedo, S. A. K. (2004). A new early dinosaur (Sauropodomorpha) from the Caturrita Formation (Late Triassic), Paraná Basin, Brazil. *Zootaxa*, 690(10), 1.
- Marzola, J. C., Bittencourt, J. S., Butler, R. J., Da Rosa, Á. A., Sayão, J. M., and Langer, M. C. (2018). A new dinosaur with theropod affinities from the Late Triassic Santa Maria Formation, South Brazil. *Journal of Vertebrate Paleontology*, 38(5), e1531878.
- Martínez, R. N., and Alcober, O. A. (2009). A basal sauropodomorph (Dinosauria: Saurischia) from the Ischigualasto Formation (Triassic, Carnian) and the early evolution of Sauropodomorpha. *PLOS One*, 4(2), e4397.

- Martínez, R. N., Apaldetti, C., and Abelin, D. (2012a). Basal sauropodomorphs from the Ischigualasto Formation. *Journal of Vertebrate Paleontology*, 32(suppl. 1), 51–69.
- Martínez, R. N., Haro, J. A., and Apaldetti, C. (2012b). Braincase of *Panphagia protos* (Dinosauria, Sauropodomorpha). *Journal of Vertebrate Paleontology*, 32(suppl. 1), 70–82.
- McPhee, B. W., Bittencourt, J. S., Langer, M. C., Apaldetti, C., and Da Rosa, Á. A. (2020). Reassessment of *Unaysaurus tolentinoi* (Dinosauria: Sauropodomorpha) from the Late Triassic (early Norian) of Brazil, with a consideration of the evidence for monophyly within non-sauropodan sauropodomorphs. *Journal of Systematic Palaeontology*, 18(3), 259–293.
- Müller, R. T., and Garcia, M. S. (2020). Rise of an empire: Analyzing the high diversity of the earliest sauropodomorph dinosaurs through distinct hypotheses. *Historical Biology*, 32(10), 1334–1339.
- Müller, R. T., Langer, M. C., and Dias-da-Silva, S. (2018a). An exceptionally preserved association of complete dinosaur skeletons reveals the oldest long-necked sauropodomorphs. *Biology Letters*, 14(11), 20180633.
- Müller, R. T., Langer, M. C., Bronzati, M., Pacheco, C. P., Cabreira, S. F., and Dias-da-Silva, S. (2018b). Early evolution of sauropodomorphs: Anatomy and phylogenetic relationships of a remarkably well-preserved dinosaur from the Upper Triassic of southern Brazil. *Zoological Journal of the Linnean Society*, 184(4), 1187–1248.
- Müller, R. T., Langer, M. C., Cabreira, S. F., and Dias-da-Silva, S. (2016). The femoral anatomy of *Pampadromaeus barberenai* based on a new specimen from the Upper Triassic of Brazil. *Historical Biology*, 28(5), 656–665.

- Müller, R. T., Pretto, F. A., Stefanello, M., Silva-Neves, E., and Dias-Da-Silva, S. (2017). On a dinosaur axis from one of the oldest dinosaur-bearing sites worldwide. *Acta Palaeontologica Polonica*, 62(3), 543–548.
- Novas, F. E., Agnolin, F. L., Ezcurra, M. D., Müller, R. T., Martinelli, A. G., and Langer, M. C. (2021). Review of the fossil record of early dinosaurs from South America, and its phylogenetic implications. *Journal of South American Earth Sciences*, 110, 103341.
- Novas, F. E., Ezcurra, M. D., Chatterjee, S., and Kutty, T. S. (1994). In *Late Triassic Continental Vertebrates and Depositional Environments of the Fleming Fjord Formation, Jameson Land, East Greenland*, edited by Jenkins, F. A., Shubin, N. H., Amaral, W. W., et al. Brenderup, Denmark: Meddelelser om Grønland Geoscience.
- Novas, F. E., Ezcurra, M. D., Chatterjee, S., and Kutty, T. S. (2010). New dinosaur species from the Upper Triassic Upper Maleri and Lower Dharmaram formations of central India. *Earth and Environmental Science Transactions of the Royal Society of Edinburgh*, 101(3–4), 333–349.
- Otero, A. (2018). Forelimb musculature and osteological correlates in Sauropodomorpha (Dinosauria, Saurischia). *PLOS One*, 13(7), e0198988.
- Pacheco, C., Müller, R. T., Langer, M., Pretto, F. A., Kerber, L., and Dias-da-Silva, S. (2019). *Gnathovorax cabreirai*: A new early dinosaur and the origin and initial radiation of predatory dinosaurs. *PeerJ*, 7, e7963.
- Palmer, D., ed. (1999). *The Marshall Illustrated Encyclopedia of Dinosaurs and Prehistoric Animals*, 123. London: Marshall Editions.

- Peyre de Fabrègues, C., Bi, S., Li, H., Li, G., Yang, L., and Xu, X. (2020). A new species of early-diverging Sauropodiformes from the Lower Jurassic Fengjiahe Formation of Yunnan Province, China. *Scientific Reports*, 10(1), 10961.
- Pretto, F. A., Langer, M. C., and Schultz, C. L. (2019). A new dinosaur (Saurischia: Sauropodomorpha) from the Late Triassic of Brazil provides insights on the evolution of sauropodomorph body plan. *Zoological Journal of the Linnean Society*, 185(2), 388–416.
- Fernández, O. R. R., and Werneburg, I. (2022). A new massopodan sauropodomorph from Trossingen Formation (Germany) hidden as ‘*Plateosaurus*’ for 100 years in the historical Tübingen collection. *Vertebrate Zoology*, 72, 771–822.
- Riley, H., and Stutchbury, S. (1836). A description of various fossil remains of three distinct saurian animals discovered in the autumn of 1834, in the Magnesian Conglomerate on Durdham Down, near Bristol. *Proceedings of the Geological Society of London*, 2(11), 397–399.
- Sekiya, T. (2010). A new prosauropod dinosaur from Lower Jurassic in Lufeng of Yunnan. *Global Geology*, 29(1), 6–15.
- Sereno, P. C., Forster, C. A., Rogers, R. R., and Moneta, A. M. (1993). Primitive dinosaur skeleton from Argentina and the early evolution of the Dinosauria. *Nature*, 361(6407), 64–66.
- Sereno, P. C., Martínez, R. N., and Alcober, O. A. (2013). Osteology of *Eoraptor lunensis* (Dinosauria, Sauropodomorpha). Basal sauropodomorphs and the vertebrate fossil record of the Ischigualasto Formation (Late Triassic: Carnian-Norian) of Argentina. *Journal of Vertebrate Paleontology Memoir*, 12, 83–179.

- von Meyer, H. (1837). Mittheilungen, an Professor Bronn gerichtet [Communications, sent to Professor Bronn]. *Neues Jahrbuch für Mineralogie, Geognosie, Geologie und Petrefaktenkunde*, 1837, 314–317.
- Weishampel, D. B., Dodson, P., and Osmólska, H., eds. (2004). *The Dinosauria*. 2nd ed. Oakland: University of California Press.
- Yates, A. M. (2003). The species taxonomy of the sauropodomorph dinosaurs from the Löwenstein Formation (Norian, Late Triassic) of Germany, *Palaeontology*, 46(2), 317–337.
- Yates, A. M., Bonnan, M. F., and Neveling, J. (2011). A new basal sauropodomorph dinosaur from the Early Jurassic of South Africa. *Journal of Vertebrate Paleontology*, 31(3), 610–625.

Massopoda

- Apaldetti, C., Martinez, R. N., Alcober, O. A., and Pol, D. (2011). A new basal sauropodomorph (Dinosauria: Saurischia) from Quebrada del Barro Formation (Marayes-El Carrizal Basin), northwestern Argentina. *PLOS One*, 6(11), e26964.
- Apaldetti, C., Martínez, R. N., Cerda, I. A., Pol, D., and Alcober, O. (2018). An early trend towards gigantism in Triassic sauropodomorph dinosaurs. *Nature Ecology and Evolution*, 2(8), 1227–1232.
- Apaldetti, C., Martinez, R. N., Pol, D., and Souter, T. (2014). Redescription of the skull of *Coloradisaurus brevis* (Dinosauria, Sauropodomorpha) from the late Triassic Los Colorados Formation of the Ischigualasto-Villa Union Basin, northwestern Argentina. *Journal of Vertebrate Paleontology*, 34(5), 1113–1132.

- Apaldetti, C., Pol, D., and Yates, A. (2013). The postcranial anatomy of *Coloradisaurus brevis* (Dinosauria: Sauropodomorpha) from the Late Triassic of Argentina and its phylogenetic implications. *Palaeontology*, 56(2), 277–301.
- Attridge, J., Crompton, A. W., and Jenkins Jr., F. A. (1985). The southern African Liassic prosauropod *Massospondylus* discovered in North America. *Journal of Vertebrate Paleontology*, 5(2), 128–132.
- Barrett, P. M. (2009). A new basal sauropodomorph dinosaur from the upper Elliot Formation (Lower Jurassic) of South Africa. *Journal of Vertebrate Paleontology*, 29(4), 1032–1045.
- Barrett, P. M., Chapelle, K., Sciscio, L., et al. (2024). A new Late Triassic sauropodomorph dinosaur from the Mid-Zambezi Basin, Zimbabwe. *Acta Palaeontologica Polonica*, 69(2), 227–241.
- Barrett, P. M., Chapelle, K. E. J., Staunton, C. K., Botha, J., and Choiniere, J. N. (2019). Postcranial osteology of the neotype specimen of *Massospondylus carinatus* Owen, 1854 (Dinosauria: Sauropodomorpha) from the upper Elliot formation of South Africa. *Palaeontologia Africana*, 53, 114–178.
- Barrett, P. M., Upchurch, P., and Xiao-Lin, W. (2005). Cranial osteology of *Lufengosaurus huenei* Young (Dinosauria: Prosauropoda) from the Lower Jurassic of Yunnan, People's Republic of China. *Journal of Vertebrate Paleontology*, 25(4), 806–822.
- Barrett, P. M., Upchurch, P., Zhou, X. D., and Wang, X. L. (2007). The skull of *Yunnanosaurus huangi* Young, 1942 (Dinosauria: Prosauropoda) from the Lower Lufeng Formation (Lower Jurassic) of Yunnan, China. *Zoological Journal of the Linnean Society*, 150(2), 319–341.

- Beccari, V., Mateus, O., Wings, O., Milàn, J., and Clemmensen, L. B. (2021). *Issi saaneq* gen. et sp. nov.—A new sauropodomorph dinosaur from the Late Triassic (Norian) of Jameson Land, Central East Greenland. *Diversity*, 13(11), 561.
- Bodenham, E. H., and Barrett, P. M. (2020). A new specimen of the sauropodomorph dinosaur *Ignavusaurus rachelis* from the Early Jurassic of Lesotho. *Palaeontologia Africana*, 54, 48–55.
- Bonaparte, J. F. (1969). Dos nuevas “faunas” de reptiles triásicos de Argentina. *Ameghiniana*, 10(1), 89–102.
- Bonaparte, J. F. (1978). *Coloradia brevis* gen. et sp. nov. (Saurischia, Prosauropoda), a plateosaurid dinosaur from the Los Colorados Formation, Upper Triassic of La Rioja, Argentina. *Ameghiniana*, 15(7).
- Bonaparte, J. F., and Martin, V. (1979). El hallazgo del primer nido de dinosaurios triásicos, (Saurischia, Prosauropoda), Triásico Superior de Patagonia, Argentina. *Ameghiniana*, 16(1–2), 173–182.
- Bonnan, M. F., and Senter, P. (2007). Were the basal sauropodomorph dinosaurs *Plateosaurus* and *Massospondylus* habitual quadrupeds? In *Evolution and Palaeobiology of Early Sauropodomorph Dinosaurs*, edited by Barrett, P. M., and Batten, D. J., 139–155. Special Papers in Palaeontology, vol. 77. London: Palaeontological Association.
- Bonnan, M. F., and Yates, A. M. (2007). A new description of the forelimb of the basal sauropodomorph *Melanorosaurus*: Implications for the evolution of pronation, manus shape and quadrupedalism in sauropod dinosaurs. In *Evolution and Palaeobiology of Early Sauropodomorph Dinosaurs*, edited by Barrett, P. M., and Batten, D. J., 157–168. Special Papers in Palaeontology, vol. 77. London: Palaeontological Association.

- Cabrera, A. (1947). Un saurópodo nuevo del Jurásico de Patagonia. Instituto del Museo de la Universidad Nacional de La Plata. *Notas del Museo de La Plata, Paleontología*, 12(95), 1–17.
- Cerda, I. A., Pol, D., Otero, A., and Chinsamy, A. (2022). Palaeobiology of the early sauropodomorph *Mussaurus patagonicus* inferred from its long bone histology. *Palaeontology*, 65(4), e12614.
- Chapelle, K. E. J., Barrett, P. M., Botha, J., and Choiniere, J. N. (2019). Ngwevu intloko: A new early sauropodomorph dinosaur from the Lower Jurassic Elliot Formation of South Africa and comments on cranial ontogeny in *Massospondylus carinatus*. *PeerJ*, 7, e7240.
- Chapelle, K. E., Fernandez, V., and Choiniere, J. N. (2020). Conserved in-ovo cranial ossification sequences of extant saurians allow estimation of embryonic dinosaur developmental stages. *Scientific Reports*, 10(1), 4224.
- Chatterjee, S., Wang, T., Pan, S. G., Dong, Z., Wu, X. C., and Upchurch, P. (2010). A complete skeleton of a basal sauropod dinosaur from the early Jurassic of China and the origin of Sauropoda. *Geological Society of America Abstracts with Programs*, 42(5), 26.
- Cooper, M. R. (1981). The prosauropod dinosaur *Massospondylus carinatus* Owen from Zimbabwe: Its biology, mode of life and phylogenetic significance. *Occasional Papers of the National Museums and Monuments of Rhodesia, ser. B, Natural Sciences*, 6(10), 689–840.
- Evans, S. E., and Milner, A. R. (1989). *Fulgenia*, a supposed early lizard reinterpreted as a prosauropod dinosaur. *Palaeontology*, 32, 223–230.

- Ezcurra, M. D., and Apaldetti, C. (2012). A robust sauropodomorph specimen from the Upper Triassic of Argentina and insights on the diversity of the Los Colorados Formation. *Proceedings of the Geologists' Association*, 123(1), 155–164.
- Fedak, T. J. (2007). Description and evolutionary significance of the sauropodomorph dinosaurs from the Early Jurassic (Hettangian) McCoy Brook Formation. PhD diss., Dalhousie University, Nova Scotia, Canada.
- Fernández, O. R. R., and Werneburg, I. (2022). A new massopodan sauropodomorph from Trossingen Formation (Germany) hidden as '*Plateosaurus*' for 100 years in the historical Tübingen collection. *Vertebrate Zoology*, 72, 771–822.
- Galton, P. M. (1971). The prosauropod dinosaur *Ammosaurus*, the crocodile *Protosuchus*, and their bearing on the age of the Navajo Sandstone of northeastern Arizona. *Journal of Paleontology*, 45(5), 781–795.
- Galton, P. M. (1985). Notes on the Melanorosauridae, a family of large prosauropod dinosaurs (Saurischia: Sauropodomorpha). *Geobios*, 18(5), 671–676.
- Galton, P. M. (1998). Saurischian dinosaurs from the Upper Triassic of England: *Camelotia* (Prosauropoda, Melanorosaridae) and *Avalonianus* (Theropoda, ? Carnosauria). *Palaeontographica Abteilung A*, 250(4–6), 155–172.
- Galton, P. M. (2012). Case 3561 *Anchisaurus* Marsh, 1885 (Dinosauria, Sauropodomorpha): Proposed conservation of usage by designation of a neotype for its type species *Megadactylus polyzelus* Hitchcock, 1865. *Bulletin of Zoological Nomenclature*, 69(1), 44–50.

- Galton, P. M., and Upchurch, P. (2004). Prosauropoda. In *The Dinosauria*, 2nd ed., edited by Weishampel, D. B., Dodson, P., and Osmólska, H., 232–258. Oakland: University of California Press.
- Galton P. M., van Heerden, J., and Yates, A. M. (2005). Postcranial anatomy of referred specimens of *Melanorosaurus*. In *Thunder Lizards: The Sauropodomorph Dinosaurs*, edited by Carpenter, K., and Tidswell, V., 1–37. Bloomington: Indiana University Press.
- Gauffre, F.-X. (1993). The most recent Melanorosauridae (Saurischia, Prosauropoda), Lower Jurassic of Lesotho, with remarks on the prosauropod phylogeny. *Neues Jahrbuch für Geologie und Paläontologie*, 11, 648–654.
- Gauffre, F.-X. (1996). Phylogénie des dinosaures prosauropodes et étude d’un nouveau prosauropode du Trias supérieur d’Afrique australe. PhD diss., Muséum national d’Histoire naturelle, Paris.
- Gow, C. E. (1990). Morphology and growth of the *Massospondylus* braincase (Dinosauria Prosauropoda). *Palaeontologia Africana*, 27, 59–75.
- Gow, C. E., Kitching, J. W., and Raath, M. K. (1990). Skulls of the prosauropod dinosaur *Massospondylus carinatus* Owen in the collections of the Bernard Price Institute for Palaeontological Research. *Palaeontologia Africana*, 27, 45–58.
- Han, F., Yu, Y., Zhang, S., et al. (2024). Exceptional Early Jurassic fossils with leathery eggs shed light on dinosaur reproductive biology. *National Science Review*, 11(6), nwad258.
- Haughton, S. H. (1924). The fauna and stratigraphy of the Stormberg Series. *Annals of the South African Museum*, 12, 323–497.

- Hitchcock, E. (1865). Appendix [A]. Bones of *Megadactylus polyzelus*. Supplement to the Ichnology of New England, 39–40. A Report to the Government of Massachusetts in 1863. Boston: Wright and Potter.
- Knoll, F. (2010). A primitive sauropodomorph from the upper Elliot Formation of Lesotho. *Geological Magazine*, 147(6), 814–829.
- Krupandan, E. D. (2019). Unravelling the biology of the southern African sauropodomorph dinosaurs, *Plateosaurus* and the ‘Maphutseng dinosaur.’ PhD diss., University of Cape Town, South Africa.
- Kutty, T. S., Chatterjee, S., Galton, P. M., and Upchurch, P. (2007). Basal sauropodomorphs (Dinosauria: Saurischia) from the Lower Jurassic of India: Their anatomy and relationships. *Journal of Paleontology*, 81(6), 1218–1240.
- Lee, Y. C., Chiang, C. C., Huang, P. Y., et al. (2017). Evidence of preserved collagen in an Early Jurassic sauropodomorph dinosaur revealed by synchrotron FTIR microspectroscopy. *Nature Communications*, 8(1), 14220.
- Lü, J., Li, T., Zhong, S., et al. (2007). New yunnanosaurid dinosaur (Dinosauria, Prosauropoda) from the Middle Jurassic Zhanghe Formation of Yuanmou, Yunnan Province of China. *Memoir of the Fukui Prefectural Dinosaur Museum*, 6, 1.
- Lü, J., Kobayashi, Y., Li, T., and Zhong, S. (2010). A new basal sauropod dinosaur from the Lufeng Basin, Yunnan Province, southwestern China. *Acta Geologica Sinica (English Edition)*, 84(6): 1336–1342
- Marsh, A. D., and Rowe, T. B. (2018). Anatomy and systematics of the sauropodomorph *Sarhsaurus aurifontanalis* from the Early Jurassic Kayenta Formation. *PLOS One*, 13(10), e0204007.

- Marsh, O. C. (1889). Notice of new American dinosauria. *American Journal of Science*, 37(220): 331–336.
- Marsh, O. C. (1891). Notice of new vertebrate fossils. *American Journal of Science*, ser. 3, 42, 265–269.
- Martínez, R. (1999). The first South American record of *Massospondylus* (Dinosauria: Sauropodomorpha). Society of Vertebrate Paleontology, October 20–23, 1999, abstracts of papers. *Journal of Vertebrate Paleontology*, (suppl. 3), 61A.
- Martínez, R. N. (2009). *Adeopapposaurus mognai*, gen. et sp. nov. (Dinosauria: Sauropodomorpha), with comments on adaptations of basal Sauropodomorpha. *Journal of Vertebrate Paleontology*, 29(1), 142–164.
- McPhee, B. W., Bordy, E. M., Sciscio, L., and Choiniere, J. N. (2017). The sauropodomorph biostratigraphy of the Elliot Formation of southern Africa: Tracking the evolution of Sauropodomorpha across the Triassic–Jurassic boundary. *Acta Palaeontologica Polonica*, 62(3), 441–465.
- McPhee, B. W., Choiniere, J. N., Yates, A. M., and Viglietti, P. A. (2015). A second species of *Eucnemesaurus* Van Hoepen, 1920 (Dinosauria, Sauropodomorpha): New information on the diversity and evolution of the sauropodomorph fauna of South Africa’s Lower Elliot Formation (latest Triassic). *Journal of Vertebrate Paleontology*, 35(5), e980504.
- Müller, R. T. (2020). Craniomandibular osteology of *Macrocollum itaquii* (Dinosauria: Sauropodomorpha) from the Late Triassic of southern Brazil. *Journal of Systematic Palaeontology*, 18(10), 805–841.
- Müller, R. T., Langer, M. C., Bronzati, M., Pacheco, C. P., Cabreira, S. F., and Dias-Da-Silva, S. (2018). Early evolution of sauropodomorphs: Anatomy and phylogenetic relationships of

- a remarkably well-preserved dinosaur from the Upper Triassic of southern Brazil.
Zoological Journal of the Linnean Society, 184(4), 1187–1248.
- Novas, F. E., Ezcurra, M. D., Chatterjee, S., and Kuttly, T. S. (2010). New dinosaur species from the Upper Triassic Upper Maleri and Lower Dharmaram formations of central India.
Earth and Environmental Science Transactions of the Royal Society of Edinburgh, 101(3–4), 333–349.
- Otero, A., and Pol, D. (2013). Postcranial anatomy and phylogenetic relationships of *Mussaurus patagonicus* (Dinosauria, Sauropodomorpha). *Journal of Vertebrate Paleontology*, 33(5), 1138–1168.
- Otero, A., Cuff, A. R., Allen, V., Sumner-Rooney, L., Pol, D., and Hutchinson, J. R. (2019). Ontogenetic changes in the body plan of the sauropodomorph dinosaur *Mussaurus patagonicus* reveal shifts of locomotor stance during growth. *Scientific Reports*, 9(1), 1–10.
- Otero, A., Krupandan, E., Pol, D., Chinsamy, A., and Choiniere, J. (2015). A new basal sauropodiform from South Africa and the phylogenetic relationships of basal sauropodomorphs. *Zoological Journal of the Linnean Society*, 174(3), 589–634.
- Otero, A., and Peyre de Fabrègues, C. (2022). Non-sauropodiform plateosaurians: Milestones through the “prosauropod” bauplan. In *South American Sauropodomorph Dinosaurs: Record, Diversity and Evolution*, edited by Otero, A., Carballido, J. L., and Pol, D., 51–92. Cham: Springer International.
- Owen, R. (1854). *Descriptive Catalogue of the Fossil Organic Remains of Reptilia and Pisces Contained in the Museum of the Royal College of Surgeons of England*. London: Taylor and Francis, 80, 97.

- Peyre de Fabrègues, C., and Allain, R. (2016). New material and revision of *Melanorosaurus thabanensis*, a basal sauropodomorph from the Upper Triassic of Lesotho. *PeerJ*, 4, e1639.
- Peyre de Fabrègues, C., and Allain, R. (2020). *Kholumolumo ellenbergerorum*, gen. et sp. nov., a new early sauropodomorph from the Lower Elliot Formation (Upper Triassic) of Maphutseng, Lesotho. *Journal of Vertebrate Paleontology*, 39(6), e1732996.
- Peyre de Fabrègues, C., Bi, S., Li, H., Li, G., Yang, L., and Xu, X. (2020). A new species of early-diverging Sauropodiformes from the Lower Jurassic Fengjiahe Formation of Yunnan Province, China. *Scientific Reports*, 10(1), 10961.
- Pol, D., Garrido, A., and Cerda, I. A. (2011). A new sauropodomorph dinosaur from the Early Jurassic of Patagonia and the origin and evolution of the sauropod-type sacrum. *PLOS One*, 6(1), e14572.
- Pol, D., Mancuso, A. C., Smith, R. M., et al. (2021). Earliest evidence of herd-living and age segregation amongst dinosaurs. *Scientific Reports*, 11(1), 20023.
- Pol, D., Gomez, K., Holwerda, F. H., Rauhut, O. W. M., and Carballido, J. L. (2022). Sauropods from the Early Jurassic of South America and the radiation of Eusauropoda. In *South American Sauropodomorph Dinosaurs: Record, Diversity and Evolution*, edited by Otero, A., Carballido, J. L., and Pol, D., 131–163. Cham: Springer International.
- Rauhut, O. W., Holwerda, F. M., and Furrer, H. (2020). A derived sauropodiform dinosaur and other sauropodomorph material from the Late Triassic of Canton Schaffhausen, Switzerland. *Swiss Journal of Geosciences*, 113, 1–54.

- Rowe, T. B., Sues, H. D., and Reisz, R. R. (2011). Dispersal and diversity in the earliest North American sauropodomorph dinosaurs, with a description of a new taxon. *Proceedings of the Royal Society B: Biological Sciences*, 278(1708), 1044–1053.
- Schmitz, L., and Motani, R. (2011). Nocturnality in dinosaurs inferred from scleral ring and orbit morphology. *Science*, 332(6030): 705–708.
- Sekiya, T., and Dong, Z. (2010). A new juvenile specimen of *Lufengosaurus huenei* Young, 1941 (Dinosauria: Prosauropoda) from the Lower Jurassic Lower Lufeng Formation of Yunnan, southwest China. *Acta Geologica Sinica (English Edition)*, 84(1), 11–21.
- Sekiya, T., Jin, X., Zheng, W., Shibata, M., and Azuma, Y. (2014). A new juvenile specimen of *Yunnanosaurus robustus* (Dinosauria: Sauropodomorpha) from Early to Middle Jurassic of Chuxiong Autonomous Prefecture, Yunnan Province, China. *Historical Biology*, 26(2), 252–277.
- Sertich, J. J., and Loewen, M. A. (2010). A new basal sauropodomorph dinosaur from the Lower Jurassic Navajo Sandstone of southern Utah. *PLOS One*, 5(3), e9789.
- Simmons, D. J. (1965). The non-therapsid reptiles of the Lufeng Basin, Yunnan, China. *Fieldiana Geology*, 15, 1–93.
- Smith, N. D., and Pol, D. (2007). Anatomy of a basal sauropodomorph dinosaur from the Early Jurassic Hanson Formation of Antarctica. *Acta Palaeontologica Polonica*, 52(4), 657–674.
- van Heerden, J. (1979). The morphology and taxonomy of *Euskelosaurus* (Reptilia: Saurischia: Late Triassic) from South Africa. *Navorsinge van die Nasionale Museum*, 4(2).

- van Heerden, J., and Galton, P. M. (1997). The affinities of *Melanorosaurus*—a Late Triassic prosauropod dinosaur from South Africa. *Neues Jahrbuch für Geologie und Paläontologie*, 1, 39–55.
- van Hoepen, E. C. N. (1920). Contributions to the knowledge of the reptiles of the Karoo Formation. 6. Further dinosaurian material in the Transvaal Museum. *Annals of the Transvaal Museum*, 7(2), 93–141.
- von Huene, F. (1932). Die fossile Reptil-Ordnung Saurischia, ihre Entwicklung und Geschichte. *Monographien zur Geologie und Palaeontologie*, ser. 1, 4(1–2), 1–361.
- Wang, Y., You, H., Otero, A., and Wang, T. (2017a) Taxonomy of “*Gyposaurus*” *sinensis* Young, 1941 from the Early Jurassic Lufeng Formation of Yunnan Province, southwestern China. 77th Annual Meeting of the Society of Vertebrate Paleontology, August 2017, abstracts of papers.
- Wang, Y. M., You, H. L., and Wang, T. (2017b). A new basal sauropodiform dinosaur from the Lower Jurassic of Yunnan Province, China. *Scientific Reports*, 7(1), 41881.
- Weems, R. E. (2019). Evidence for bipedal prosauropods as the likely *Eubrontes* track-makers. *Ichnos*, 26(3), 187–215.
- Welman, J. (1998). The basicranium of a basal prosauropod from the *Euskelosaurus* range zone and thoughts on the origin of dinosaurs. *Journal of African Earth Sciences*, 29(1), 227–232.
- Xing, L., Rothschild, B. M., Randolph-Quinney, P. S., Wang, Y., Parkinson, A. H., and Ran, H. (2018). Possible bite-induced abscess and osteomyelitis in *Lufengosaurus* (Dinosauria: sauropodomorph) from the Lower Jurassic of the Yimen Basin, China. *Scientific Reports*, 8(1), 5045.

- Yates, A. M. (2003). A new species of the primitive dinosaur *Thecodontosaurus* (Saurischia: Sauropodomorpha) and its implications for the systematics of early dinosaurs. *Journal of Systematic Palaeontology*, 1(1), 1–42.
- Yates, A. M. (2007). Solving a dinosaurian puzzle: The identity of *Aliwalia rex* Galton. *Historical Biology*, 19(1), 93–123.
- Yates, A. M. (2010). A revision of the problematic sauropodomorph dinosaurs from Manchester, Connecticut and the status of *Anchisaurus* Marsh. *Palaeontology*, 53(4), 739–752.
- Yates, A. M., and Barrett, P. M. (2010). *Massospondylus carinatus* Owen 1854 (Dinosauria: Sauropodomorpha) from the Lower Jurassic of South Africa: Proposed conservation of usage by designation of a neotype. *Palaeontologia Africana*, 45, 7–10.
- Yates, A. M., Bonnan, M. F., and Neveling, J. (2011). A new basal sauropodomorph dinosaur from the Early Jurassic of South Africa. *Journal of Vertebrate Paleontology*, 31(3), 610–625.
- Yates, A. M., Bonnan, M. F., Neveling, J., Chinsamy, A., and Blackbeard, M. G. (2010). A new transitional sauropodomorph dinosaur from the Early Jurassic of South Africa and the evolution of sauropod feeding and quadrupedalism. *Proceedings of the Royal Society B: Biological Sciences*, 277(1682), 787–794.
- Yates, A. M., Wedel, M. J., and Bonnan, M. F. (2012). The early evolution of postcranial skeletal pneumaticity in sauropodomorph dinosaurs. *Acta Palaeontologica Polonica*, 57(1), 85–100.
- Young, C. C. (1940). Preliminary notes on the Lufeng vertebrate fossils. *Bulletin of the Geological Society of China*, 20(3–4), 235–239.

- Young, C. C. (1941). *Gyposaurus sinensis* Young (sp. nov.) a new Prosauropoda from the Upper Triassic Beds at Lufeng, Yunnan. *Bulletin of the Geological Society of China*, 21(2-4), 205–252.
- Young, C. C. (1942). *Yunnanosaurus huangi* Young (gen. et sp. nov.), a new Prosauropoda from the red beds at Lufeng, Yunnan. *Bulletin of the Geological Society of China*, 22(1–2), 63–104.
- Young, C. C. (1948). On two new saurischians from Lufeng, Yunnan. *Bulletin of the Geological Society of China*, 28, 75–90.
- Young, C. C. (1951). The Lufeng saurischian fauna in China. *Palaeontologia Sinica*, new ser. C, 13, 1–96.
- Young, C. C. (1982). On a primitive crocodile from Lufeng, Yunnan. In *Selected Works of Yang Zhongjian*, 26–28. Beijing: Science Press.
- Zhang, Q. N., Jia, L., Wang, T., Zhang, Y. G., and You, H. L. (2024). The largest sauropodomorph skull from the Lower Jurassic Lufeng Formation of China. *PeerJ*, 12, e18629.
- Zhang, Q. N., Wang, T., Yang, Z. W., and You, H. L. (2020). Redescription of the cranium of *Jingshanosaurus xinwaensis* (Dinosauria: Sauropodomorpha) from the Lower Jurassic Lufeng Formation of Yunnan Province, China. *Anatomical Record*, 303(4), 759–771.
- Zhang, Q. N., You, H. L., Wang, T., and Chatterjee, S. (2018). A new sauropodiform dinosaur with a ‘sauropodan’ skull from the Lower Jurassic Lufeng Formation of Yunnan Province, China. *Scientific Reports*, 8(1), 13464.
- Zhang, Y., and Yang, Z. (1995). *A New Complete Osteology of Prosauropoda in Lufeng Basin, Yunnan, China*. Kunming, China: Yunnan Publishing House of Science and Technology.

Sauropoda

- Allain, R., and Aquesbi, N. (2008). Anatomy and phylogenetic relationships of *Tazoudasaurus naimi* (Dinosauria, Sauropoda) from the late Early Jurassic of Morocco. *Geodiversitas*, 30(2), 345–424.
- Allain, R., Aquesbi, N., Dejax, J., et al. (2004). A basal sauropod dinosaur from the Early Jurassic of Morocco. *Comptes Rendus Palevol*, 3(3), 199–208.
- Apaldetti, C., Martinez, R. N., Alcober, O. A., and Pol, D. (2011). A new basal sauropodomorph (Dinosauria: Saurischia) from Quebrada del Barro Formation (Marayes-El Carrizal Basin), northwestern Argentina. *PLOS One*, 6(11), e26964.
- Apaldetti, C., Martínez, R. N., Cerda, I. A., Pol, D., and Alcober, O. (2018). An early trend towards gigantism in Triassic sauropodomorph dinosaurs. *Nature Ecology and Evolution*, 2(8), 1227–1232.
- Bandyopadhyay, S., Gillette, D. D., Ray, S., and Sengupta, D. P. (2010). Osteology of *Barapasaurus tagorei* (Dinosauria: Sauropoda) from the early Jurassic of India. *Palaeontology*, 53(3), 533–569.
- Becerra, M. G., Gomez, K. L., and Pol, D. (2017). A sauropodomorph tooth increases the diversity of dental morphotypes in the Cañadón Asfalto Formation (Early–Middle Jurassic) of Patagonia. *Comptes Rendus Palevol*, 16(8), 832–840.
- Bonaparte, J. F. (1979). Dinosaurs: A Jurassic assemblage from Patagonia. *Science*, 205(4413), 1377–1379.
- Bonaparte, J. F. (1999). Evolución de las vértebras presacras en Sauropodomorpha. *Ameghiniana*, 36, 115–187.

- Buffetaut, E., Suteethorn, V., Cuny, G., et al. (2000). The earliest known sauropod dinosaur. *Nature*, 407(6800), 72–74.
- Buffetaut, E., Suteethorn, V., Le Loeuff, J., et al. (2002). A review of the sauropod dinosaurs of Thailand. In *Proceedings of the Symposium on Geology of Thailand*, 95–101. Bangkok: Department of Mineral Resources.
- Cerda, I. A., Chinsamy, A., Pol, D., et al. (2017). Novel insight into the origin of the growth dynamics of sauropod dinosaurs. *PLOS One*, 12(6), e0179707.
- Chapelle, K. E. J., Barrett, P. M., Botha, J., and Choiniere, J. N. (2019). *Ngwevu intloko*: A new early sauropodomorph dinosaur from the Lower Jurassic Elliot Formation of South Africa and comments on cranial ontogeny in *Massospondylus carinatus*. *PeerJ*, 7, e7240.
- Cooper, M. R. (1984). A reassessment of *Vulcanodon karibaensis* Raath (Dinosauria: Saurischia) and the origin of the Sauropoda. *Palaeontologia Africana*, 25, 203–205, 211–213, 223, 230–231.
- Cruickshank, A. R. I. (1975). Origin of sauropod dinosaurs. *South African Journal of Sciences*, 71, 89–90.
- Dong, Z. (1992). *Dinosaurian Faunas of China*. Beijing: China Ocean Press.
- Dong, Z., Zhou, S., and Zhang, Y. (1983). [Dinosaurs from the Jurassic of Sichuan.] *Palaeontologia Sinica*, new ser. C, 162(23), 1–136.
- Fernández, O. R. R., and Werneburg, I. (2022). A new massopodan sauropodomorph from Trossingen Formation (Germany) hidden as ‘*Plateosaurus*’ for 100 years in the historical Tübingen collection. *Vertebrate Zoology*, 72, 771–822.

- Galton, P. M., and van Heerden, J. (1985). Partial hindlimb of *Blikanasaurus cromptoni* n. gen. and n. sp., representing a new family of prosauropod dinosaurs from the Upper Triassic of South Africa. *Geobios*, 18(4), 509–516.
- He, X., Wang, C., Liu, S., et al. (1998). A new species of sauropod from the Early Jurassic of Gongxian Co., Sichuan. *Acta Geologica Sichuan*, 18(1), 1–7.
- Holwerda, F. M., and Pol, D. (2018). Phylogenetic analysis of Gondwanan basal eusauropods from the Early–Middle Jurassic of Patagonia, Argentina. *Spanish Journal of Palaeontology*, 33(2), 289.
- Jannel, A., Nair, J. P., Panagiotopoulou, O., Romilio, A., and Salisbury, S. W. (2019). “Keep your feet on the ground”: Simulated range of motion and hind foot posture of the Middle Jurassic sauropod *Rhoetosaurus brownei* and its implications for sauropod biology. *Journal of Morphology*, 280(6), 849–878.
- Jentgen-Ceschino, B., Stein, K., and Fischer, V. (2020). Case study of radial fibrolamellar bone tissues in the outer cortex of basal sauropods. *Philosophical Transactions of the Royal Society B*, 375(1793), 20190143.
- Kareem, T. A., Chakraborty, S., and Wilson Mantilla, J. A. (2024). Sauropod tail clubs from the Kota Formation (Lower to Middle Jurassic) of India and their implications for early sauropod evolution. *Journal of Vertebrate Paleontology*, 44(1), e2396814.
- Krupandan, E. D. (2019). Unravelling the biology of the southern African Sauropodomorph dinosaurs, *Plateosauravus* and the ‘Maphutseng dinosaur.’ PhD diss., University of Cape Town, South Africa.

- Kutty, T. S., Chatterjee, S., Galton, P. M., and Upchurch, P. (2007). Basal sauropodomorphs (Dinosauria: Saurischia) from the Lower Jurassic of India: Their anatomy and relationships. *Journal of Paleontology*, 81(6), 1218–1240.
- Laojumpon, C., Suteethorn, V., Chanthasit, P., Lauprasert, K., and Suteethorn, S. (2017). New evidence of sauropod dinosaurs from the Early Jurassic period of Thailand. *Acta Geologica Sinica (English Edition)*, 91(4), 1169–1178.
- Li, K., Zhang, Y., and Cai, K., (1999). *The Characteristics of the Composition of the Trace Elements in Jurassic Dinosaur Bones and Red Beds in Sichuan Basin*. Beijing: Geological Publishing House.
- Longman, H. A. (1926). A giant dinosaur from Durham Downs, Queensland. *Memoirs of the Queensland Museum*, 8(3), 183–194.
- McIntosh, J. S. (1990). Sauropoda. In *The Dinosauria*, edited by Weishampel, D. B., Dodson, P., and Osmólska, H., 345–401. Berkeley: University of California Press.
- McPhee, B. W., and Choiniere, J. N. (2016). A hyper-robust sauropodomorph dinosaur ilium from the Upper Triassic–Lower Jurassic Elliot Formation of South Africa: Implications for the functional diversity of basal Sauropodomorpha. *Journal of African Earth Sciences*, 123, 177–184.
- McPhee, B. W., Benson, R. B., Botha-Brink, J., Bordy, E. M., and Choiniere, J. N. (2018). A giant dinosaur from the earliest Jurassic of South Africa and the transition to quadrupedality in early sauropodomorphs. *Current Biology*, 28(19), 3143–3151.
- McPhee, B. W., Bonnan, M. F., Yates, A. M., Neveling, J., and Choiniere, J. N. (2015). A new basal sauropod from the pre-Toarcian Jurassic of South Africa: Evidence of niche-partitioning at the sauropodomorph–sauropod boundary? *Scientific Reports*, 5(1), 13224.

- McPhee, B. W., Bordy, E. M., Sciscio, L., and Choiniere, J. N. (2017). The sauropodomorph biostratigraphy of the Elliot Formation of southern Africa: Tracking the evolution of Sauropodomorpha across the Triassic–Jurassic boundary. *Acta Palaeontologica Polonica*, 62(3), 441–465.
- McPhee, B. W., Upchurch, P., Mannion, P. D., Sullivan, C., Butler, R. J., and Barrett, P. M. (2016). A revision of *Sanpasaurus yaoi* Young, 1944 from the Early Jurassic of China, and its relevance to the early evolution of Sauropoda (Dinosauria). *PeerJ*, 4, e2578.
- McPhee, B. W., Yates, A. M., Choiniere, J. N., and Abdala, F. (2014). The complete anatomy and phylogenetic relationships of *Antetonitrus ingenipes* (Sauropodiformes, Dinosauria): Implications for the origins of Sauropoda. *Zoological Journal of the Linnean Society*, 171(1), 151–205.
- Mocho, P., Royo-Torres, R., and Ortega, F. (2014). Phylogenetic reassessment of *Lourinhasaurus alenquerensis*, a basal Macronaria (Sauropoda) from the Upper Jurassic of Portugal. *Zoological Journal of the Linnean Society*, 170(4), 875–916.
- Nair, J. P., and Salisbury, S. W. (2012). New anatomical information on *Rhoetosaurus brownei* Longman, 1926, a gravosaurian sauropodomorph dinosaur from the Middle Jurassic of Queensland, Australia. *Journal of Vertebrate Paleontology*, 32(2), 369–394.
- Ouyang, H. (2003). Skeletal characteristics of *Mamenchisaurus youngi* and the systematics of mamenchisaurids. PhD diss., Chengdu University of Technology, Chengdu, China.
- Paul, G. S. (2016). *The Princeton Field Guide to Dinosaurs*. Princeton, NJ: Princeton University Press.

- Peyer, K., and Allain, R. (2010). A reconstruction of *Tazoudasaurus naimi* (Dinosauria, Sauropoda) from the late Early Jurassic of Morocco. *Historical Biology*, 22(1–3), 134–141.
- Peyre de Fabrègues, C., Bi, S., Li, H., Li, G., Yang, L., and Xu, X. (2020). A new species of early-diverging Sauropodiformes from the Lower Jurassic Fengjiahe Formation of Yunnan Province, China. *Scientific Reports*, 10(1), 10961.
- Pol, D., and Powell, J. E. (2007). New information on *Lessemsaurus sauropoides* (Dinosauria: Sauropodomorpha) from the upper Triassic of Argentina. *Special Papers in Palaeontology*, 77, 223.
- Pol, D., Ramezani, J., Gomez, K., et al. (2020). Extinction of herbivorous dinosaurs linked to Early Jurassic global warming event. *Proceedings of the Royal Society B: Biological Sciences*, 287(1939), 20202310.
- Pol, D., Garrido, A., and Cerda, I. A. (2011). A new sauropodomorph dinosaur from the Early Jurassic of Patagonia and the origin and evolution of the sauropod-type sacrum. *PLOS One*, 6(1), e14572.
- Pol, D., Gomez, K., Holwerda, F. H., Rauhut, O. W. M., and Carballido, J. L. (2022). Sauropods from the Early Jurassic of South America and the radiation of Eusauropoda. In *South American Sauropodomorph Dinosaurs. Record, Diversity and Evolution*, edited by Otero, A., Carballido, J. L., and Pol, D., 131–163. Cham: Springer International.
- Raath, M. A. (1972). Fossil vertebrate studies in Rhodesia: A new dinosaur (Reptilia, Saurischia) from near the Triassic-Jurassic boundary. *Arnoldia*, 5(30), 1–37.

- Rauhut, O. W., Holwerda, F. M., and Furrer, H. (2020). A derived sauropodiform dinosaur and other sauropodomorph material from the Late Triassic of Canton Schaffhausen, Switzerland. *Swiss Journal of Geosciences*, 113, 1–54.
- Sekiya, T. (2011). Re-examination of *Chuanjiesaurus anaensis* (Dinosauria: Sauropoda) from the Middle Jurassic Chuanjie Formation, Lufeng County, Yunnan Province, southwest China. *Memoir of Fukui Prefectural Dinosaur Museum*, 10, 1–54.
- Upchurch, P., Barrett, P. M., Xijin, Z., and Xing, X. U. (2007). A re-evaluation of *Chinshakiangosaurus chunghoensis* Ye vide Dong 1992 (Dinosauria, Sauropodomorpha): Implications for cranial evolution in basal sauropod dinosaurs. *Geological Magazine*, 144(2), 247–262.
- Weishampel, D. B., Dodson, P., and Osmólska, H., eds. (2004). *The Dinosauria*. 2nd ed. Oakland: University of California Press.
- Wild, R. (1978). Ein Sauropoden-Rest (Reptilia, Saurischia) aus dem Posidonienschiefer (Lias, Toarcium) von Holzmaden. *Stuttgarter Beiträge zur Naturkunde, ser. B (Geologie und Paläontologie)*, 41, 1–15.
- Yadagiri, P. (1988). A new sauropod *Kotasaurus yamanpalliensis* from Lower Jurassic Kota Formation of India. *Records of the Geological Survey of India*, 11, 102–127.
- Yadagiri, P. (2001). The osteology of *Kotasaurus yamanpalliensis*, a sauropod dinosaur from the Early Jurassic Kota Formation of India. *Journal of Vertebrate Paleontology*, 21(2), 242–252.
- Yaonan, L., and Changsheng, W. (2000). A new sauropod, *Gongxianosaurus*, from the Lower Jurassic of Sichuan, China. *Acta Geologica Sinica (English Edition)*, 74(2), 132–136.

- Yates, A. M. (2008). A second specimen of *Blikanasaurus* (Dinosauria: Sauropoda) and the biostratigraphy of the Lower Elliot Formation. *Palaeontologia Africana*, 43, 39–43.
- Yates, A. M., and Kitching, J. W. (2003). The earliest known sauropod dinosaur and the first steps towards sauropod locomotion. *Proceedings of the Royal Society B: Biological Sciences*, 270(1525), 1753–1758
- Yates, A. M., Hancox, P. J., and Rubidge, B. S. (2004). First record of a sauropod dinosaur from the upper Elliot Formation (Early Jurassic) of South Africa. *South African Journal of Science*, 100(9), 504–506.
- Ye, C.-H. (1975). Jurassic system. In *Mesozoic Redbeds of Yunnan*, edited by Su, Z., 11–30. [In Chinese.] Beijing: Geological Publishing House.
- Young, C. C. (1944). On the reptilian remains from Weiyuan, Szechuan, China. *Bulletin of the Geological Society of China*, 24(3–4), 187–209.
- Zhang, Q. N., Wang, T., Yang, Z. W., and You, H. L. (2019). Redescription of the cranium of *Jingshanosaurus xinwaensis* (Dinosauria: Sauropodomorpha) from the Lower Jurassic Lufeng Formation of Yunnan Province, China. *Anatomical Record*, 303(4), 759–771.
- Zhang, Q. N., You, H. L., Wang, T., and Chatterjee, S. (2018). A new sauropodiform dinosaur with a ‘sauropodan’ skull from the Lower Jurassic Lufeng Formation of Yunnan Province, China. *Scientific Reports*, 8(1), 13464.
- Zhang, Y. (1988.) *The Middle Jurassic Dinosaur Fauna from Dashanpu, Zigong, Sichuan*. Vol. 3, *Sauropod Dinosaurs* (2). Chengdu, China: Sichuan Publishing House of Science and Technology.
- Zhao, X.-J. (1985). The reptiles of Jurassic in China. In *The Jurassic System of China*, edited by Wang, S.-E., 286–289. [In Chinese.] Beijing: Geological Publishing House.

Eusauropoda and Mamenchisauridae

- Alifanov, V. R., and Averianov, A. O. (2003). *Ferganasaurus verzilini*, gen. et sp. nov., a new neosauropod (Dinosauria, Saurischia, Sauropoda) from the Middle Jurassic of Fergana Valley, Kirghizia. *Journal of Vertebrate Paleontology*, 23(2), 358–372.
- Bandyopadhyay, S., Gillette, D. D., Ray, S., and Sengupta, D. P. (2010). Osteology of *Barapasaurus tagorei* (Dinosauria: Sauropoda) from the early Jurassic of India. *Palaeontology*, 53(3), 533–569.
- Berman, D. S., and McIntosh, J. S. (1978). Skull and relationships of the Upper Jurassic sauropod *Apatosaurus* (Reptilia, Saurischia). *Bulletin of Carnegie Museum of Natural History*, 8, 1–35.
- Bonaparte, J. F. (1979). Dinosaurs: A Jurassic assemblage from Patagonia. *Science*, 205(4413): 1377–1379.
- Bonaparte, J. F. (1986). Les dinosaures (Carnosaures, Allosauridés, Sauropodes, Cétosauridés) du Jurassique Moyen de Cerro Cándor (Chubut, Argentina). *Annales de Paléontologie (Vert.-Invert.)*, 72(3), 325–386.
- Bonaparte, J. F., Heinrich, W. D., and Wild, R. (2000). Review of *Janenschia* Wild, with the description of a new sauropod from the Tendaguru beds of Tanzania and a discussion on the systematic value of procoelous caudal vertebrae in the Sauropoda. *Palaeontographica Abteilung A: Palaeozoologie*, 256(1–3), 25–76.
- Britt, B. B., Scheets, R. D., Whiting, M. F., and Wilhite, D. (2017). *Moabosaurus utahensis*, n. gen., n. sp., a new sauropod from the Early Cretaceous (Aptian) of North America. *Contributions from the Museum of Paleontology, University of Michigan*, 32(11), 189–243.

- Carballido, J. L., Rauhut, O. W., Pol, D., and Salgado, L. (2011). Osteology and phylogenetic relationships of *Tehuelchesaurus benitezii* (Dinosauria, Sauropoda) from the Upper Jurassic of Patagonia. *Zoological Journal of the Linnean Society*, 163(2), 605–662.
- Carballido, J. L., Scheil, M., Knötschke, N., and Sander, P. M. (2020). The appendicular skeleton of the dwarf macronarian sauropod *Europasaurus holgeri* from the Late Jurassic of Germany and a re-evaluation of its systematic affinities. *Journal of Systematic Palaeontology*, 18(9), 739–781.
- Casanovas, M. L., Santafé, J. V., and Sanz, J. L. (2001). *Losillasaurus giganteus*, a new sauropod from the transitional Jurassic-Cretaceous of the Los Serranos basin (Valencia, Spain). *Paleontologia y Evolució*, 32–33, 99–122.
- Chao, T., Ming, X., Hui, D., et al. (2020). A new species of *Omeisaurus* (Dinosauria: Sauropoda) from the Middle Jurassic of Yunyang, Chongqing, China fauna. *Historical Biology: An International Journal of Paleobiology*, 33(9), 1817–1829.
- Charig, A. J. (1980). A diplodocid sauropod from the Lower Cretaceous of England. In *Aspects of Vertebrate History: Essays in Honor of Edwin Harris Colbert*, edited by Jacobs, L. L., 231–244. Flagstaff: Museum of Northern Arizona Press.
- Chatterjee, S., and Zheng, Z. (2002). Cranial anatomy of *Shunosaurus*, a basal sauropod dinosaur from the Middle Jurassic of China. *Zoological Journal of the Linnean Society*, 136(1), 145–169.
- D'Angelo J. E. (2021) A maze of *Omeisaurus*: Observations on the taxonomic status of *Omeisaurus junghsiensis* (Dinosauria: Sauropoda: Mamenchisauridae). Society of Vertebrate Paleontology, Virtual Meeting Conference 2021, 94. https://vertpaleo.org/wp-content/uploads/2021/10/SVP_2021_VirtualBook_final.pdf.

- D’Emic, M. D. (2012). The early evolution of titanosauriform sauropod dinosaurs. *Zoological Journal of the Linnean Society*, 166(3), 624–671.
- D’Emic, M. D., Whitlock, J. A., Smith, K. M., Fisher, D. C., and Wilson, J. A. (2013). Evolution of high tooth replacement rates in sauropod dinosaurs. *PLOS One*, 8(7), e69235.
- del Valle Giménez, O. (2007). Skin impressions of *Tehuelchesaurus* (Sauropoda) from the Upper Jurassic of Patagonia. *Revista del Museo Argentino de Ciencias Naturales nueva serie*, 9(2), 119–124.
- Dong, Z. (1997). A gigantic sauropod (*Hudiesaurus sinojapanorum* gen. et sp. nov.) from the Turpan Basin, China. In *Sino-Japanese Silk Road Dinosaur Expedition*, edited by Dong, Z., 102–110. Beijing: China Ocean Press.
- Dong, Z., Peng, G., and Huang, D. (1989). The discovery of the bony tail club of sauropods. *Vertebrata Palasiatica*, 27, 219–224.
- Dong, Z., Zhou, S., and Zhang, Y. (1983). [Dinosaurs from the Jurassic of Sichuan.] *Palaeontologica Sinica*, new ser. C, 162(23), 1–136.
- Dong, Z. M. (1990). On remains of the sauropods from Kelamaili region, Junggar Basin, Xinjiang, China. *Vertebrata Palasiatica*, 28(1), 43–58.
- Fang, X., Long, Q., Zhang, Z., et al. (2000). [Lower, Middle, and Upper Jurassic divisions of the Lufeng region of Yunnan Province.] Proceedings of the Third National Stratigraphical Conference of China, 208–214. Beijing: Geological Publishing House.
- Gomez, K. L., Carballido, J. L., and Pol, D. (2021). The axial skeleton of *Bagualia alba* (Dinosauria: Eusauropoda) from the Early Jurassic of Patagonia. *Palaeontologia Electronica*, 24(3), a37.

- He, X., Li, K., and Cai, K. (1988). The Middle Jurassic dinosaurian fauna from Dashanpu, Zigong, Sichuan. Vol. 1, *The Ornithopod Dinosaurs*. Chengdu: Sichuan Scientific and Technological Publishing House, 1–66.
- He, X., Li, K., Cai, K., and Gao, Y. (1984). *Omeisaurus tianfuensis*—a new species of *Omeisaurus* from Dashanpu, Zigong, Sichuan. *Journal of Chengdu College of Geology*, 1984(suppl. 2), 13–32.
- He, X., Yang, S., Cai, K., Li, K., and Liu, Z. (1996). A new species of sauropod, *Mamenchisaurus anyuensis* sp. nov. Papers on Geosciences Contributed to the 30th Geological Congress, Chengdu University of Technology, China, 83–86.
- Holwerda, F. M., and Pol, D. (2018). Phylogenetic analysis of Gondwanan basal eusauropods from the Early-Middle Jurassic of Patagonia, Argentina. *Spanish Journal of Palaeontology*, 33(2), 289.
- Holwerda, F. M., Rauhut, O. W., and Pol, D. (2021). Osteological revision of the holotype of the Middle Jurassic sauropod dinosaur *Patagosaurus fariasi* Bonaparte, 1979 (Sauropoda: Cetiosauridae). *Geodiversitas*, 43(16), 575–643.
- Huang, D. (2018). Jurassic integrative stratigraphy and timescale of China. *Science China Earth Sciences*, 62(1), 223–255.
- Huang, J.-D., You, H.-L., Yang, J.-T., and Ren, X.-X. (2014). A new sauropod dinosaur from the Middle Jurassic of Huangshan, Anhui Province. *Vertebrata Palasiatica*, 52(4), 390–400.
- Jain, S. L., Kutty, T. S., Roy-Chowdhury, T., and Chatterjee, S. (1975). The sauropod dinosaur from the Lower Jurassic Kota Formation of India. *Proceedings of the Royal Society B: Biological Sciences*, 188(1091), 221–228.

- Jannel, A., Nair, J. P., Panagiotopoulou, O., Romilio, A., and Salisbury, S. W. (2019). “Keep your feet on the ground”: Simulated range of motion and hind foot posture of the Middle Jurassic sauropod *Rhoetosaurus brownei* and its implications for sauropod biology. *Journal of morphology*, 280(6), 849–878.
- Jiang, S., Peng, G., Li, F., and Ye, Y. (2011). A new species of *Omeisaurus* from the Middle Jurassic of Zigong, Sichuan. *Vertebrata Palasiatica*, 43(02), 162.
- Ksepka, D. T., and Norell, M. A. (2010). The illusory evidence for Asian Brachiosauridae: New material of *Erketu ellisoni* and a phylogenetic reappraisal of basal Titanosauriformes. *American Museum Novitates*, 2010(3700), 1–27.
- Läng, E. (2008). Les Cétiosaures (Dinosauria, sauropoda) et les sauropodes du Jurassique moyen: Revision systématique, nouvelles découvertes et implications phylogénétiques. PhD diss., Muséum national d'Histoire naturelle, Paris.
- Läng, E., and Mahammed, F. (2009). New anatomical data and phylogenetic relationships of *Chebsaurus algeriensis* (Dinosauria, Sauropoda) from the Middle Jurassic of Algeria. *Historical Biology*, 22(1–3), 142–164.
- Li, K., Yang, C.-Y., Liu, J., and Wang, Z.-X. (2010). A new sauropod dinosaur from the Lower Jurassic of Huili, Sichuan, China. *Vertebrata Palasiatica*, 48(3), 185–202.
- Liao, C., Moore, A., Jin, C., et al. (2021). A possible brachiosaurid (Dinosauria, Sauropoda) from the mid-Cretaceous of northeastern China. *PeerJ*, 9, e11957.
- Lida, X., Yong, Y. E., Chunkang, S. H. U., Guangzhao, P., and Hailu, Y. O. U. (2009). Structure, orientation and finite element analysis of the tail club of *Mamenchisaurus hochuanensis*. *Acta Geologica Sinica (English Edition)*, 83(6), 1031–1040.

- Lü, J., Li, S., Ji, Q., Wang, G., Zhang, J., and Dong, Z. (2006). New eusauropod dinosaur from Yuanmou of Yunnan Province, China. *Acta Geologica Sinica (English Edition)*, 80(1), 1–10.
- Lü, J., Li, T., Zhong, S., Ji, Q., and Li, S. (2008). A new mamenchisaurid dinosaur from the Middle Jurassic of Yuanmou, Yunnan Province, China. *Acta Geologica Sinica (English Edition)*, 82(1), 17–26.
- Ma, Q., Dai, H., Tan, C., et al. (2022). New *Shunosaurus* (Dinosauria: Sauropoda) material from the Middle Jurassic lower Shaximiao Formation of Yunyang, Chongqing, China. *Historical Biology*, 34(6), 1085–1099.
- Mahammed, F., Läng, É., Mami, L., et al. (2005). The ‘giant of Ksour,’ a Middle Jurassic sauropod dinosaur from Algeria. *Comptes Rendus Palevol*, 4(8), 707–714.
- Maisch, M. W., and Matzke, A. T. (2019). First record of a eusauropod (Dinosauria: Sauropoda) from the Upper Jurassic Qigu-Formation (southern Junggar Basin, China), and a reconsideration of Late Jurassic sauropod diversity in Xinjiang. *Neues Jahrbuch für Geologie und Paläontologie*, 291(1), 109–117.
- Mannion P. D. (2010). A revision of the sauropod dinosaur genus ‘*Bothriospondylus*’ with a redescription of the type material of the Middle Jurassic form ‘*B. madagascariensis*’. *Palaeontology*, 53, 277–296.
- Mannion, P. D., Upchurch, P., Barnes, R. N., and Mateus, O. (2013). Osteology of the Late Jurassic Portuguese sauropod dinosaur *Lusotitan atalaiensis* (Macronaria) and the evolutionary history of basal titanosauriforms. *Zoological Journal of the Linnean Society*, 168, 98–206.

- Mannion, P. D., Upchurch, P., Schwarz, D., and Wings, O. (2019). Taxonomic affinities of the putative titanosaurs from the Late Jurassic Tendaguru Formation of Tanzania: Phylogenetic and biogeographic implications for eusauropod dinosaur evolution. *Zoological Journal of the Linnean Society*, 185(3), 784–909.
- Mantell, G. A. (1852). On the structure of the *Iguanodon*, and on the fauna and flora of the Wealden Formation. *Notices of the Proceedings at the Meetings of the Members of the Royal Institution*, 1, 141–146.
- Mateus, O., Mannion, P. D., and Upchurch, P. (2014). *Zby atlanticus*, a new turiasaurian sauropod (Dinosauria, Eusauropoda) from the Late Jurassic of Portugal. *Journal of Vertebrate Paleontology*, 34(3), 618–634.
- Mocho, P., Royo-Torres, R., Malafaia, E., Escaso, F., Silva, B., and Ortega, F. (2016). Turiasauria-like teeth from the Upper Jurassic of the Lusitanian Basin, Portugal. *Historical Biology*, 28(7), 861–880.
- Mocho, P., Vidal, D., Aberasturi, A., Kosma, R., and Ortega, F. (2018). New information about the appendicular skeleton of *Spinophorosaurus nigerensis* (Middle Jurassic, Niger). 16th European Association of Vertebrate Paleontologists Meeting, Caparica, Portugal, 124.
- Molnar, R. E. (1991). Fossil reptiles in Australia. In *Vertebrate Palaeontology of Australasia*, edited by Vickers-Rich, P., Monaghan, J. M., Baird, R. F., and Rich T. H., with the assistance of Thompson, E. M., and Williams, C., 605–702. Melbourne: Pioneer Design Studio for and in Co-operation with Monash University Publications Committee.
- Moore, A. J., Barrett, P. M., Upchurch, P., et al. (2023). Re-assessment of the Late Jurassic eusauropod *Mamenchisaurus sinocanadorum* Russell and Zheng, 1993, and the evolution

- of exceptionally long necks in mamenchisaurids. *Journal of Systematic Palaeontology*, 21(1), 2171818.
- Moore, A. J., Mo, J., Clark, J. M., and Xu, X. (2018). Cranial anatomy of *Bellusaurus sui* (Dinosauria: Eusauropoda) from the Middle-Late Jurassic Shishugou Formation of northwest China and a review of sauropod cranial ontogeny. *PeerJ*, 6, e4881.
- Moore, A. J., Upchurch, P., Barrett, P. M., Clark, J. M., and Xing, X. (2020). Osteology of *Klamelisaurus gobiensis* (Dinosauria, Eusauropoda) and the evolutionary history of Middle–Late Jurassic Chinese sauropods. *Journal of Systematic Palaeontology*, 18(16), 1299–1393.
- Naish, D., and Martill, M. (2007). Dinosaurs of Great Britain and the role of the Geological Society of London in their discovery: Basal Dinosauria and Saurischia. *Journal of the Geological Society*, 164(3), 493–510.
- Páramo, A., and Ortega, F. (2012). A probable juvenile *Spinophorosaurus nigerensis* (Sauropoda) from the Middle Jurassic of Niger. *Fundamental*, 20, 177–178.
- Paul, G. S. (2016). *The Princeton Field Guide to Dinosaurs*. Princeton, NJ: Princeton University Press.
- Phillips, J. (1871). *Geology of Oxford and the Valley of the Thames*. Oxford: Clarendon Press.
- Pi, L., Ou, Y., and Ye, Y. (1996). A new species of sauropod from Zigong, Sichuan, *Mamenchisaurus youngi*. In Papers on Geosciences Contributed to the 30th Geological Congress, Chengdu University of Technology, China, 87–91.
- Pol, D., Ramezani, J., Gomez, K., et al. (2020). Extinction of herbivorous dinosaurs linked to Early Jurassic global warming event. *Proceedings of the Royal Society B: Biological Sciences*, 287(1939), 20202310.

- Poropat, S. F., Upchurch, P., Mannion, P. D., et al. (2015). Revision of the sauropod dinosaur *Diamantinasaurus matildae* Hocknull et al. 2009 from the mid-Cretaceous of Australia: Implications for Gondwanan titanosauriform dispersal. *Gondwana Research*, 27(3), 995–1033.
- Rauhut, O. W. (2003). A dentary of *Patagosaurus* (Sauropoda) from the Middle Jurassic of Patagonia. *Ameghiniana*, 40(3), 425–432.
- Raveloson, M. L. T., Clark, N. D., and Rasoamiamana, A. H. (2019). New information on the Madagascan Middle Jurassic sauropod *Lapparentosaurus madagascariensis*. *Geosciences*, 9(12), 498.
- Remes, K., Ortega, F., Fierro, I., et al. (2009). A new basal sauropod dinosaur from the Middle Jurassic of Niger and the early evolution of Sauropoda. *PLOS One*, 4(9), e6924.
- Ren, X. X., Huang, J. D., and You, H. L. (2018). The second mamenchisaurid dinosaur from the Middle Jurassic of Eastern China. *Historical Biology*, 32(5), 602–610.
- Ren, X. X., Jiang, S., Wang, X. R., et al. (2023). Re-examination of *Dashanpusaurus dongi* (Sauropoda: Macronaria) supports an early Middle Jurassic global distribution of neosauropod dinosaurs. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 610, 111318.
- Ren, X. X., Wang, X. R., Ji, Y. N., Guo, Z., and Ji, Q. (2024). The first mamenchisaurid from the Upper Jurassic Dongxing Formation of Guangxi, southernmost China. *Historical Biology*, 37(3), 465–478.
- Rich Thomas, H., Patricia, V., Olga, G., Ruben, C., Pablo, P., and Raul, V. (1999). A new sauropod dinosaur from Chubut Province, Argentina. *National Science Museum Monographs*, 15, 61–84.

- Ricqlès, A. de (1983). Cyclical growth in the long limb bones of a sauropod dinosaur. *Acta Palaeontologica Polonica*, 28(1–2).
- Rincón, A. F., Raad Pájaro, D. A., Jiménez Velandia, H. F., Ezcurra, M. D., and Wilson Mantilla, J. A. (2022). A sauropod from the Lower Jurassic La Quinta Formation (Dept. Cesar, Colombia) and the initial diversification of eusauropods at low latitudes. *Journal of Vertebrate Paleontology*, 42(1), e2077112.
- Royo-Torres, R., and Upchurch, P. (2012). The cranial anatomy of the sauropod *Turiasaurus riodevensis* and implications for its phylogenetic relationships. *Journal of Systematic Palaeontology*, 10(3), 553–583.
- Royo-Torres, R., Cobos, A., and Alcalá, L. (2006). A giant European dinosaur and a new sauropod clade. *Science*, 314(5807), 1925–1927.
- Royo-Torres, R., Cobos, A., and Alcalá, L. (2008). Primeros restos directos de dinosaurios en la Sierra de Albarracín (Teruel) In 24th Jornadas de la Sociedad Española de Paleontología, 15-18 October 2008, Libro de Resúmenes, edited by Ruiz-Omeñaca, J. I., Piñuela, L., and García-Ramos, J. C., 189–190. Colunga, Spain: Museo del Jurásico de Asturias.
- Royo-Torres, R., Cobos, A., Luque, L., et al. (2009). High European sauropod dinosaur diversity during Jurassic–Cretaceous transition in Riodeva (Teruel, Spain). *Palaeontology*, 52(5), 1009–1027.
- Royo-Torres, R., Cobos, A., Mocho, P., and Alcalá, L. (2020). Origin and evolution of turiasaur dinosaurs set by means of a new ‘rosetta’ specimen from Spain. *Zoological Journal of the Linnean Society*, 191(1), 201–227.

- Royo-Torres, R., Upchurch, P., Kirkland, J. I., et al. (2017). Descendants of the Jurassic turiasaurs from Iberia found refuge in the Early Cretaceous of western USA. *Scientific Reports*, 7(1), 14311.
- Russell, D. A., and Zheng, Z. (1994). A large mamenchisaurid from the Junggar Basin, Xinjiang, People's Republic of China. *Canadian Journal of Earth Sciences*, 30(10), 2082–2095.
- Sarkar, S. (2019). India's invaluable dinosaur fossils lie neglected and forgotten in this Kolkata museum. Scroll.in, January 16, 2019. <https://scroll.in/magazine/903796/indias-invaluable-dinosaur-fossils-lie-neglected-and-forgotten-in-this-kolkata-museum>.
- Sauropods of 2008: *Eomamenchisaurus*. Sauropod Vertebra Picture of the Week, June 4, 2009. <https://svpow.com/2009/02/09/sauropods-of-2008-eomamenchisaurus/>.
- Schwarz, D., Mannion, P. D., Wings, O., and Meyer, C. A. (2020). Re-description of the sauropod dinosaur *Amanzia* (“Ornithopsis/Cetiosauriscus”) *greppini* n. gen. and other vertebrate remains from the Kimmeridgian (Late Jurassic) Reuchenette Formation of Moutier, Switzerland. *Swiss Journal of Geosciences*, 113(1), 1–48.
- Sekiya T. (2011). Re-examination of *Chuanjiesaurus anaensis* (Dinosauria: Sauropoda) from the Middle Jurassic Chuanjie Formation, Lufeng County, Yunnan Province, southwest China. *Memoir of the Fukui Prefectural Dinosaur Museum*, 10, 1–54.
- Sereno, P. C., Beck, A. L., Dutheil, D. B., et al. (1999). Cretaceous sauropods from the Sahara and the uneven rate of skeletal evolution among dinosaurs. *Science*, 286(5443), 1342–1347.
- Suteethorn, S., Le Loeuff, J., Buffetaut, E., Suteethorn, V., and Wongko, K. (2012). First evidence of a mamenchisaurid dinosaur from the Upper Jurassic–Lower Cretaceous Phu Kradung Formation of Thailand. *Acta Palaeontologica Polonica*, 58(3), 459–469.

- Tan, C., Xiao, M., Dai, H., et al. (2021). A new species of *Omeisaurus* (Dinosauria: Sauropoda) from the Middle Jurassic of Yunyang, Chongqing, China. *Historical Biology*, 33(9), 1817–1829.
- Tang, F., Jin, X. S., Kang, X. M., et al. (2001). *Omeisaurus maoianus*: A complete Sauropoda from Jingyan, Sichuan. Beijing: China Ocean Press.
- Taquet, P. (2010). The dinosaurs of Maghreb: The history of their discovery. *Historical Biology*, 22(1–3), 88–99.
- Tschopp, E., and Mateus, O. (2013). Clavicles, interclavicles, gastralia, and sternal ribs in sauropod dinosaurs: New reports from Diplodocidae and their morphological, functional and evolutionary implications. *Journal of Anatomy*, 222(3), 321–340.
- Upchurch, P., Barrett, P. M., and Dodson, P. (2004). Sauropoda. In *The Dinosauria*, 2nd ed., edited by Weishampel, D. B., Dodson, P., and Osmólska, H., 259–322. Oakland: University of California Press.
- Upchurch, P., and Martin, J. (2002). The Rutland *Cetiosaurus*: The anatomy and relationships of a Middle Jurassic British sauropod dinosaur. *Palaeontology*, 45(6), 1049–1074.
- Upchurch, P., and Martin, J. (2003). The anatomy and taxonomy of *Cetiosaurus* (Saurischia, Sauropoda) from the Middle Jurassic of England. *Journal of Vertebrate Paleontology*, 23(1), 208–231.
- Upchurch, P., Mannion, P. D., and Taylor, M. P. (2015). The anatomy and phylogenetic relationships of “*Pelorosaurus*” *becklesii* (Neosauropoda, Macronaria) from the Early Cretaceous of England. *PLOS One*, 10(6), e0125819.
- Upchurch, P., Mannion, P. D., Xu, X., and Barrett, P. M. (2021). Re-assessment of the Late Jurassic eusauropod dinosaur *Hudiesaurus sinojapanorum* Dong, 1997, from the Turpan

- Basin, China, and the evolution of hyper-robust antebrachia in sauropods. *Journal of Vertebrate Paleontology*, 41(4), e1994414.
- Vidal, D., Mocho, P., Aberasturi, A., Sanz, J. L., and Ortega, F. (2020). High browsing skeletal adaptations in *Spinophorosaurus* reveal an evolutionary innovation in sauropod dinosaurs. *Scientific Reports*, 10(1), 6638.
- Wang, J., Norell, M. A., Pei, R., Ye, Y., and Chang, S.-C (2019). Surprisingly young age for the mamenchisaurid sauropods in South China. *Cretaceous Research*, 104, 104176.
- Wild, R. (1991). *Janenschia* n. g. *robusta* (E. Fraas 1908) pro *Tornieria robusta* (E. Fraas 1908) (Reptilia, Saurischia, Sauropodomorpha). *Stuttgarter Beiträge zur Naturkunde, Serie B (Geologie und Paläontologie)*, 173, 1–4.
- Wilson, J. A., and Upchurch, P. (2009). Redescription and reassessment of the phylogenetic affinities of *Euhelopus zdanskyi* (Dinosauria: Sauropoda) from the Early Cretaceous of China. *Journal of Systematic Palaeontology*, 7(2), 199–239.
- Wu, W.-H., Zhou, C.-Fu., Wings, O., Toru, S., and Dong, Z.-M. (2013). [A new gigantic sauropod dinosaur from the Middle Jurassic of Shanshan, Xinjiang.] *Global Geology*, 32(3), 437–446.
- Xing, L., Miyashita, T., Currie, P. J., You, H., Zhang, J., and Dong, Z. (2015a). A new basal eusauropod from the Middle Jurassic of Yunnan, China, and faunal compositions and transitions of Asian sauropodomorph dinosaurs. *Acta Palaeontologica Polonica*, 60(1), 145–154.
- Xing, L., Miyashita, T., Zhang, J., et al. (2015b). A new sauropod dinosaur from the Late Jurassic of China and the diversity, distribution, and relationships of mamenchisaurids. *Journal of Vertebrate Paleontology*, 35(1), e889701.

- Xing, L. D., Dong, H., Peng, G. Z., Shu, C. K., Hu, X. D., and Jiang, H. (2009). A scapular fracture in *Yangchuanosaurus hepingensis* (Dinosauria: Theropoda). *Geological Bulletin of China*, 28(10), 1390–1395.
- Xing, L. D., Lockley, M. G., You, H. L., et al. (2016). Early Jurassic sauropod tracks from the Yimen Formation of Panxi region, southwest China: Ichnotaxonomy and potential trackmaker. *Geological Bulletin of China*, 35(6), 851–855.
- Ye, Y., Gao, Y., and Jiang, S. (2005). A new genus of sauropod from Zigong, Sichuan. *Vertebrata Palasiatica*, 43(3), 175–181.
- Ye, Y., Ouyang, H., and Fu, Q.-M. (2001). New material of *Mamenchisaurus hochuanensis* from Zigong China. *Vertebrata Palasiatica*, 39(4), 266–271.
- Young, C. C. (1937). A new dinosaurian from Sinkiang. *Palaeontologia Sinica*, new ser. C, whole ser. 105(2), 1–29.
- Young, C. C. (1939). On a new Sauropoda, with notes on other fragmentary reptiles from Szechuan. *Bulletin of the Geological Society of China*, 19(3), 279–315.
- Young, C. C. (1954). On a new sauropod from Yiping, Szechuan, China. *Scientia Sinica*, 3(4), 481–514.
- Young, C. C. (1958). New Sauropods from China. *Vertebrata Palasiatica*, 2(1).
- Young, C. C., and Chao, X.-J. (1972). *Mamenchisaurus hochuanensis* sp. nov. *Institute of Vertebrate Paleontology and Paleoanthropology Monographs, A*, 8, 1–30.
- Zhang, X. Q., Li, D. Q., Xie, Y., and You, H. L. (2020). Redescription of the cervical vertebrae of the mamenchisaurid sauropod *Xinjiangtitan shanshanensis* Wu et al. 2013. *Historical Biology*, 32(6), 803–822.

- Zhang, X.-Q., Li, N., Xie, Y., Li, D.-Q., and You, H.-L. (2022). Redescription of the dorsal vertebrae of the mamenchisaurid sauropod *Xinjiangtitan shanshanensis* Wu et al. 2013. *Historical Biology*, 36(1), 49–75.
- Zhang, Y., Li, K., and Zeng, Q. (1998). A new species of sauropod from the Late Jurassic of the Sichuan Basin (*Mamenchisaurus jingyanensis* sp. nov.). *Journal of the Chengdu University of Technology*, 25(1), 61–68.
- Zhang, Y., Yang, D., and Peng, G. (1984). [New materials of *Shunosaurus* from the Middle Jurassic of Dashanpu, Zigong, Sichuan.] *Journal of Chengdu College of Geology*, 2, 1–12.
- Zhao, X. (1993). A new mid-Jurassic sauropod (*Klamelisaurus gobiensis* gen. et sp. nov.) from Xinjiang, China. *Vertebrata Palasiatica*, 31(2), 132–138.

Diplodocoidea

- Apesteguía, S. (2007). The sauropod diversity of the La Amarga Formation (Barremian), Neuquén (Argentina). *Gondwana Research*, 12(4), 533–546.
- Ahmed, Z. (2021). Gordo the *Barosaurus*. Atlas Obscura.
<https://www.atlasobscura.com/places/gordo-the-barosaurus>.
- Bailey, J. B. (1997). Neural spine elongation in dinosaurs: Sailbacks or buffalo-backs? *Journal of Paleontology*, 71(6), 1124–1146.
- Bajpai, S., Datta, D., Pandey, P., Ghosh, T., Kumar, K., and Bhattacharya, D. (2023). Fossils of the oldest diplodocoid dinosaur suggest India was a major centre for neosauropod radiation. *Scientific Reports*, 13(1), 12680.
- Bonaparte, J. F., and Mateus, O. (1999). A new diplodocid, *Dinheirosaurus lourinhanensis* gen. et sp. nov., from the Late Jurassic beds of Portugal. *Revista del Museo Argentino de*

Ciencias Naturales “Bernardino Rivadavia” e Instituto Nacional de Investigación de las Ciencias Naturales, Paleontología, 5(2), 13–29.

- Carabajal, A. P., Carballido, J. L., and Currie, P. J. (2014). Braincase, neuroanatomy, and neck posture of *Amargasaurus cazaui* (Sauropoda, Dicraeosauridae) and its implications for understanding head posture in sauropods. *Journal of Vertebrate Paleontology*, 34(4), 870–882.
- Carpenter, K. (2017). Comment (Case 3700)—Opposition against the proposed designation of *Diplodocus carnegii* Hatcher, 1901 as the type species of *Diplodocus* Marsh, 1878 (Dinosauria, Sauropoda). *Bulletin of Zoological Nomenclature*, 74(1), 47–49.
- Cerda, I. A., Novas, F. E., Carballido, J. L., and Salgado, L. (2022). Osteohistology of the hyperelongate hemispinous processes of *Amargasaurus cazaui* (Dinosauria: Sauropoda): Implications for soft tissue reconstruction and functional significance. *Journal of Anatomy*, 240(6), 1005–1019.
- Cope, E. D. (1878). On the vertebrata of the Dakota Epoch of Colorado. *Proceedings of the American Philosophical Society*, 17, 233–247.
- Coria, R. A., Windholz, G. J., Ortega, F., and Currie, P. J. (2019). A new dicraeosaurid sauropod from the lower cretaceous (Mulichinco Formation, Valanginian, Neuquén Basin) of Argentina. *Cretaceous Research*, 93, 33–48.
- Curtice, B. (2021.) New Dry Mesa Dinosaur Quarry *Supersaurus viviane* (Jensen 1985) axial elements provide additional insight into its phylogenetic relationships and size, suggesting an animal that exceeded 39 meters in length. Society of Vertebrate Paleontology, Virtual Meeting Conference 2021, 92. https://vertpaleo.org/wp-content/uploads/2021/10/SVP_2021_VirtualBook_final.pdf#page=92.

- Curtice, B., and Stadtman, K. (2001). The demise of *Dystylosaurus edwini* and a revision of *Supersaurus vivianae*. In Western Association of Vertebrate Paleontologists and Southwest Paleontological Symposium—Proceedings 2001, edited by McCord, R. D., and Boaz, D. *Mesa Southwest Museum Bulletin*, 8, 33–40.
- Curtice, B., Wedel, M. J., Wilhite, D. R., and Boisvert, C. (2023). New material of *Haplocanthosaurus* (Hatcher 1903) from the Dry Mesa Dinosaur Quarry and a comment on sauropod diversity. In 14th Symposium on Mesozoic Terrestrial Ecosystems and Biota. *Anatomical Record*, 306(suppl. 1), 79–81.
- Foster, J., and Wedel, M. (2014). *Haplocanthosaurus* (Saurischia: Sauropoda) from the lower Morrison Formation (Upper Jurassic) near Snowmass, Colorado. *Volumina Jurassica*, 12(2), 197–210.
- Fraas, E. (1908). Dinosaurierfunde in Ostafrika, *Jahreshefte des Vereins für Vaterländische Naturkunde in Württemberg*, 64, 84–86.
- Gallina, P. A. (2016). Reappraisal of the Early Cretaceous sauropod dinosaur *Amargatitanis macni* (Apesteguía, 2007), from northwestern Patagonia, Argentina. *Cretaceous Research*, 64, 79–87.
- Gallina, P. A., Apesteguía, S., Canale, J. I., and Haluza, A. (2019). A new long-spined dinosaur from Patagonia sheds light on sauropod defense system. *Scientific Reports*, 9(1), 1392.
- Gallina, P. A., Apesteguía, S., Haluza, A., and Canale, J. I. (2014). A diplodocid sauropod survivor from the Early Cretaceous of South America. *PLOS One*, 9(5), e97128.
- Garderes, J. P., Gallina, P. A., Whitlock, J. A., and Toledo, N. (2022). Neuroanatomy of a diplodocid sauropod dinosaur from the Lower Cretaceous of Patagonia, Argentina. *Cretaceous Research*, 129, 105024.

- Hallett, M., and Wedel, M. J. (2016). *The Sauropod Dinosaurs: Life in the Age of Giants*, 201–202, 224. Baltimore: Johns Hopkins University Press.
- Harris, J. D. (2006a). The axial skeleton of the dinosaur *Suuwassea emilieae* (Sauropoda: Flagellicaudata) from the Upper Jurassic Morrison Formation of Montana, USA. *Palaeontology*, 49(5), 1091–1121.
- Harris, J. D. (2006b). The significance of *Suuwassea emilieae* (Dinosauria: Sauropoda) for flagellicaudatan intrarelationships and evolution. *Journal of Systematic Palaeontology*, 4(2), 185–198.
- Harris, J. D. (2007). The appendicular skeleton of *Suuwassea emilieae* (Sauropoda: Flagellicaudata) from the upper Jurassic Morrison Formation of Montana (USA). *Geobios*, 40(4), 501–522.
- Harris, J. D., and Dodson, P. (2004). A new diplodocoid sauropod dinosaur from the Upper Jurassic Morrison Formation of Montana, USA. *Acta Palaeontologica Polonica*, 49(2), 197.
- Hatcher, J. B. (1903). A new name for the dinosaur *Haplocanthus* Hatcher. *Proceedings of the Biological Society of Washington*, 16, 100.
- Janensch, W. (1914). Overview of the vertebrate fauna of the Tendaguru beds. [In German.] *Archiv für Biontologie*, 3, 81–110.
- Janensch, W. (1921). Die wirbelsäule der gattung Dicraeosaurus. *Palaeontographica*, (suppl. 8), 2(1), 37–133.
- Janensch, W. (1929). Material und Formengehalt der Sauropodn in der Ausbeute der Tendaguru-Expedition. *Palaeontographica*, (suppl. 7), 2, 1–34.

- Janensch, W. (1961). Die Gliedmaszen und Gliedmaszengürtel der Sauropoden der Tendaguru-Schichten. *Palaeontographica*, (suppl. 7), 3, 177–235.
- Jensen, J. A. (1985). Three new sauropod dinosaurs from the Upper Jurassic of Colorado. *Great Basin Naturalist*, 45(4), 697–709.
- Lovelace, D. M., Hartman, S. A., and Wahl, W. R. (2007). Morphology of a specimen of *Supersaurus* (Dinosauria, Sauropoda) from the Morrison Formation of Wyoming, and a re-evaluation of diplodocid phylogeny. *Arquivos do Museu Nacional*, 65(4), 527–544.
- Lucas, S. G., Spielman, J. A., Rinehart, L. A., et al. (2006). Taxonomic status of *Seismosaurus hallorum*, a Late Jurassic sauropod dinosaur from New Mexico. *New Mexico Museum of Natural History and Science Bulletin*, 36, 149–162.
- Mannion, P. D., Tschopp, E., and Whitlock, J. A. (2021). Anatomy and systematics of the diplodocoid *Amphicoelias altus* supports high sauropod dinosaur diversity in the Upper Jurassic Morrison Formation of the USA. *Royal Society Open Science*, 8(6), 210377.
- Mannion, P. D., Upchurch, P., Mateus, O., Barnes, R. N., and Jones, M. E. (2012). New information on the anatomy and systematic position of *Dinheirosaurus lourinhanensis* (Sauropoda: Diplodocoidea) from the Late Jurassic of Portugal, with a review of European diplodocoids. *Journal of Systematic Palaeontology*, 10(3), 521–551.
- Marsh, O. C. (1877a). Notice of a new and gigantic dinosaur. *American Journal of Science*, ser. 3, 14, 87–88.
- Marsh, O. C. (1877b). Notice of new dinosaurian reptiles from the Jurassic formation. *American Journal of Science*, 14(84), 514–516.
- Marsh, O. C. (1878). Principal characters of American Jurassic dinosaurs. Part I. *American Journal of Science and Arts*, 16, 411–416

- Marsh, O. C. (1879). Notice of new Jurassic reptiles. *American Journal of Science and Arts*, ser. 3, 18, 501–505.
- Marsh, O. C. (1890). Description of new dinosaurian reptiles. *American Journal of Science*, ser. 3, 39, 81–86.
- McIntosh, J. S. (1998). New information about the Cope collection of sauropods from Garden Park, Colorado. In *The Upper Jurassic Morrison Formation: An Interdisciplinary Study*, edited by Carpenter, K., Chure, D., and Kirkland, J. I. *Modern Geology*, 23, 481–506.
- McIntosh, J. S., Coombs Jr., W. P., and Russell, D. A. (1992). A new diplodocid sauropod (Dinosauria) from Wyoming, USA. *Journal of Vertebrate Paleontology*, 12(2), 158–167.
- Mocho, P., Royo-Torres, R., de Teruel-Dinópolis, F. C. P., et al. (2017). Upper Jurassic sauropod record in the Lusitanian Basin (Portugal): Geographical and lithostratigraphical distribution. *Palaeontologia Electronica*, 20.2.27A, 1–50. <https://doi.org/10.26879/662>.
- Paul, G. S. (1994). Dinosaur art and restoration notes: *Dicraeosaurus*. Dinosaur Report. <http://gspauldino.com/DinoArtDicraeosaurus.pdf>.
- Rauhut, O. W. M., Remes, K., Fechner, R., Cladera, G., and Puerta, P. (2005). Discovery of a short-necked sauropod dinosaur from the Late Jurassic period of Patagonia. *Nature*, 435(7042), 670–672.
- Remes, K. (2006). Revision of the Tendaguru sauropod dinosaur *Tornieria africana* (Fraas) and its relevance for sauropod paleobiogeography. *Journal of Vertebrate Paleontology*, 26(3), 651–669.
- Ren, X. X., Huang, J. D., and You, H. L. (2018). The second mamenchisaurid dinosaur from the Middle Jurassic of Eastern China. *Historical Biology*, 32(5), 602–610.

- Ren, X. X., Jiang, S., Wang, X. R., et al. (2023). Re-examination of *Dashanpusaurus dongi* (Sauropoda: Macronaria) supports an early Middle Jurassic global distribution of neosauropod dinosaurs. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 610, 111318.
- Ronson, J. (2016). Is Nate Murphy holding a dinosaur for ransom? Inverse, July 5, 2016. <https://www.inverse.com/article/17806-sauropod-dinosaur-discovery-montana-fossil-hunter-paleontology-nate-murphy>.
- Royo-Torres, R., Cobos, A., Mocho, P., and Alcalá, L. (2020). Origin and evolution of turiasaur dinosaurs set by means of a new ‘rosetta’ specimen from Spain. *Zoological Journal of the Linnean Society*, 191(1), 201–227.
- Salgado, L., and Bonaparte, J. F. (1991). Un nuevo saurópodo Dicraeosauridae, *Amargasaurus cazaui* gen. et sp. nov., de la Formación La Amarga, Neocomiano de la provincia del Neuquén, Argentina. *Ameghiniana*, 28, 333–346.
- Schwarz, D., Frey, E., and Meyer, C. A. (2007). Pneumaticity and soft-tissue reconstructions in the neck of diplodocid and dicraeosaurid sauropods. *Acta Palaeontologica Polonica*, 52(1), 167–188.
- Schwarz-Wings, D., and Böhm, N. (2012). A morphometric approach to the specific separation of the humeri and femora of *Dicraeosaurus* from the Late Jurassic of Tendaguru, Tanzania. *Acta Palaeontologica Polonica*, 59(1), 81–98.
- Taylor, M. P. (2010). Sauropod dinosaur research: A historical review. *Geological Society, London, Special Publications*, 343(1), 361–386.
- Taylor, M. P., and Wedel, M. J. (2016). The neck of *Barosaurus* was not only longer but also wider than those of *Diplodocus* and other diplodocines. *PeerJ Preprints*, 4, e67v2.

- Tschopp, E., and Mateus, O. (2013). The skull and neck of a new flagellicaudatan sauropod from the Morrison Formation and its implication for the evolution and ontogeny of diplodocid dinosaurs. *Journal of Systematic Palaeontology*, 11(7), 853–888.
- Tschopp, E., and Mateus, O. (2017). Osteology of *Galeamopus pabsti* sp. nov. (Sauropoda: Diplodocidae), with implications for neurocentral closure timing, and the cervico-dorsal transition in diplodocids. *PeerJ*, 5, e3179.
- Tschopp, E., Mateus, O. V., and Benson, R. B. J. (2015). A specimen-level phylogenetic analysis and taxonomic revision of Diplodocidae (Dinosauria, Sauropoda). *PeerJ*, 3, e857.
- van der Linden, T. T., Tschopp, E., Sookias, R. B., et al. (2024). A new diplodocine sauropod from the Morrison Formation, Wyoming, USA. *Palaeontologia Electronica*, 27(3), 1–79.
- Wedel, M. (2013). A giant, skeletally immature individual of *Apatosaurus* from the Morrison Formation of Oklahoma. 61st Symposium on Vertebrate Palaeontology and Comparative Anatomy—Programme and Abstracts, 40–45.
- Wedel, M., Atterholt, J., Dooley, A., et al. (2021). Expanded neural canals in the caudal vertebrae of a specimen of *Haplocanthosaurus*. *Academia Letters*, article 911.
- Whitlock, J. A. (2011). Re-evaluation of *Australodocus bohetii*, a putative diplodocoid sauropod from the Tendaguru Formation of Tanzania, with comment on Late Jurassic sauropod faunal diversity and palaeoecology. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 309(3–4), 333–341.
- Whitlock, J. A., and Harris, J. D. (2010). The dentary of *Suuwassea emilieae* (Sauropoda: diplodocoidea). *Journal of Vertebrate Paleontology*, 30(5), 1637–1641.

- Whitlock, J. A., and Mantilla, J. A. W. (2020). The Late Jurassic sauropod dinosaur ‘*Morosaurus*’ *agilis* Marsh, 1889 reexamined and reinterpreted as a dicraeosaurid. *Journal of Vertebrate Paleontology*, 40(6), e1780600.
- Windholz, G. J., and Cerda, I. A. (2021). Paleohistology of two dicraeosaurid dinosaurs (Sauropoda; Diplodocoidea) from La Amarga Formation (Barremian–Aptian, Lower Cretaceous), Neuquén Basin, Argentina: Paleobiological implications. *Cretaceous Research*, 128, 104965.
- Windholz, G. J., Baiano, M. A., Bellardini, F., and Garrido, A. (2021). New Dicraeosauridae (Sauropoda, Diplodocoidea) remains from the La Amarga Formation (Barremian–Aptian, Lower Cretaceous), Neuquén Basin, Patagonia, Argentina. *Cretaceous Research*, 117, 104629.
- Windholz, G. J., Cerda, I. A., Carballido, J. L., and Rauhut, O. W. (2023). Palaeobiological inferences for the South American dicraeosaurid *Brachytrachelopan mesai* (Dinosauria; Sauropoda) based on bone histology of the holotype. *Historical Biology*, 35(10), 1871–1880.
- Windholz, G. J., Coria, R. A., Bellardini, F., et al. (2022). On a dicraeosaurid specimen from the Mulichinco Formation (Valanginian, Neuquén Basin) of Argentina and phylogenetic relationships of the South American dicraeosaurids (Sauropoda, Diplodocoidea). *Comptes Rendus Palevol*, 21, 991–1019.
- Woodruff, D. C., Carr, T. D., Storrs, G. W., et al. (2018). The smallest diplodocid skull reveals cranial ontogeny and growth-related dietary changes in the largest dinosaurs. *Scientific Reports*, 8(1), 1–12.

Xu, X., Upchurch, P., Mannion, P. D., et al. (2018). A new Middle Jurassic diplodocoid suggests an earlier dispersal and diversification of sauropod dinosaurs. *Nature Communications*, 9(1), 2700.

Rebbachisauridae

Apesteguía, S. (2007). The sauropod diversity of the La Amarga Formation (Barremian), Neuquén (Argentina). *Gondwana Research*, 12(4), 533–546.

Averianov, A., and Sues, H. D. (2021). First rebbachisaurid sauropod dinosaur from Asia. *PLOS One*, 16(2), e0246620.

Bellardini, F., and Cerda, I. A. (2017). Bone histology sheds light on the nature of the “dermal armor” of the enigmatic sauropod dinosaur *Agustinia ligabuei* Bonaparte, 1999. *Science of Nature*, 104(1), 1.

Bellardini, F., Coria, R. A., Pino, D. A., Windholz, G. J., Baiano, M. A., and Martinelli, A. G. (2022). Osteology and phylogenetic relationships of *Ligabuesaurus leanzai* (Dinosauria: Sauropoda) from the early Cretaceous of the Neuquén Basin, Patagonia, Argentina. *Zoological Journal of the Linnean Society*, 196(4), 1333–1393.

Bellardini, F., Coria, R. A., Windholz, G. J., Martinelli, A. G., and Baiano, M. A. (2023). Revisiting the Early Cretaceous sauropod *Agustinia ligabuei* (Dinosauria: Diplodocoidea) from southern Neuquén Basin (Patagonia, Argentina), with implications on the early evolution of rebbachisaurids. *Historical Biology*, 35(12), 2408–2434.

Bonaparte, J. F. (1996). Cretaceous tetrapods of Argentina. *Münchner Geowissenschaftliche Abhandlungen*, 30, 76–130.

- Bonaparte, J. F. (1999). An armoured sauropod from the Aptian of northern Patagonia, Argentina. In Proceedings of the Second Gondwanan Dinosaur Symposium. *National Science Museum Monographs*, 15, 1–12.
- Calvo, J. O., and Salgado, L. (1995). *Rebbachisaurus tessonei* sp. nov. a new Sauropoda from the Albian–Cenomanian of Argentina; New evidence on the origin of the Diplodocidae. *Gaia*, 11, 13–33.
- Canudo, J. I., Carballido, J. L., Garrido, A., and Salgado, L. (2018). A new rebbachisaurid sauropod from the Aptian–Albian, Lower Cretaceous Rayoso Formation, Neuquén, Argentina. *Acta Palaeontologica Polonica*, 63(4).
- Carballido, J. L., Garrido, A. C., Canudo, J. I., and Salgado, L. (2010). Redescription of *Rayososaurus agrioensis* Bonaparte (Sauropoda, Diplodocoidea), a rebbachisaurid from the early Late Cretaceous of Neuquén. *Geobios*, 43(5), 493–502.
- Carballido, J. L., Salgado, L., Pol, D., Canudo, J. I., and Garrido, A. (2012). A new basal rebbachisaurid (Sauropoda, Diplodocoidea) from the Early Cretaceous of the Neuquén Basin; evolution and biogeography of the group. *Historical Biology*, 24(6), 631–654.
- Carpenter, K. (2018). *Maraapunisaurus fragillimus*, ng (formerly *Amphicoelias fragillimus*), a basal rebbachisaurid from the Morrison Formation (Upper Jurassic) of Colorado. *Geology of the Intermountain West*, 5, 227–244.
- Carvalho, I. S., Avilla, L. S., and Salgado, L. (2003). *Amazonsaurus maranhensis* gen. et sp. nov. (Sauropoda, Diplodocoidea) from the Lower Cretaceous (Aptian–Albian) of Brazil. *Cretaceous Research*, 24, 697–713.
- Cope, E. D. (1878). A new species of *Amphicoelias*. *American Naturalist*, 12(8), 563–564.

- Dalla Vecchia, F. M. (1998). Remains of Sauropoda (Reptilia, Saurischia) in the Lower Cretaceous (Upper Hauterivian/Lower Barremian) limestones of SW Istria (Croatia). *Geologica Croatica*, 51(2), 105–134.
- D’Emic, M. D., Wilson, J. A., and Chatterjee, S. (2009). The titanosaur (Dinosauria: Sauropoda) osteoderm record: Review and first definitive specimen from India. *Journal of Vertebrate Paleontology*, 29(1), 165–177.
- Fanti, F., Cau, A., Cantelli, L., Hassine, M., and Audatore, M. (2015). New information on *Tataouinea hannibalis* from the Early Cretaceous of Tunisia and implications for the tempo and mode of rebbachisaurid sauropod evolution. *PLOS One*, 10(4), e0123475.
- Fanti, F., Cau, A., Hassine, M., and Contessi, M. (2013). A new sauropod dinosaur from the Early Cretaceous of Tunisia with extreme avian-like pneumatization. *Nature Communications*, 4(1), 2080.
- Fernández-Baldor, F. T. (2012). *Sistemática, filogenia y análisis paleobiogeográfico de demandasaurus darwini (Sauropoda, Rebbachisauridae) del Barremiense superior-Aptiense de Burgos: España*. PhD diss., Universidad de Zaragoza, Spain.
- Fernández-Baldor, F. T., Canudo, J. I., Huerta, P., Montero, D., Suberbiola, X. P., and Salgado, L. (2011). *Demandasaurus darwini*, a new rebbachisaurid sauropod from the Early Cretaceous of the Iberian Peninsula. *Acta Palaeontologica Polonica*, 56(3), 535–552.
- Gallina, P., and Apesteguía, S. (2005). *Cathartesaura anaerobica* gen. et sp. nov., a new rebbachisaurid (Dinosauria, Sauropoda) from the Huincul Formation (Upper Cretaceous), Río Negro, Argentina. *Revista del Museo Argentino de Ciencias Naturales Nueva Serie*, 7(2), 153–166.

Ibiricu, L. M., Casal, G. A., Martínez, R. D., Lamanna, M. C., Luna, M., and Salgado, L. (2013).

Katepensaurus goicoecheai, gen. et sp. nov., a Late Cretaceous rebbachisaurid (Sauropoda, Diplodocoidea) from central Patagonia, Argentina. *Journal of Vertebrate Paleontology*, 33(6), 1351–1366.

Ibiricu, L. M., Casal, G. A., Martínez, R. D., Lamanna, M. C., Luna, M., and Salgado, L. (2015).

New material of *Katepensaurus goicoecheai* (Sauropoda: Diplodocoidea) and its significance for the morphology and evolution of Rebbachisauridae. *Ameghiniana*, 52(4), 430–446.

Ibiricu, L. M., Lamanna, M. C., Martínez, R. D., et al. (2017). A novel form of postcranial

skeletal pneumaticity in a sauropod dinosaur: Implications for the paleobiology of Rebbachisauridae. *Acta Palaeontologica Polonica*, 62(2), 221–236.

Joyce, C. (2007). “Mesozoic cow” rises from the Sahara Desert. National Public Radio,

November 16, 2007. <https://www.npr.org/2007/11/16/16334081/mesozoic-cow-rises-from-the-sahara-desert>.

Lavocat, R. (1954). Sur les dinosauriens du Continental Intercalaire des Kem-Kem de la Daoura.

In Comptes Rendus de la 19th Session, Alger 1952, International Geological Congress, 65–68.

Lerzo, L. N., Carballido, J. L., and Gallina, P. A. (2021). Rebbachisaurid sauropods in Asia?: A

re-evaluation of the phylogenetic position of *Dzharatitanis kingi* from the Late Cretaceous of Uzbekistan. *Publicación Electrónica de la Asociación Paleontológica Argentina*, 21(1), 18–27.

- Lerzo, L. N., Gallina, P. A., Canale, J. I., et al. (2024). The last of the oldies: A basal rebbachisaurid (Sauropoda, Diplodocoidea) from the early Late Cretaceous (Cenomanian–Turonian) of Patagonia, Argentina. *Historical Biology*, 37(2), 208–233.
- Lindoso, R. M., Medeiros, M. A. A., de Souza Carvalho, I., et al. (2019). A new rebbachisaurid (Sauropoda: Diplodocoidea) from the middle Cretaceous of northern Brazil. *Cretaceous Research*, 104, 104191.
- Mannion, P. D., Upchurch, P., Barnes, R. N., and Mateus, O. (2013). Osteology of the Late Jurassic Portuguese sauropod dinosaur *Lusotitan atalaiensis* (Macronaria) and the evolutionary history of basal titanosauriforms. *Zoological Journal of the Linnean Society*, 168, 98–206.
- Mannion, P. D., Upchurch, P., Jin, X., and Zheng, W. (2019a). New information on the Cretaceous sauropod dinosaurs of Zhejiang Province, China: Impact on Laurasian titanosauriform phylogeny and biogeography. *Royal Society Open Science*, 6(8), 191057.
- Mannion, P. D., Upchurch, P., Schwarz, D., and Wings, O. (2019b). Taxonomic affinities of the putative titanosaurs from the Late Jurassic Tendaguru Formation of Tanzania: Phylogenetic and biogeographic implications for eusauropod dinosaur evolution. *Zoological Journal of the Linnean Society*, 185(3), 784–909.
- Medeiros, M. A. A., and Schultz, C. L. (2004). *Rayososaurus* (Sauropoda, Diplodocoidea) no meso-Cretáceo do norte-nordeste Brasileiro. *Revista Brasileira de Paleontologia*, Rio de Janeiro, 7(2), 275–279.
- Medeiros, M. A., Arcanjo, S. H., de Souza Carvalho, I., Pereira, A. A., Lindoso, R. M., and Mendes, I. D. (2015). Nova ocorrência de Diplodocoidea na Bacia de São Luís (Cretáceo,

- Cenomaniano), Norte do Maranhão. In 14th Simpósio de Geologia da Amazônia, Marabá, 1–4.
- Ren, X. X., Jiang, S., Wang, X. R., et al. (2023). Re-examination of *Dashanpusaurus dongi* (Sauropoda: Macronaria) supports an early Middle Jurassic global distribution of neosauropod dinosaurs. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 610, 111318.
- Ren, X. X., Sekiya, T., Wang, T., Yang, Z. W., and You, H. L. (2020). A revision of the referred specimen of *Chuanjiesaurus anaensis* Fang et al., 2000: A new early branching mamenchisaurid sauropod from the Middle Jurassic of China. *Historical Biology*, 33(9), 1872–1887.
- Royo-Torres, R., Cobos, A., Mocho, P., and Alcalá, L. (2020). Origin and evolution of turiasaur dinosaurs set by means of a new ‘rosetta’ specimen from Spain. *Zoological Journal of the Linnean Society*, 191(1), 201–227.
- Salgado, L., Canudo, J. I., Garrido, A. C., and Carballido, J. L. (2012). Evidence of gregariousness in rebbachisaurids (Dinosauria, Sauropoda, Diplodocoidea) from the Early Cretaceous of Neuquén (Rayoso Formation), Patagonia, Argentina. *Journal of Vertebrate Paleontology*, 32(3), 603–613.
- Salgado, L., de Souza Carvalho, I., and Garrido, A. C. (2006). *Zapalasaurus bonapartei*, un nuevo dinosaurio saurópodo de la Formación La Amarga (Cretácico Inferior), noroeste de Patagonia, Provincia de Neuquén, Argentina. *Geobios*, 39(5), 695–707.
- Salgado, L., Garrido, A., Cocca, S. E., and Cocca, J. R. (2004). Lower Cretaceous rebbachisaurid sauropods from Cerro Aguada del León (Lohan Cura Formation), Neuquén Province, northwestern Patagonia, Argentina. *Journal of Vertebrate Paleontology*, 24(4), 903–912.

- Sereno, P. C., Beck, A. L., Dutheil, D. B., et al. (1999). Cretaceous sauropods from the Sahara and the uneven rate of skeletal evolution among dinosaurs. *Science*, 286(5443), 1342–1347.
- Sereno, P. C., Wilson, J. A., Witmer, L. M., et al. (2007). Structural extremes in a Cretaceous dinosaur. *PLOS One*, 2(11), e1230.
- Sues, H.-D., Averianov, A., Ridgely, R. C., and Witmer, L. M. (2015). *Titanosauria* (Dinosauria, Sauropoda) from the Upper Cretaceous (Turonian) Bissekty Formation of Uzbekistan. *Journal of Vertebrate Paleontology*, 35(1), e889145.
- Taylor, M. P. (2018). *Xenoposeidon* is the earliest known rebbachisaurid sauropod dinosaur. *PeerJ*, 6, e5212.
- Taylor, M. P., and Naish, D. (2007). An unusual new neosauropod dinosaur from the Lower Cretaceous Hastings Beds group of East Sussex, England. *Palaeontology*, 50(6), 1547–1564.
- Whitlock, J. A., and Mantilla, J. A. W. (2020). The Late Jurassic sauropod dinosaur ‘*Morosaurus*’ *agilis* Marsh, 1889 reexamined and reinterpreted as a dicraeosaurid. *Journal of Vertebrate Paleontology*, 40(6), e1780600.
- Wilson, J. A., and Allain, R. (2015). Osteology of *Rebbachisaurus garasbae* Lavocat, 1954, a diplodocoid (Dinosauria, Sauropoda) from the early Late Cretaceous-aged Kem Kem beds of southeastern Morocco. *Journal of Vertebrate Paleontology*, 35(4), e1000701.

Macronaria

- An, X., Xu, X., Han, F., et al. (2023). A new juvenile sauropod specimen from the Middle Jurassic Dongdaqiao Formation of East Tibet. *PeerJ*, 11, e14982.

- Antunes, M. T., and Mateus, O. (2003). Dinosaurs of Portugal. *Comptes Rendus Palevol*, 2(1), 77–95.
- Barco, J. L., Canudo, J. I., Cuenca-Bescós, G., and Ruiz-Omeñaca, J. I. (2005). Un nuevo dinosaurio saurópodo *Galvesaurus herreroi* gen. nov., sp. nov., del tránsito Jurásico-Cretácico en Galve (Teruel, NE de España). *Naturaleza Aragonesa*, 15(4), e17.
- Barrett, P. M., Benson, R. B. J., and Upchurch, P. (2010). Dinosaurs of Dorset: Part II, the sauropod dinosaurs (Saurischia, Sauropoda) with additional comments on the theropods. *Proceedings of the Dorset Natural History and Archaeological Society*, 131, 113–126.
- Blows, W. T. (1995). The Early Cretaceous brachiosaurid dinosaurs *Ornithopsis* and *Eucamerotus* from the Isle of Wight, England. *Palaeontology*, 38(1), 187–197.
- Bolecsek, C., and Wings, O. (2013). *Europasaurus holgeri*—the dwarfed dinosaur from the Late Jurassic of Germany. VI Jornadas Internacionales sobre Paleontología de Dinosaurios y su Entorno, Salas de los Infantes, Burgos, Spain, Libro de Resúmenes, 46.
- Britt, B. B., Eberth, D. A., Scheetz, R. D., Greenhalgh, B. W., and Stadtman, K. L. (2009). Taphonomy of debris-flow hosted dinosaur bonebeds at Dalton Wells, Utah (Lower Cretaceous, Cedar Mountain Formation, USA). *Palaeogeography, Palaeoclimatology, Palaeoecology*, 280(1–2), 1–22.
- Britt, B. B., Scheetz, R. D., Whiting, M. F., and Wilhite, D. (2017). *Moabosaurus utahensis*, n. gen., n. sp., a new sauropod from the Early Cretaceous (Aptian) of North America. *Contributions from the Museum of Paleontology, University of Michigan*, 32(11), 189–243.

- Canudo, J. I., Gasca, J. M., Moreno-Azanza, M., and Aurell, M. (2012). New information about the stratigraphic position and age of the sauropod *Aragosaurus ischiaticus* from the Early Cretaceous of the Iberian Peninsula. *Geological Magazine*, 149(2), 252–263.
- Carballido, J. L., Scheil, M., Knötschke, N., and Sander, P. M. (2020). The appendicular skeleton of the dwarf macronarian sauropod *Europasaurus holgeri* from the Late Jurassic of Germany and a re-evaluation of its systematic affinities. *Journal of Systematic Palaeontology*, 18(9), 739–781.
- Carpenter, K., and Tidwell, V. (2005). Reassessment of the Early Cretaceous sauropod *Astrodon johnsoni* Leidy 1865 (Titanosauriformes). In *Thunder-Lizards: The Sauropodomorph Dinosaurs*, edited by Carpenter, K., and Tidwell, V., 78–114. Bloomington: Indiana University Press.
- Chure, D., Britt, B. B., Whitlock, J. A., and Wilson, J. A. (2010). First complete sauropod dinosaur skull from the Cretaceous of the Americas and the evolution of sauropod dentition. *Naturwissenschaften*, 97, 379–391.
- Cope, E. D. (1877a). On a dinosaurian from the Trias of Utah. *Proceedings of the American Philosophical Society*, 16, 579–584.
- Cope, E. D. (1877b). On a gigantic saurian from the Dakota epoch of Colorado. *Paleontological Bulletin*, 25, 5–10.
- Dai, H., Tan, C., Xiong, C., et al. (2022). New macronarian from the Middle Jurassic of Chongqing, China: Phylogenetic and biogeographic implications for neosauropod dinosaur evolution. *Royal Society Open Science*, 9(11), 220794.
- Dantas, P., Sanz, J. L., Marques da Silva, C., Ortega, F., dos Santos, V. F., and Cachão, M. (1998). *Lourinhasaurus* n. gen. Novo dinossáurio saurópode do Jurássico superior

- (Kimmeridgiano superior-Tithoniano inferior) de Portugal. *Comunicações do Instituto Geológico e Mineiro*, 84(1A), 91–94.
- D’Emic, M. D. (2013). Revision of the sauropod dinosaurs of the Lower Cretaceous Trinity Group, southern USA, with the description of a new genus. *Journal of Systematic Palaeontology*, 11(6), 707–726.
- D’Emic, M. D., and Foreman, B. Z. (2012). The beginning of the sauropod dinosaur hiatus in North America: Insights from the Lower Cretaceous Cloverly Formation of Wyoming. *Journal of Vertebrate Paleontology*, 32(4), 883–902.
- D’Emic, M. D., and Foster, J. R. (2016). The oldest Cretaceous North American sauropod dinosaur. *Historical Biology*, 28(4), 470–478.
- D’Emic, M. D., Foreman, B. Z., Jud, N. A. (2016). Anatomy, systematics, paleoenvironment, growth, and age of the sauropod dinosaur *Sonorasaurus thompsoni* from the Cretaceous of Arizona, USA. *Journal of Paleontology*, 90(1), 102–132.
- D’Emic, M. D., and Carrano, M. T. (2019). Redescription of brachiosaurid sauropod dinosaur material from the Upper Jurassic Morrison Formation, Colorado, USA. *Anatomical Record*, 303(4), 732–758.
- Dong, Z., and Tang, Z. (1984). Note on a new Mid-Jurassic sauropod (*Datousaurus bashanensis* gen. et sp. nov.) from Sichuan Basin, China. *Vertebrata Palasiatica*, 22(1), 69–75.
- Fernández-Baldor, F., Canudo, J. I., and Huerta, P. (2020). New data on sauropod palaeobiodiversity at the Jurassic–Cretaceous transition of Spain (Burgos). *Journal of Iberian Geology*, 46(4), 351–362.
- Foster, J. R., Irmis, R. B., Trujillo, K. C., McMullen, S. K., and Gillette, D. D. (2016). *Dystrophaeus viaemalae* Cope from the basal Morrison Formation of Utah: Implications

- for the origin of eusauropods in North America. *Journal of Vertebrate Paleontology*, Program and Abstracts, 2016, 138.
- Guangzhao, P. (2005). *Jurassic Dinosaur Faunas in Zigong*. Zigong, China: Zigong Dinosaur Museum.
- Hallett, M., and Wedel, M. (2016), *The Sauropod Dinosaurs: Life in the Age of Giants*, Baltimore: Johns Hopkins University Press.
- Ikejiri, T. (2005). Distribution and biochronology of *Camarasaurus* (Dinosauria, Sauropoda) from the Jurassic Morrison Formation of the Rocky Mountain region. In *Geology of the Chama Basin*. New Mexico Geological Society Field Conference Guidebook, 56, 367–379.
- Katz, B. (2020). A pair of horses helped excavate a hulking *Brachiosaurus* fossil in Utah. *Smithsonian Magazine*. <https://www.smithsonianmag.com/smart-news/pair-horses-helped-excavate-hulking-brachiosaurus-fossil-utah-180974223/>.
- Kosch, J. C. D., Schwarz-Wings, D., Fritsch, G., and Issever, A. S. (2014). Tooth replacement and dentition in *Giraffatitan brancai*. 74th Annual Meeting of the Society of Vertebrate Paleontology, Berlin, Program and Abstracts, 162.
- Leidy, J. (1865). Memoir on the extinct reptiles of the Cretaceous formations of the United States. *Smithsonian Contributions to Knowledge* 192.
- Maltese, A., Tschopp, E., Holwerda, F., and Burnham, D. (2018). The real Bigfoot: A pes from Wyoming, USA is the largest sauropod pes ever reported and the northernmost occurrence of brachiosaurids in the Upper Jurassic Morrison Formation. *PeerJ*. 6, e5250.
- Mannion, P. D., Allain, R., and Moine, O. (2017). The earliest known titanosauriform sauropod dinosaur and the evolution of Brachiosauridae. *PeerJ*, 5, e3217.

- Mannion, P. D., Upchurch, P., Barnes, R. N., and Mateus, O. (2013). Osteology of the Late Jurassic Portuguese sauropod dinosaur *Lusotitan atalaiensis* (Macronaria) and the evolutionary history of basal titanosauriforms. *Zoological Journal of the Linnean Society*, 168(1), 98–206.
- Mannion, P. D., Upchurch, P., Schwarz, D., and Wings, O. (2019). Taxonomic affinities of the putative titanosaurs from the Late Jurassic Tendaguru Formation of Tanzania: Phylogenetic and biogeographic implications for eusauropod dinosaur evolution. *Zoological Journal of the Linnean Society*, 185(3), 784–909.
- Mantell, G. A. (1850). On the *Pelorosaurus*; an undescribed gigantic terrestrial reptile, whose remains are associated with those of *Iguanodon* and other saurians in the strata of the Tilgate Forest, in Sussex. *Philosophical Transactions of the Royal Society of London*, 140(16), 379–390.
- Marsh, O. C. (1888). Notice of a new genus of Sauropoda and other new dinosaurs from the Potomac Group. *American Journal of Science*, 3rd ser., 35, 89–94.
- Mo, J., Buffetaut, E., Tong, H., et al. (2016). Early Cretaceous vertebrates from the Xinlong Formation of Guangxi (southern China): A review. *Geological Magazine*, 153(1), 143–159.
- Mo, J., Li, J., Ling, Y., et al. (2020). New fossil remain of *Fusuisaurus zhaoui* (Sauropoda: Titanosauriformes) from the Lower Cretaceous of Guangxi, southern China. *Cretaceous Research*, 109, 104379.
- Mo, J., Wang, W., Huang, Z., Huang, X., and Xu, X. (2006). A basal titanosauriform from the Early Cretaceous of Guangxi, China. *Acta Geologica Sinica (English Edition)*, 80(4), 486–489.

- Mocho, P., Royo-Torres, R., and Ortega, F. (2014). Phylogenetic reassessment of *Lourinhasaurus alenquerensis*, a basal Macronaria (Sauropoda) from the Upper Jurassic of Portugal. *Zoological Journal of the Linnean Society*, 170(4), 875–916.
- Mocho, P., Royo-Torres, R., Malafaia, E., Escaso, F., and Ortega, F. (2016). Systematic review of late Jurassic sauropods from the Museu Geológico collections (Lisboa, Portugal). *Journal of Iberian Geology*, 42(2), 227–250.
- Molina-Pérez, R., and Larramendi, A. (2020). *Dinosaur Facts and Figures: The Sauropods and Other Sauropodomorphs*. Princeton, NJ: Princeton University Press.
- Monbaron, M., Russell, D. A., and Taquet, P. (1999). *Atlasaurus imelakei* ng, n. sp., a brachiosaurid-like sauropod from the Middle Jurassic of Morocco alen. *Comptes Rendus de l'Académie des Sciences-Series IIA-Earth and Planetary Science*, 329(7), 519–526.
- Moore, A. J., Barrett, P. M., Upchurch, P., et al. (2023). Re-assessment of the Late Jurassic eusauropod *Mamenchisaurus sinocanadorum* Russell and Zheng, 1993, and the evolution of exceptionally long necks in mamenchisaurids. *Journal of Systematic Palaeontology*, 21(1), 2171818.
- Moore, A. J., Upchurch, P., Barrett, P. M., Clark, J. M., and Xing, X. (2020). Osteology of *Klamelisaurus gobiensis* (Dinosauria, Eusauropoda) and the evolutionary history of Middle–Late Jurassic Chinese sauropods. *Journal of Systematic Palaeontology*, 18(16), 1299–1393.
- Naish, D., and Martill, D. M. (2001). Saurischian dinosaurs 1: Sauropods. In *Dinosaurs of the Isle of Wight*, edited by Martill, D. M., and Naish, D., 185–241. London: Palaeontological Association.

- Olshevsky, G. (1991). A revision of the parainfraclass Archosauria Cope, 1869, excluding the advanced Crocodylia. *Mesozoic Meanderings*, 2, 1–196.
- Ouyang, H. (1989). [A new sauropod from Dashanpu, Zigong Co., Sichuan Province (*Abrosaurus dongpoensis* gen. et sp. nov.).] *Zigong Dinosaur Museum Newsletter*, 2, 10–14.
- Owen, R. (1841). Report on British Fossil Reptiles. Part II. Report of the British Association for the Advancement of Science, 11th Meeting (1841), 195.
- Owen, R. (1884). *A History of British Fossil Reptiles*. London: Cassell.
- Paul, G. S. (1988). The brachiosaur giants of the Morrison and Tendaguru with a description of a new subgenus, *Giraffatitan*, and a comparison of the world's largest dinosaurs. *Hunteria*, 2(3), 1–14.
- Paul, G. S. (2016). *The Princeton Field Guide to Dinosaurs*. Princeton, NJ: Princeton University Press.
- Peng, G., Ye, Y., Gao, Y., Shu, C., and Jiang, S. (2005). *Jurassic Dinosaur Faunas in Zigong*. Chengdu, China: Sichuan Publishing Group People's Press.
- Pérez-Pueyo, M., Canudo Sanagustín, J. I., Barco, J. L., and Moreno-Azanza, M. (2019). New contributions to the phylogenetic position of the sauropod *Galvesaurus herreroi* from the late Kimmeridgian–early Tithonian (Jurassic) of Teruel (Spain). *Boletín Geológico y Minero*, 130(3), 375–392.
- Ratkevich, R. (1998). New Cretaceous brachiosaurid dinosaur, *Sonorasaurus thompsoni* gen. et sp. nov, from Arizona. *Journal of the Arizona-Nevada Academy of Science*, 31(1), 71–82.

- Ren, X. X., Jiang, S., Wang, X. R., et al. (2022). Osteology of *Dashanpusaurus dongi* (Sauropoda: Macronaria) and new evolutionary evidence from Middle Jurassic Chinese sauropods. *Journal of Systematic Palaeontology*, 20(1), 1–72.
- Ren, X. X., Jiang, S., Wang, X. R., et al. (2023). Re-examination of *Dashanpusaurus dongi* (Sauropoda: Macronaria) supports an early Middle Jurassic global distribution of neosauropod dinosaurs. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 610, 111318.
- Reuters. (2018). Dinosaur tail to be auctioned for Mexico quake reconstruction. Voice of America, January 17, 2018. <https://www.voanews.com/a/dinosaur-tail-to-be-auctioned-for-mexico-quake-reconstruction-/4211161.html>.
- Riggs, E. S. (1903). *Brachiosaurus altithorax*, the largest known dinosaur. *American Journal of Science*, ser. 4, 15, 299–306.
- Rose, P. J. (2007). A new titanosauriform sauropod (Dinosauria: Saurischia) from the Early Cretaceous of central Texas and its phylogenetic relationships. *Palaeontologia Electronica*, 10(2), 1.
- Royo-Torres, R., Cobos, A., Mocho, P., and Alcalá, L. (2020). Origin and evolution of turiasaur dinosaurs set by means of a new ‘rosetta’ specimen from Spain. *Zoological Journal of the Linnean Society*, 191(1), 201–227.
- Royo-Torres, R., Fuentes, C., Mejjide, M., Mejjide-Fuentes, F., and Mejjide-Fuentes, M. (2017). A new Brachiosauridae sauropod dinosaur from the lower Cretaceous of Europe (Soria Province, Spain). *Cretaceous Research*, 80, 38–55.
- Sander, P. M., Mateus, O., Laven, T., and Knötschke, N. (2006). Bone histology indicates insular dwarfism in a new Late Jurassic sauropod dinosaur. *Nature*, 441(7094), 739–741.

- Sanders, F., Manley, K., and Carpenter, K. (2001). Gastroliths from the Lower Cretaceous sauropod *Cedarosaurus weiskopfae*. In *Mesozoic Vertebrate Life: New Research Inspired by the Paleontology of Philip J. Currie.*, edited by Tanke, D., and Carpenter, K., 166–180. Bloomington: Indiana University Press.
- Sanz, J. L., Buscalioni, A. D., Casanovas, M. L., and Santafé, J. V. (1987). Dinosaurios del Cretácico Inferior de Galve (Teruel, España). *Estudios Geológicos*, 43(suppl.), 45–64.
- Seeley, H. G. (1870). *Ornithopsis*, a gigantic animal of the Pterodactyle kind from the Wealden. *Annals and Magazine of Natural History*, 5(4), 305–318.
- Taylor, M. P. (2009). A re-evaluation of *Brachiosaurus altithorax* Riggs 1903 (Dinosauria, Sauropod) and its generic separation from *Giraffatitan brancai* (Janensch 1914). *Journal of Vertebrate Paleontology*, 29(3), 787–806.
- Tidwell, V., and Wilhite, D. R. (2005). Ontogenetic variation and isometric growth in the forelimb of the Early Cretaceous sauropod *Venenosaurus*. *Thunder Lizards: The Sauropodomorph Dinosaurs*, edited by Carpenter, K., and Tidswell, V., 187–198. Bloomington: Indiana University Press.
- Tidwell, V., Carpenter, K., and Brooks, W. (1999). New sauropod from the Lower Cretaceous of Utah, USA. *Oryctos*, 2(21), 21–37.
- Tidwell, V., Carpenter, K., Meyer, S., and Tanke, D. H. (2001). New titanosauriform (Sauropoda) from the poison strip member of the cedar mountain formation (Lower Cretaceous), Utah. In *Mesozoic Vertebrate Life*, 139–165. Indiana University Press, Bloomington.
- Tschopp, E., Mateus, O., and Benson, R. B. (2015). A specimen-level phylogenetic analysis and taxonomic revision of Diplodocidae (Dinosauria, Sauropoda). *PeerJ*, 3, e857.

- Upchurch, P., Barrett, P. M., and Dodson, P. (2004). Sauropoda. In *The Dinosauria*, 2nd ed., edited by Weishampel, D. B., Dodson, P., and Osmólska, H., 259–322. Oakland: University of California Press
- Upchurch, P., Mannion, P. D, and Barrett, P. M. (2011). Sauropod dinosaurs. In *Field Guide to English Wealden Fossils*, edited by Batten, D. J., 476–525. London: Palaeontological Association.
- Vidarte, C. F., Calvo, M. M., Fuentes, F. M., and Fuentes, M. M. (2005). Fauna de vertebrados del Cretácico Inferior del yacimiento de “Zorralbo” en Golmayo (Soria, España). *Spanish Journal of Palaeontology*, 20(3), 83–92.
- Wang, X. R., Wu, W. H., Li, T., Ji, Q., Li, Y. X., and Guo, J. F. (2019). A new titanosauriform dinosaur (Dinosauria: Sauropoda) from Late Jurassic of Junggar Basin, Xinjiang. *Global Geology*, 38(3), 581–588.
- Wedel, M. J., and Taylor, M. P. (2013). Caudal pneumaticity and pneumatic hiatuses in the sauropod dinosaurs *Giraffatitan* and *Apatosaurus*. *PLOS One*, 8(10), e78213.
- Wings, O. (2015). The Langenberg Quarry near Goslar: Unique window into a terrestrial Late Jurassic ecosystem in northern Germany. Abstracts of the 12th Symposium on Mesozoic Terrestrial Ecosystems, 2015, Shenyang, China, 99–100.
- Woodruff, D. C. (2012). A new titanosauriform from the Early Cretaceous Cloverly Formation of Montana. *Cretaceous Research*, 36, 58–66.
- Woodruff, D. C., and Foster, J. R. (2017). The first specimen of *Camarasaurus* (Dinosauria: Sauropoda) from Montana: The northernmost occurrence of the genus. *PLOS One*, 12(5), e0177423.

Woodruff, D. C., Wilhite, D. R., Larson, P. L., and Eads, M. (2021). A new specimen of the basal macronarian *Camarasaurus* (Dinosauria: Sauropoda) highlights variability and cranial allometry within the genus. *Volumina Jurassica*, 19(1), 109–130.

Somphospondyli

Alifanov, V. R., and Bolotsky, Y. L. (2010). *Arkharavia heterocoelica* gen. et sp. nov., a new sauropod dinosaur from the Upper Cretaceous of the Far East of Russia. *Paleontological Journal*, 44, 84–91.

An, X., Xu, X., Han, F., et al. (2023). A new juvenile sauropod specimen from the Middle Jurassic Dongdaqiao Formation of East Tibet. *PeerJ*, 11, e14982.

Apesteguía, S., Ceballos Izquierdo, Y., and Iturralde-Vinent, M. (2021). New taxonomic assignment for a dinosaur sauropod bone from Cuba. *Historical Biology*, 33(5), 737–742.

Averianov, A. O., and Lopatin, A. V. (2022). A long-necked theropod from the Lower Cretaceous of Western Siberia, Russia. *Journal of Vertebrate Paleontology*, 42(6), e2216761.

Averianov, A., Ivantsov, S., Skutschas, P., Faingertz, A., and Leshchinskiy, S. (2018). A new sauropod dinosaur from the lower Cretaceous Ilel formation, Western Siberia, Russia. *Geobios*, 51(1), 1–14.

Azuma, Y., and Shibata, M. (2010). *Fukuititan nipponensis*, a new titanosauriform sauropod from the Early Cretaceous Tetori Group of Fukui Prefecture, Japan. *Acta Geologica Sinica (English Edition)*, 84(3), 454–462.

Bellardini, F., Coria, R. A., Pino, D. A., Windholz, G. J., Baiano, M. A., and Martinelli, A. G. (2022). Osteology and phylogenetic relationships of *Ligabuesaurus leanzai* (Dinosauria:

- Sauropoda) from the early Cretaceous of the Neuquén Basin, Patagonia, Argentina. *Zoological Journal of the Linnean Society*, 196(4), 1333–1393.
- Bonaparte, J. F., Riga, B. J. G., and Apesteguía, S. (2006). *Ligabuesaurus leanzai* gen. et sp. nov. (Dinosauria, Sauropoda), a new titanosaur from the Lohan Cura Formation (Aptian, Lower Cretaceous) of Neuquén, Patagonia, Argentina. *Cretaceous Research*, 27(3), 364–376.
- Broom, R. (1904). On the occurrence of an opisthocoelian dinosaur (*Algoasaurus bauri*) in the Cretaceous beds of South Africa. *Geological Magazine*, decade 5, 1(483), 445–447.
- Canudo, J. I., Royo-Torres, R., and Cuenca-Bescós, G. (2008). A new sauropod: *Tastavinsaurus sanzi* gen. et sp. nov. from the Early Cretaceous (Aptian) of Spain. *Journal of Vertebrate Paleontology*, 28(3), 712–731.
- Carballido, J. L., Bellardini, F., and Salgado, L. (2022). The rise of non-titanosaur macronarians in South America. In *South American Sauropodomorph Dinosaurs, Record, Diversity and Evolution*, edited by Otero, A., Carballido, J. L., and Pol, D., 237–268. Cham: Springer International.
- Carballido, J. L., Pol, D., Cerda, I., and Salgado, L. (2011). The osteology of *Chubutisaurus insignis* del Corro, 1975 (Dinosauria: Neosauropoda) from the ‘middle’ Cretaceous of central Patagonia, Argentina. *Journal of Vertebrate Paleontology*, 31(1), 93–110.
- Carballido, J. L., Pol, D., Otero, A., et al. (2017). A new giant titanosaur sheds light on body mass evolution among sauropod dinosaurs. *Proceedings of the Royal Society B: Biological Sciences*, 284(1860), 20171219.
- Carballido, J. L., Pol, D., Parra Ruge, M. L., Padilla Bernal, S., Páramo-Fonseca, M. E., and Etayo-Serna, F. (2015). A new Early Cretaceous brachiosaurid (Dinosauria,

- Neosauropoda) from northwestern Gondwana (Villa de Leiva, Colombia). *Journal of Vertebrate Paleontology*, 35(5), e980505.
- Carballido, J. L., Scheil, M., Knötschke, N., and Sander, P. M. (2020). The appendicular skeleton of the dwarf macronarian sauropod *Europasaurus holgeri* from the Late Jurassic of Germany and a re-evaluation of its systematic affinities. *Journal of Systematic Palaeontology*, 18(9), 739–781.
- Carvalho, I. S., Salgado, L., Lindoso, R. M., de Araújo-Júnior, H. I., Nogueira, F. C. C., and Soares, J. A. (2017). A new basal titanosaur (Dinosauria, Sauropoda) from the Lower Cretaceous of Brazil. *Journal of South American Earth Sciences*, 75, 74–84.
- Coombs, W. P., and Molnar, R. E. (1981). Sauropoda (Reptilia, Saurischia) from the Cretaceous of Queensland. *Memoirs of the Queensland Museum*, 20, 351–372.
- Dai, H., Tan, C., Xiong, C., et al. (2022). New macronarian from the Middle Jurassic of Chongqing, China: Phylogenetic and biogeographic implications for neosauropod dinosaur evolution. *Royal Society Open Science*, 9(11), 220794.
- del Corro, G. (1975). Un nuevo sauropodo del Cretácico Superior. *Actas del Primer Congreso Argentino de Paleontología y Bioestratigrafía*, 2, 229–240.
- D’Emic, M. D. (2012). Revision of the sauropod dinosaurs of the Lower Cretaceous Trinity Group, southern USA, with the description of a new genus. *Journal of Systematic Palaeontology*, 11(6), 707–726.
- D’Emic, M. D., and Foreman, B. Z. (2012). The beginning of the sauropod dinosaur hiatus in North America: Insights from the Lower Cretaceous Cloverly Formation of Wyoming. *Journal of Vertebrate Paleontology*, 32(4), 883–902.

- Dong, Z. M., Paik, I. S., and Kim, H. J. (2001). A preliminary report on a sauropod from the Hasandong Formation (Lower Cretaceous), Korea. In *Proceedings of the Eighth Annual Meeting of the Chinese Society of Vertebrate Paleontology*, edited by Deng, T., and Wang, Y., 41–53. Beijing: China Ocean Press.
- Fernández-Baldor, F. T., Canudo, J. I., Huerta, P., Moreno-Azanza, M., and Montero, D. (2017). *Europatitan eastwoodi*, a new sauropod from the lower Cretaceous of Iberia in the initial radiation of somphospondylans in Laurasia. *PeerJ*, 5, e3409.
- Godefroit, P., Bolotsky, Y. L., and Bolotsky, I. Y. (2011). Osteology and relationships of *Olorotitan arharensis*, a hollow-crested hadrosaurid dinosaur from the latest Cretaceous of Far Eastern Russia. *Acta Palaeontologica Polonica*, 57(3), 527–560.
- González Riga, B. J., Previtera, E., and Pirrone, C. A. (2009). *Malarguesaurus florenciae* gen. et sp. nov., a new titanosauriform (Dinosauria, Sauropoda) from the Upper Cretaceous of Mendoza, Argentina. *Cretaceous Research*, 30(1), 135–148.
- Gorscak, E., O'Connor, P. M., Roberts, E. M., and Stevens, N. J. (2017). The second titanosaurian (Dinosauria: Sauropoda) from the middle Cretaceous Galula Formation, southwestern Tanzania, with remarks on African titanosaurian diversity. *Journal of Vertebrate Paleontology*, 37(4), e1343250.
- Han, F., Yang, L., Lou, F., et al. (2024). A new titanosaurian sauropod, *Gandititan cavocaudatus* gen. et sp. nov., from the Late Cretaceous of southern China, *Journal of Systematic Palaeontology*, 22(1), 2293038.
- Hocknull, S. A., White, M. A., Tischler, T. R., et al. (2009). New mid-Cretaceous (latest Albian) dinosaurs from Winton, Queensland, Australia. *PLOS One*, 4(7), e6190.

- Longman, H. A. (1933). A new dinosaur from the Queensland Cretaceous. *Memoirs of the Queensland Museum*, 10(3), 131–144.
- Lü, J., Xu, L., Jiang, X., et al. (2009). A preliminary report on the new dinosaurian fauna from the Cretaceous of the Ruyang Basin, Henan Province of central China. *Journal of the Paleontological Society of Korea*, 25(1), 43–56.
- Lü, J., Xu, L., Zhang, X., et al. (2007). A new gigantic sauropod dinosaur with the deepest known body cavity from the Cretaceous of Asia. *Acta Geologica Sinica (English Edition)*, 81, 167–176.
- Mannion, P. D., Allain, R., and Moine, O. (2017). The earliest known titanosauriform sauropod dinosaur and the evolution of Brachiosauridae. *PeerJ*, 5, e3217.
- Mannion, P. D., Upchurch, P., Barnes, R. N., and Mateus, O. (2013). Osteology of the Late Jurassic Portuguese sauropod dinosaur *Lusotitan atalaiensis* (Macronaria) and the evolutionary history of basal titanosauriforms. *Zoological Journal of the Linnean Society*, 168(1), 98–206.
- Mannion, P. D., Upchurch, P., Schwarz, D., and Wings, O. (2019). Taxonomic affinities of the putative titanosaurs from the Late Jurassic Tendaguru Formation of Tanzania: Phylogenetic and biogeographic implications for eusauropod dinosaur evolution. *Zoological Journal of the Linnean Society*, 185(3), 784–909.
- Mateus, O., Jacobs, L. L., Schulp, A. S., et al. (2011). *Angolatitan adamastor*, a new sauropod dinosaur and the first record from Angola. *Anais da Academia Brasileira de Ciências*, 83, 221–233.
- McPhee, B. W., Mannion, P. D., de Klerk, W. J., and Choiniere, J. N. (2016). High diversity in the sauropod dinosaur fauna of the Lower Cretaceous Kirkwood Formation of South

- Africa: Implications for the Jurassic–Cretaceous transition. *Cretaceous Research*, 59, 228–248.
- Mo, J., Ma, F., Yu, Y., and Xu, X. (2022). A new titanosauriform sauropod with an unusual tail from the Lower Cretaceous of northeastern China. *Cretaceous Research*, 144, 105449.
- Mo, J., Xu, X., and Buffetaut, E. (2010). A new eusauropod dinosaur from the Lower Cretaceous of Guangxi Province, Southern China. *Acta Geologica Sinica (English Edition)*, 84(6): 1328–1335.
- Mocho, P., Escaso, F., Gasulla, J. M., et al. (2024). New sauropod dinosaur from the Lower Cretaceous of Morella (Spain) provides new insights on the evolutionary history of Iberian somphospondylan titanosauriforms. *Zoological Journal of the Linnean Society*, 201(1), 214–268.
- Mocho, P., Royo-Torres, R., and Ortega, F. (2019). A new macronarian sauropod from the Upper Jurassic of Portugal. *Journal of Vertebrate Paleontology*, 39(1), e1578782.
- Moore, A. J., Upchurch, P., Barrett, P. M., Clark, J. M., and Xing, X. (2020). Osteology of *Klamelisaurus gobiensis* (Dinosauria, Eusauropoda) and the evolutionary history of Middle–Late Jurassic Chinese sauropods. *Journal of Systematic Palaeontology*, 18(16), 1299–1393.
- Paik, I. S., Kim, H. J., Lim, J. D., Huh, M., and Lee, H. I. (2011). Diverse tooth marks on an adult sauropod bone from the Early Cretaceous, Korea: Implications in feeding behaviour of theropod dinosaurs. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 309(3–4), 342–346.
- Park, J.-Y. (2016). Comments on the validity of the taxonomic status of “*Pukyongosaurus*” (Dinosauria: Sauropoda). *Memoir of the Fukui Prefectural Dinosaur Museum*, 15, 27–32.

- Paul, G. S. (2019). Determining the largest known land animal: A critical comparison of differing methods for restoring the volume and mass of extinct animals. *Annals of the Carnegie Museum*, 85(4), 335–358.
- Pérez-Pueyo, M., Canudo Sanagustín, J. I., Barco, J. L., and Moreno-Azanza, M. (2019). New contributions to the phylogenetic position of the sauropod *Galvesaurus herreroi* from the late Kimmeridgian–early Tithonian (Jurassic) of Teruel (Spain). *Boletín Geológico y Minero*, 130(3), 375–392.
- Poropat, S. F., Frauenfelder, T. G., Mannion, P. D., et al. (2022). Sauropod dinosaur teeth from the lower Upper Cretaceous Winton Formation of Queensland, Australia and the global record of early titanosauriforms. *Royal Society Open Science*, 9(7), 220381.
- Poropat, S. F., Mannion, P. D., Upchurch, P., Hocknull, S. A., Kear, B. P., and Elliott, D. A. (2014). Reassessment of the non-titanosaurian somphospondylan *Wintonotitan wattsi* (Dinosauria: Sauropoda: Titanosauriformes) from the mid-Cretaceous Winton Formation, Queensland, Australia. *Papers in Palaeontology*, 1(1), 59–106.
- Poropat, S. F., Nair, J. P., Syme, C. E., et al. (2017). Reappraisal of *Austrosaurus mckillopi* Longman, 1933 from the Allaru Mudstone of Queensland, Australia's first named Cretaceous sauropod dinosaur. *Alcheringa: An Australasian Journal of Palaeontology*, 41(4), 543–580.
- Poropat, S. F., Upchurch, P., Mannion, P. D., et al. (2015). Revision of the sauropod dinosaur *Diamantinasaurus matildae* Hocknull et al. 2009 from the mid-Cretaceous of Australia: Implications for Gondwanan titanosauriform dispersal. *Gondwana Research*, 27(3), 995–1033.

- Previtera, E. (2017). Bone microstructure and diagenesis of saurischian dinosaurs from the Upper Cretaceous (Neuquén Group), Argentina. *Andean Geology*, 44, 39–58.
- Remes, K. (2007). A second Gondwanan diplodocid dinosaur from the Upper Jurassic Tendaguru beds of Tanzania, East Africa. *Palaeontology*, 50(3), 653–667.
- Ren, X. X., Huang, J. D., and You, H. L. (2018). The second mamenchisaurid dinosaur from the Middle Jurassic of eastern China. *Historical Biology*, 32(5), 602–610.
- Ren, X. X., Jiang, S., Wang, X. R., et al. (2023). Re-examination of *Dashanpusaurus dongi* (Sauropoda: Macronaria) supports an early Middle Jurassic global distribution of neosauropod dinosaurs. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 610, 111318.
- Rose, P. J. (2007). A new titanosauriform sauropod (Dinosauria: Saurischia) from the Early Cretaceous of central Texas and its phylogenetic relationships. *Palaeontologia Electronica*, 10(2), 1.
- Royo-Torres, R., Alcalá, L., and Cobos, A. (2012). A new specimen of the Cretaceous sauropod *Tastavinsaurus sanzi* from El Castellar (Teruel, Spain), and a phylogenetic analysis of the Laurasiformes. *Cretaceous Research*, 34, 61–83.
- Royo-Torres, R., Upchurch, P., Kirkland, J. I., et al. (2017). Descendants of the Jurassic turiasaurs from Iberia found refuge in the Early Cretaceous of western USA. *Scientific Reports*, 7(1), 14311.
- Royo-Torres, R., Cobos, A., Mocho, P., and Alcalá, L. (2020). Origin and evolution of turiasaur dinosaurs set by means of a new ‘rosetta’ specimen from Spain. *Zoological Journal of the Linnean Society*, 191(1), 201–227.

- Taylor, M. P., Wedel, M. J., and Cifelli, R. L. (2011). A new sauropod dinosaur from the Lower Cretaceous Cedar Mountain Formation, Utah, USA. *Acta Palaeontologica Polonica*, 56(1), 75–98.
- Tidwell, V., Carpenter, K., and Brooks, W. (1999). New sauropod from the Lower Cretaceous of Utah, USA. *Oryctos*, 2(21), 21–37.
- Wang, X., Bandeira, K. L., Qiu, R., et al. (2021). The first dinosaurs from the Early Cretaceous Hami Pterosaur Fauna, China. *Scientific Reports*, 11(1), 14962.
- Wang, X., You, H., Meng, Q., Gao, C., Chang, X., and Liu, J. (2007). *Dongbeititan dongi*, the first sauropod dinosaur from the Lower Cretaceous Jehol Group of western Liaoning Province, China. *Acta Geologica Sinica (English Edition)*, 81(6), 911–916.
- Wedel, M. J., Cifelli, R. L., and Sanders, R. K. (2000). *Sauroposeidon proteles*, a new sauropod from the Early Cretaceous of Oklahoma. *Journal of Vertebrate Paleontology*, 20(1), 109–114.
- Whitlock, J. A. (2011). Re-evaluation of *Australodocus bohetii*, a putative diplodocoid sauropod from the Tendaguru Formation of Tanzania, with comment on Late Jurassic sauropod faunal diversity and palaeoecology. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 309(3–4), 333–341.
- Wilson, J. A., and Upchurch, P. (2009). Redescription and reassessment of the phylogenetic affinities of *Euhelopus zdanskyi* (Dinosauria: Sauropoda) from the Early Cretaceous of China. *Journal of Systematic Palaeontology*, 7(2), 199–239.
- Wu, W.-H., Dong, Z.-M., Sun, Y.-W., Li, C.-T., and Li, T. (2006). A new sauropod dinosaur from the Cretaceous of Jiutai, Jilin, China. *Global Geology*, 25(1), 6–8.

You, H. L., Li, D. Q., Zhou, L. Q., and Ji, Q.I.A.N.G. (2006). *Huanghetitan liujiaxiaensis*, a new sauropod dinosaur from the lower Cretaceous Hekou Group of Lanzhou Basin, Gansu Province, China. *Geological Review*, 52(5), 668–674.

Zhou, C. F., Wu, W. H., Sekiya, T., and Dong, Z. M. (2018). A new titanosauriformes dinosaur from Jehol Biota of western Liaoning, China. *Global Geology*, 37(2), 327–333.

Euhelopodidae

Allain, R., Taquet, P., Battail, B., et al. (1999). Un nouveau genre de dinosaure sauropode de la formation des Grès supérieurs (Aptien-Albien) du Laos. *Comptes Rendus de l'Académie des Sciences-Series IIA-Earth and Planetary Science*, 329(8), 609–616.

An, X., Xu, X., Han, F., et al. (2023). A new juvenile sauropod specimen from the Middle Jurassic Dongdaqiao Formation of East Tibet. *PeerJ*, 11, e14982.

Averianov, A., and Sues, H. D. (2017). Review of Cretaceous sauropod dinosaurs from Central Asia. *Cretaceous Research*, 69, 184–197.

Averianov, A., Ivantsov, S., Skutschas, P., Faingertz, A., and Leshchinskiy, S. (2018). A new sauropod dinosaur from the lower Cretaceous Ilel Formation, Western Siberia, Russia. *Geobios*, 51(1), 1–14.

Barrett, P. M., Hasegawa, Y., Manabe, M., Isaji, S., and Matsuoka, H. (2002). Sauropod dinosaurs from the Lower Cretaceous of eastern Asia: Taxonomic and biogeographical implications. *Palaeontology*, 45(6), 1197–1217.

Bellardini, F., Coria, R. A., Pino, D. A., Windholz, G. J., Baiano, M. A., and Martinelli, A. G. (2022). Osteology and phylogenetic relationships of *Ligabuesaurus leanzai* (Dinosauria: Sauropoda) from the early Cretaceous of the Neuquén Basin, Patagonia, Argentina. *Zoological Journal of the Linnean Society*, 196(4), 1333–1393.

- Carballido, J. L., Scheil, M., Knötschke, N., and Sander, P. M. (2020). The appendicular skeleton of the dwarf macronarian sauropod *Europasaurus holgeri* from the Late Jurassic of Germany and a re-evaluation of its systematic affinities. *Journal of Systematic Palaeontology*, 18(9), 739–781.
- Dai, H., Tan, C., Xiong, C., et al. (2022). New macronarian from the Middle Jurassic of Chongqing, China: Phylogenetic and biogeographic implications for neosauropod dinosaur evolution. *Royal Society Open Science*, 9(11), 220794.
- D’Emic, M. D. (2012). Revision of the sauropod dinosaurs of the Lower Cretaceous Trinity Group, southern USA, with the description of a new genus. *Journal of Systematic Palaeontology*, 11(6), 707–726.
- Gallina, P. A., Canale, J. I., and Carballido, J. L. (2021). The earliest known titanosaur sauropod dinosaur. *Ameghiniana*, 58(1), 35–51.
- Gilmore, C. W. (1933). Two new dinosaurian reptiles from Mongolia with notes on some fragmentary specimens. *American Museum Novitates*, 679, 1–20.
- Kaikaew, S., Suteethorn, V., Deesri, U., and Suteethorn, S. (2022). The endocast of *Phuwiangosaurus sirindhornae* from the Lower Cretaceous of Thailand. *Cretaceous Research*, 144, 105434.
- Klein, N., Sander, M., and Suteethorn, V. (2009). Bone histology and its implications for the life history and growth of the Early Cretaceous titanosaur *Phuwiangosaurus sirindhornae*. *Geological Society, London, Special Publications*, 315(1), 217–228.
- Ksepka, D. T., and Norell, M. A. (2006). *Erketu ellisoni*, a long-necked sauropod from Bor Guvé (Dornogov Aimag, Mongolia). *American Museum Novitates*, 2006(3508), 1–16.

- Ksepka, D. T., and Norell, M. A. (2010). The illusory evidence for Asian Brachiosauridae: New material of *Erketu ellisoni* and a phylogenetic reappraisal of basal Titanosauriformes. *American Museum Novitates*, 2010(3700), 1–27.
- Li, L. G., Li, D. Q., You, H. L., and Dodson, P. (2014). A new titanosaurian sauropod from the Hekou Group (Lower Cretaceous) of the Lanzhou-Minhe Basin, Gansu Province, China. *PLOS One*, 9(1), e85979.
- Lü, J., Pu, H., Xu, L., Jia, S., Zhang, J., and Shen, C. (2014). *Osteology of the Giant Sauropod Dinosaur Ruyangosaurus giganteus Lü et al., 2009*. Beijing: Geological Publishing House.
- Lü, J., Xu, L., Jia, S., et al. (2009). A new gigantic sauropod dinosaur from the Cretaceous of Ruyang, Henan, China. *Geological Bulletin of China*, 28(1), 1–10.
- Lü, J., Xu, L., Pu, H., et al. (2013). A new sauropod dinosaur (Dinosauria, Sauropoda) from the late Early Cretaceous of the Ruyang Basin (central China). *Cretaceous Research*, 44, 202–213.
- Mannion, P. D. (2011). A reassessment of *Mongolosaurus haplodon* Gilmore, 1933, a titanosaurian sauropod dinosaur from the Early Cretaceous of Inner Mongolia, People's Republic of China. *Journal of Systematic Palaeontology*, 9(3), 355–378.
- Mannion, P. D., Allain, R., and Moine, O. (2017). The earliest known titanosauriform sauropod dinosaur and the evolution of Brachiosauridae. *PeerJ*, 5, e3217.
- Mannion, P. D., Upchurch, P., Jin, X., and Zheng, W. (2019a). New information on the Cretaceous sauropod dinosaurs of Zhejiang Province, China: Impact on Laurasian titanosauriform phylogeny and biogeography. *Royal Society Open Science*, 6(8), 191057.

- Mannion, P. D., Upchurch, P., Schwarz, D., and Wings, O. (2019b). Taxonomic affinities of the putative titanosaurs from the Late Jurassic Tendaguru Formation of Tanzania: Phylogenetic and biogeographic implications for eusauropod dinosaur evolution. *Zoological Journal of the Linnean Society*, 185(3), 784–909.
- Martin, V., Buffetaut, E., and Suteethorn, V. (1994). A new genus of sauropod dinosaur from the Sao Khua Formation (Late Jurassic or Early Cretaceous) of northeastern Thailand. *Comptes Rendus de l'Académie des Sciences-Series IIA-Earth and Planetary Science*, 319, 1085–1092.
- Martin, V., Suteethorn, V., and Buffetaut, E. (1999). Description of the type and referred material of *Phuwiangosaurus sirindhornae* Martin, Buffetaut and Suteethorn, 1994, a sauropod from the Lower Cretaceous of Thailand. *Oryctos*, 2, 39–91.
- Mo, J., Ma, F., Yu, Y., and Xu, X. (2023). A new titanosauriform sauropod with an unusual tail from the Lower Cretaceous of northeastern China. *Cretaceous Research*, 144, 105449.
- Mocho, P., Royo-Torres, R., and Ortega, F. (2019). A new macronarian sauropod from the Upper Jurassic of Portugal. *Journal of Vertebrate Paleontology*, 39(1), e1578782.
- Moore, A. J., Upchurch, P., Barrett, P. M., Clark, J. M., and Xing, X. (2020). Osteology of *Klamelisaurus gobiensis* (Dinosauria, Eusauropoda) and the evolutionary history of Middle–Late Jurassic Chinese sauropods. *Journal of Systematic Palaeontology*, 18(16), 1299–1393.
- Pérez-Pueyo, M., Canudo Sanagustín, J. I., Barco, J. L., and Moreno-Azanza, M. (2019). New contributions to the phylogenetic position of the sauropod *Galvesaurus herreroi* from the late Kimmeridgian–early Tithonian (Jurassic) of Teruel (Spain). *Boletín Geológico y Minero*, 130(3), 375–392.

- Poropat, S. F., and Kear, B. P. (2013). Photographic atlas and three-dimensional reconstruction of the holotype skull of *Euhelopus zdanskyi* with description of additional cranial elements. *PLOS One*, 8(11), e79932.
- Ren, X. X., Jiang, S., Wang, X. R., et al. (2023). Re-examination of *Dashanpusaurus dongi* (Sauropoda: Macronaria) supports an early Middle Jurassic global distribution of neosauropod dinosaurs. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 610, 111318.
- Romer A. S. (1956). *Osteology of the Reptiles*. Chicago, IL: University of Chicago Press.
- Royo-Torres, R., Cobos, A., Mocho, P., and Alcalá, L. (2020). Origin and evolution of turiasaur dinosaurs set by means of a new ‘rosetta’ specimen from Spain. *Zoological Journal of the Linnean Society*, 191(1), 201–227.
- Suteethorn, S., Le Loeuff, J., Buffetaut, E., and Suteethorn, V. (2010). Description of topotypes of *Phuwiangosaurus sirindhornae*, a sauropod from the Sao Khua Formation (Early Cretaceous) of Thailand, and their phylogenetic implications. *Neues Jahrbuch für Geologie und Paläontologie*, 256(1), 109.
- Suteethorn, S., Le Loeuff, J., Buffetaut, E., Suteethorn, V., Talubmook, C., and Chonglakmani, C. (2009). A new skeleton of *Phuwiangosaurus sirindhornae* (Dinosauria, Sauropoda) from NE Thailand. *Geological Society, London, Special Publications*, 315(1), 189–215.
- Wang, X., Bandeira, K. L., Qiu, R., et al. (2021). The first dinosaurs from the early Cretaceous Hami Pterosaur fauna, China. *Scientific Reports*, 11(1), 14962.
- Wilson, J. A., and Upchurch, P. (2009). Redescription and reassessment of the phylogenetic affinities of *Euhelopus zdanskyi* (Dinosauria: Sauropoda) from the Early Cretaceous of China. *Journal of Systematic Palaeontology*, 7(2), 199–239.

You, H. L., and Li, D. Q. (2009). The first well-preserved Early Cretaceous brachiosaurid dinosaur in Asia. *Proceedings of the Royal Society B: Biological Sciences*, 276(1675), 4077–4082.

You, H., Tang, F., and Luo, Z. (2003). A new basal titanosaur (Dinosauria: Sauropoda) from the Early Cretaceous of China. *Acta Geologica Sinica (English Edition)*, 77(4), 424–429.

Titanosauria

Averianov, A. O., and Lopatin, A. V. (2020). An unusual new sauropod dinosaur from the Late Cretaceous of Mongolia. *Journal of Systematic Palaeontology*, 18(12), 1009–1032.

Averianov, A., and Sues, H. D. (2017). Review of Cretaceous sauropod dinosaurs from Central Asia. *Cretaceous Research*, 69, 184–197.

Averianov, A., Ivantsov, S., Skutschas, P., Faingertz, A., and Leshchinskiy, S. (2018). A new sauropod dinosaur from the lower Cretaceous Ileik Formation, Western Siberia, Russia. *Geobios*, 51(1), 1–14.

Bellardini, F., Coria, R. A., Pino, D. A., Windholz, G. J., Baiano, M. A., and Martinelli, A. G. (2022). Osteology and phylogenetic relationships of *Ligabuesaurus leanzai* (Dinosauria: sauropoda) from the early Cretaceous of the Neuquén Basin, Patagonia, Argentina. *Zoological Journal of the Linnean Society*, 196(4), 1333–1393.

Calvo, J. O., and Bonaparte, J. F. (1991). *Andesaurus delgadoi* gen. et sp. nov. (Saurischia-Sauropoda), dinosaurio Titanosauridae de la Formacion Rio Limay (Albiano-Cenomaniano), Neuquén, Argentina. *Ameghiniana*, 28, 303–310.

Carballido, J. L., Otero, A., Mannion, P. D., Salgado, L., and Moreno, A. P. (2022). Titanosauria: A critical reappraisal of its systematics and the relevance of the South American record. In *South American Sauropodomorph Dinosaurs: Record, Diversity and*

- Evolution*, edited by Otero, A., Carballido, J. L., and Pol, D., 269–298. Cham: Springer International.
- Currie, P. J., Wilson, J. A., Fanti, F., Mainbayar, B., and Tsogtbaatar, K. (2018). Rediscovery of the type localities of the Late Cretaceous Mongolian sauropods *Nemegtosaurus mongoliensis* and *Opisthocoelicaudia skarzynskii*: Stratigraphic and taxonomic implications. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 494, 5–13.
- D’Emic, M. D. (2013). Revision of the sauropod dinosaurs of the Lower Cretaceous Trinity Group, southern USA, with the description of a new genus. *Journal of Systematic Palaeontology*, 11(6), 707–726.
- D’Emic, M. D., Mannion, P. D., Upchurch, P., Benson, R. B., Pang, Q., and Zhengwu, C. (2013). Osteology of *Huabeisaurus allocotus* (Sauropoda: Titanosauriformes) from the upper Cretaceous of China. *PLOS One*, 8(8), e69375.
- Díaz, V. D., Mannion, P. D., Csiki-Sava, Z., and Upchurch, P. (2025). Revision of Romanian sauropod dinosaurs reveals high titanosaur diversity and body-size disparity on the latest Cretaceous Hațeg Island, with implications for titanosaurian biogeography. *Journal of Systematic Palaeontology*, 23(1). <https://doi.org/10.1080/14772019.2024.2441516>.
- Díez Díaz, V., Garcia, G., Pereda-Suberbiola, X., et al. (2018). The titanosaurian dinosaur *Atsinganosaurus velauciensis* (Sauropoda) from the Upper Cretaceous of southern France: New material, phylogenetic affinities, and palaeobiogeographical implications. *Cretaceous Research*, 91, 429–456.
- Filippi, L. S., Canudo, J. I., Salgado, J. L., et al. (2011). A new sauropod titanosaur from the Plottier Formation (Upper Cretaceous) of Patagonia (Argentina). *Geologica Acta*, 9(1), 1–12.

- Filippi, L. S., Salgado, L., and Garrido, A. C. (2019). A new giant basal titanosaur sauropod in the Upper Cretaceous (Coniacian) of the Neuquén Basin, Argentina. *Cretaceous Research*, 100, 61–81.
- Gallina, P. A., Canale, J. I., and Carballido, J. L. (2021). The earliest known titanosaur sauropod dinosaur. *Ameghiniana*, 58(1), 35–51.
- Gilmore, C. W. (1933). Two new dinosaurian reptiles from Mongolia with notes on some fragmentary specimens. *American Museum Novitates*, 679, 1–20.
- Gomani, E. M. (2005). Sauropod dinosaurs from the Early Cretaceous of Malawi, Africa. *Palaeontologia Electronica*, 8(1), 27A.
- González Riga, B. J., Lamanna, M. C., Otero, A., David, L. D. O., Kellner, A. W., and Ibiricu, L. M. (2019). An overview of the appendicular skeletal anatomy of South American titanosaurian sauropods, with definition of a newly recognized clade. *Anais da Academia Brasileira de Ciências*, 91(suppl. 2), e20180374.
- Gorscak, E., and O'Connor, P. M. (2016). Time-calibrated models support congruency between Cretaceous continental rifting and titanosaurian evolutionary history. *Biology Letters*, 12(4), 20151047.
- Gorscak, E., and O'Connor, P. M. (2019). A new African titanosaurian sauropod dinosaur from the Middle Cretaceous Galula Formation (Mtuka Member), Rukwa Rift Basin, southwestern Tanzania. *PLOS One*, 2(14), e0211412.
- Gorscak, E., O'Connor, P. M., Stevens, N. J., and Roberts, E. M. (2014). The basal titanosaurian *Rukwatitan biseptus* (Dinosauria, Sauropoda) from the Middle Cretaceous Galula Formation, Rukwa Rift Basin, southwestern Tanzania. *Journal of Vertebrate Paleontology*, 34(5), 1133–1154.

- Han, F., Yang, L., Lou, F., et al. (2024). A new titanosaurian sauropod, *Gandititan cavocaudatus* gen. et sp. nov., from the Late Cretaceous of southern China. *Journal of Systematic Palaeontology*, 22(1), 2293038.
- Hocknull, S. A., White, M. A., Tischler, T. R., et al. (2009). New mid-Cretaceous (latest Albian) dinosaurs from Winton, Queensland, Australia. *PLOS One*, 4(7), e6190.
- Hocknull, S. A., Wilkinson, M., Lawrence, R. A., Konstantinov, V., Mackenzie, S., and Mackenzie, R. (2021). A new giant sauropod, *Australotitan cooperensis* gen. et sp. nov., from the mid-Cretaceous of Australia. *PeerJ*, 9, e11317.
- Kellner, A. W. A., Rogers, D. R., Vargas, A., and Suárez, M. (2011). A new titanosaur sauropod from the Atacama Desert, Chile. *Anais da Academia Brasileira de Ciências*, 83(1), 211–219.
- Le Loeuff, J., Suteethorn, S., and Buffetaut, E. (2013). A new sauropod dinosaur from the Albian of Le Havre (Normandy, France). *Oryctos*, 10, 23–30.
- Lü, J., Azuma, Y., Chen, R., Zheng, W., and Jin, X. (2008). A new titanosauriform sauropod from the early Late Cretaceous of Dongyang, Zhejiang Province. *Acta Geologica Sinica (English Edition)*, 82(2), 225–235.
- Lü, J., Xu, L., Jiang, X., et al. (2009). A preliminary report on the new dinosaurian fauna from the Cretaceous of the Ruyang Basin, Henan Province of central China. *Journal of the Paleontological Society of Korea*, 25, 43–56.
- Lü, J., Yi, L., Zhong, H., and Wei, X. (2013). A new somphospondylan sauropod (Dinosauria, Titanosauriformes) from the Late Cretaceous of Ganzhou, Jiangxi Province of Southern China. *Acta Geologica Sinica (English Edition)*, 87(3), 678–685.

- Lydekker, R. (1877). Notices of new and other Vertebrata from Indian tertiary and secondary rocks. *Records of the Geological Survey of India*, 10(1), 30–43.
- Lydekker, R. (1893). Contributions to a knowledge of the fossil vertebrates of Argentina. I. The dinosaurs of Patagonia. *Anales del Museo de La Plata. Paleontología Argentina*, 2, 1–16.
- Mannion, P. D., and Calvo, J. O. (2011). Anatomy of the basal titanosaur (Dinosauria, Sauropoda) *Andesaurus delgadoi* from the mid-Cretaceous (Albian–Early Cenomanian) Río Limay Formation, Neuquén Province, Argentina: Implications for titanosaur systematics. *Zoological Journal of the Linnean Society*, 163(1), 155–181.
- Mannion, P. D., and Otero, A. (2012). A reappraisal of the Late Cretaceous Argentinean sauropod dinosaur *Argyrosaurus superbus*, with a description of a new titanosaur genus. *Journal of Vertebrate Paleontology*, 32(3), 614–638.
- Mannion, P. D., Upchurch, P., Barnes, R. N., and Mateus, O. (2013). Osteology of the Late Jurassic Portuguese sauropod dinosaur *Lusotitan atalaiensis* (Macronaria) and the evolutionary history of basal titanosauriforms. *Zoological Journal of the Linnean Society*, 168, 98–206.
- Mannion, P. D., Upchurch, P., Jin, X., and Zheng, W. (2019a). New information on the Cretaceous sauropod dinosaurs of Zhejiang Province, China: Impact on Laurasian titanosauriform phylogeny and biogeography. *Royal Society Open Science*, 6(8), 191057.
- Mannion, P. D., Upchurch, P., Schwarz, D., and Wings, O. (2019b). Taxonomic affinities of the putative titanosaurs from the Late Jurassic Tendaguru Formation of Tanzania: Phylogenetic and biogeographic implications for eusauropod dinosaur evolution. *Zoological Journal of the Linnean Society*, 185(3), 784–909.

- Martínez, R. D., Lamanna, M. C., Novas, F. E., et al. (2016). A basal lithostrotian titanosaur (Dinosauria: Sauropoda) with a complete skull: Implications for the evolution and paleobiology of Titanosauria. *PLOS One*, *11*(4), e0151661.
- Mo, J., Ma, F., Yu, Y., and Xu, X. (2023). A new titanosauriform sauropod with an unusual tail from the Lower Cretaceous of northeastern China. *Cretaceous Research*, *144*, 105449.
- Mohabey, D. M., Sen, S., and Wilson, J. A. (2013). India's first dinosaur, rediscovered. *Current Science*, *104*(1), 34–37.
- Moore, A. J., Mo, J., Clark, J. M., and Xu, X. (2018). Cranial anatomy of *Bellusaurus sui* (Dinosauria: Eusauropoda) from the Middle–Late Jurassic Shishugou Formation of northwest China and a review of sauropod cranial ontogeny. *PeerJ*, *6*, e4881.
- Moore, A. J., Upchurch, P., Barrett, P. M., Clark, J. M., and Xing, X. (2020). Osteology of *Klamelisaurus gobiensis* (Dinosauria, Eusauropoda) and the evolutionary history of Middle–Late Jurassic Chinese sauropods. *Journal of Systematic Palaeontology*, *18*(16), 1299–1393.
- Moreno, A. P., Otero, A., Carballido, J. L., Salgado, L., and Calvo, J. O. (2023). The appendicular skeleton of *Rinconsaurus caudamirus* (Sauropoda: Titanosauria) from the Upper Cretaceous of Patagonia, Argentina. *Cretaceous Research*, *142*, 105389.
- Navarro, B. A., Ghilardi, A. M., Aureliano, T., et al. (2022). A new nanoid titanosaur (Dinosauria: Sauropoda) from the Upper Cretaceous of Brazil. *Ameghiniana*, *59*(5), 317–354.
- Pang, Q., and Cheng, Z. (2000). A new family of sauropod dinosaur from the Upper Cretaceous of Tianzhen, Shanxi Province, China. *Acta Geologica Sinica (English Edition)*, *74*(2), 117–125.

- Paul, G. S. (2016). *The Princeton Field Guide to Dinosaurs*. Princeton, NJ: Princeton University Press.
- Pereira, P. V., Bandeira, K. L., Vidal, L. S., Ribeiro, T. B., Candeiro, C.R.D.A., and Bergqvist, L. P. (2024). A new sauropod species from north-western Brazil: Biomechanics and the radiation of Titanosauria (Sauropoda: Somphospondyli). *Zoological Journal of the Linnean Society*, 202(4), zlae054.
- Poropat, S. F., Kundrát, M., Mannion, P. D., Upchurch, P., Tischler, T. R., and Elliott, D. A. (2021). Second specimen of the Late Cretaceous Australian sauropod dinosaur *Diamantinasaurus matildae* provides new anatomical information on the skull and neck of early titanosaurs. *Zoological Journal of the Linnean Society*, 192(2), 610–674.
- Poropat, S. F., Mannion, P. D., Rigby, S. L., et al. (2023). A nearly complete skull of the sauropod dinosaur *Diamantinasaurus matildae* from the Upper Cretaceous Winton Formation of Australia and implications for the early evolution of titanosaurs. *Royal Society Open Science*, 10(4), 221618.
- Poropat, S. F., Mannion, P. D., Upchurch, P., et al. (2016). New Australian sauropods shed light on Cretaceous dinosaur palaeobiogeography. *Scientific Reports*, 6, 34467.
- Poropat, S. F., Mannion, P. D., Upchurch, P., et al. (2020). Osteology of the wide-hipped titanosaurian sauropod dinosaur *Savannasaurus elliottorum* from the Upper Cretaceous Winton Formation of Queensland, Australia. *Journal of Vertebrate Paleontology*, 40(3), e1786836.
- Rigby S. L., Poropat, S. F., Mannion P. D., et al. (2022). A juvenile *Diamantinasaurus matildae* (Dinosauria: Titanosauria) from the Upper Cretaceous Winton Formation of Queensland,

- Australia, with implications for sauropod ontogeny. *Journal of Vertebrate Paleontology*, 41(6), e2047991.
- Royo-Torres, R., Cobos, A., Mocho, P., and Alcalá, L. (2020). Origin and evolution of turiasaur dinosaurs set by means of a new ‘rosetta’ specimen from Spain. *Zoological Journal of the Linnean Society*, 191(1), 201–227.
- Rubilar-Rogers, D., and Gutstein, C. S. (2012). Los Titanosaurios de Chile y su contexto filogenético y biogeográfico. *Boletín del Museo Nacional de Historia Natural (Santiago)*, 61, 55–73.
- Rubilar-Rogers, D., Otero, R. A., Yury-Yáñez, R. E., Vargas, A. O., and Gutstein, C. S. (2012). An overview of the dinosaur fossil record from Chile. *Journal of South American Earth Sciences*, 37, 242–255.
- Saegusa, H., and Ikeda, T. (2014). A new titanosauriform sauropod (Dinosauria: Saurischia) from the Lower Cretaceous of Hyogo, Japan. *Zootaxa*, 3848(1), 1–66.
- Salgado, L., and Coria, R. A. (2009). *Barrosasaurus casamiquelai* gen. et sp. nov., a new titanosaur (Dinosauria, Sauropoda) from the Anacleto Formation (Late Cretaceous: Early Campanian) of Sierra Barrosa (Neuquén, Argentina). *Zootaxa*, 2222, 1–16.
- Simón, E., Salgado, L., and Calvo, J. O. (2017). A new titanosaur sauropod from the Upper Cretaceous of Patagonia, Neuquén Province, Argentina. *Ameghiniana*, 55(1), 1–29.
- Smith, J. B., Lamanna, M. C., Lacovara, K. J., et al. (2001). A giant sauropod dinosaur from an Upper Cretaceous mangrove deposit in Egypt. *Science*, 292(5522), 1704–1706.
- Stromer, E. (1932). Ergebnisse der Forschungsreisen Prof. E. Stromers in den Wüsten Ägyptens. II. Wirbeltierreste der Baharije-Stufe (unterstes Cenoman). 11. Sauropoda. *Abhandlungen*

- der Bayerischen Akademie der Wissenschaften Mathematisch-naturwissenschaftliche Abteilung, Neue Folge, 10, 1–21.*
- Tang, F., Kang, X.-M., Jin, X.-S., Wei, F., and Wu, W.-T. (2001). A new sauropod dinosaur of Cretaceous from Jiangshan, Zhejiang Province. *Vertebrata Palasiatica*, 39(4), 272–281.
- Wang, X., Bandeira, K. L., Qiu, R., et al. (2021). The first dinosaurs from the early Cretaceous Hami Pterosaur fauna, China. *Scientific Reports*, 11(1), 14962.
- Wang, Y., Sha, J., Pan, Y., and Zhang, X. (2015). Early Cretaceous nonmarine ostracod biostratigraphy of western Liaoning area, NE China. *Micropaleontology*, 61(1–2), 135–145.
- Xi, D., Wan, X., Li, G., and Li, G. (2018). Cretaceous integrative stratigraphy and timescale of China. *Science China Earth Sciences*, 62(1), 256–286.
- Xu, L., Pan, Z. C., Wang, Z. H., et al. (2012). Discovery and significance of the Cretaceous system in Ruyang Basin, Henan Province. *Geological Review*, 58, 601–613.
- You, H., Ji, Q., Lamanna, M. C., Li, J., and Li, Y. (2004). A titanosaurian sauropod dinosaur with opisthocoelous caudal vertebrae from the early Late Cretaceous of Liaoning Province, China. *Acta Geologica Sinica (English Edition)*, 78(4), 907–911.
- You, H.-L., Li, D.-Q., Zhou, L.-Q., and Ji, Q. (2008). *Daxiatitan binglingi*: A giant sauropod dinosaur from the Early Cretaceous of China. *Gansu Geology*, 17(4), 1–10.
- Zhang, X., Lü, J., Xu, L., et al. (2009). A new sauropod dinosaur from the Late Cretaceous Gaogou Formation of Nanyang, Henan Province. *Acta Geologica Sinica (English Edition)*, 83(2), 212.

Lithostrotia and Rinconsauria

- Agnolín, F. L., Motta, M. J., Garcia Marsà, J., et al. (2025). New fossiliferous locality from the Anacleto Formation (Late Cretaceous, Campanian) from northern Patagonia, with the description of a new titanosaur, *Revista del Museo Argentino de Ciencias Naturales*, 26(2), 217–259. <http://revista.macn.gob.ar/ojs/index.php/RevMus/article/view/885/715>.
- Agnolín, F. L., Riga, B. J. G., Rolando, A. M. A., et al. (2023). A new giant titanosaur (Dinosauria, Sauropoda) from the Upper Cretaceous of Northwestern Patagonia, Argentina. *Cretaceous Research*, 146, 105487.
- Apesteguía, S. (2004). *Bonitasaura salgadoi* gen. et sp. nov.: A beaked sauropod from the Late Cretaceous of Patagonia. *Naturwissenschaften*, 91, 493–497.
- Averianov, A., and Efimov, V. (2018). The oldest titanosaurian sauropod of the Northern Hemisphere. *Biological Communications*, 63(3), 145–162.
- Averianov, A., and Skutschas, P. (2017). A new lithostrotian titanosaur (Dinosauria, Sauropoda) from the Early Cretaceous of Transbaikalia, Russia. *Biological Communications*, 62(1), 6–18.
- Averianov, A., and Sues, H. D. (2017). Review of Cretaceous sauropod dinosaurs from Central Asia. *Cretaceous Research*, 69, 184–197.
- Averianov, A. O., Sizov, A. V., and Skutschas, P. P. (2021). Gondwanan affinities of *Tengrisaurus*, Early Cretaceous titanosaur from Transbaikalia, Russia (Dinosauria, Sauropoda). *Cretaceous Research*. 122, 104731.
- Bandeira, K. L., Medeiros Simbras, F., Batista Machado, E., de Almeida Campos, D., Oliveira, G. R., and Kellner, A. W. (2016). A new giant Titanosauria (Dinosauria: Sauropoda) from the late cretaceous Bauru Group, Brazil. *PLOS One*, 11(10), e0163373.

- Bonaparte, J., and Coria, R. (1993). Un nuevo y gigantesco sauropodo titanosaurio de la Formacion Rio Limay (Albiano-Cenomaniano) de la Provincia del Neuquen, Argentina. *Ameghiniana*, 30(3) 271–282.
- Bonaparte, J. F. (1996). Cretaceous tetrapods of Argentina. *Münchner Geowissenschaftliche Abhandlungen*, 30, 73–130.
- Bonaparte, J. F., and Gasparini, Z. (1978). The sauropods of the Neuquén and Chubut Groups and their chronological relations. *Actas del VII Congreso Geológico Argentino, Neuquén*, 2, 393–406.
- Calvo, J. O. (2007). Anatomy of *Futalognkosaurus dukei* Calvo, Porfiri, González Riga and Kellner, 2007 (Dinosauria, Titanosauridae) from the Neuquén Group (Late Cretaceous), Patagonia, Argentina. *Arquivos do Museu Nacional, Rio de Janeiro*, 65(4), 511–526.
- Calvo, J. O. (2014). New fossil remains of *Futalognkosaurus dukei* (Sauropoda, Titanosauria) from the Late Cretaceous of Nequen, Argentina. In Fourth International Paleontological Congress Meeting, Mendoza, Argentina, 28 September 2014–3 October 2014, edited by Rubinstein, C. V., Marsicano, C. A., and Waisfeld, B. G., 325.
- Calvo, J. O., and González Riga, B. J. (2003). *Rinconsaurus caudamirus* gen. et sp. nov., a new titanosaurid (Dinosauria, Sauropoda) from the Late Cretaceous of Patagonia, Argentina. *Revista Geológica de Chile*, 30(2), 333–353.
- Calvo, J. O., and González Riga, B. J. (2019). *Baalsaurus mansillai* gen. et sp. nov. a new titanosaurian sauropod (Late Cretaceous) from Neuquén, Patagonia, Argentina. *Anais da Academia Brasileira de Ciências*, 91, e20180661.
- Calvo, J. O., and Porfiri, J. D. (2010). *Panamericansaurus schroederi* gen. nov. sp. nov. Un nuevo Sauropoda (Titanosauridae-Aeolosaurini) de la Provincia del Neuquén, Cretácico

- Superior de Patagonia, Argentina. *Brazilian Geographical Journal: Geosciences and Humanities Research Medium*, 1, 100–115.
- Calvo, J. O., González Riga, B. J., and Porfiri, J. D. (2007a). A new titanosaur sauropod from the Late Cretaceous of Neuquén, Patagonia, Argentina. *Arquivos do Museu Nacional*, 65(4), 485–504.
- Calvo, J. O., Porfiri, J. D., González Riga, B. J., and Kellner, A. W. (2007b). A new Cretaceous terrestrial ecosystem from Gondwana with the description of a new sauropod dinosaur. *Anais da Academia Brasileira de Ciências*, 79, 529–541.
- Campione, N. E., and Evans, D. C. (2020). The accuracy and precision of body mass estimation in non-avian dinosaurs. *Biological Reviews*, 95(6), 1759–1797.
- Campos, D. D. A., Kellner, A. W., Bertini, R. J., and Santucci, R. M. (2005). On a titanosaurid (Dinosauria, Sauropoda) vertebral column from the Bauru group, Late Cretaceous of Brazil. *Arquivos do Museu Nacional*, 63(3), 565–593.
- Carballido, J. L., Otero, A., Mannion, P. D., Salgado, L., and Moreno, A. P. (2022). Titanosauria: A critical reappraisal of its systematics and the relevance of the South American record. In *South American Sauropodomorph Dinosaurs: Record, Diversity and Evolution*, edited by Otero, A., Carballido, J. L., and Pol, D., 269–298. Cham: Springer International.
- Carballido, J. L., Pol, D., Otero, A., et al. (2017). A new giant titanosaur sheds light on body mass evolution among sauropod dinosaurs. *Proceedings of the Royal Society B: Biological Sciences*, 284(1860), 20171219.

- Casal, G., and Ibiricu, L. (2010). Materiales asignables a *Epachthosaurus* Powell, 1990 (Sauropoda: Titanosauria), de la Formación Bajo Barreal, Cretácico Superior, Chubut, Argentina. *Revista Brasileira de Paleontología*, 13, 1–10.
- Casal, G., Martínez, R. D., Luna, M., Sciutto, J. C., and Lamanna, M. (2007). *Aeolosaurus colhuehuapensis* sp. nov. (Sauropoda, Titanosauria) de la Formación Bajo Barreal, Cretácico Superior de Argentina. *Journal of Vertebrate Paleontology*, 10(1), 53.
- Casal, G. A., Martínez, R. D., Luna, M., and Ibiricu, L. M. (2016). Ordenamiento y caracterización faunística del Cretácico Superior del Grupo Chubut, Cuenca del Golfo San Jorge, Argentina. *Revista Brasileira de Paleontologia*, 19, 53–70.
- Coria, R. A., Filippi, L. S., Chiappe, L., García, R. A., and Arcucci, A. B. (2013). *Overosaurus paradasorum* gen. et sp. nov., a new sauropod dinosaur (Titanosauria: Lithostrotia) from the Late Cretaceous of Neuquén, Patagonia, Argentina. *Zootaxa*, 3683(4), 357–376.
- Csiki, Z., Codrea, V., Jipa-Murzea, C., and Godefroit, P. (2010). A partial titanosaur (Sauropoda, Dinosauria) skeleton from the Maastrichtian of Nalat-Vad, Hateg Basin, Romania. *Neues Jahrbuch für Geologie und Paläontologie*, 258(3), 297–324.
- Curry Rogers, K., and Wilson, J. A. (2014). *Vahiny depereti*, gen. et sp. nov., a new titanosaur (Dinosauria, Sauropoda) from the Upper Cretaceous Maevarano Formation, Madagascar. *Journal of Vertebrate Paleontology*, 34(3), 606–617.
- Díez Díaz, V., Garcia, G., Pereda-Suberbiola, X., et al. (2018). The titanosaurian dinosaur *Atsinganosaurus velauciensis* (Sauropoda) from the Upper Cretaceous of southern France: New material, phylogenetic affinities, and palaeobiogeographical implications. *Cretaceous Research*, 91, 429–456.

- Díez Díaz, V., Garcia, G., Pereda-Suberbiola, X., et al. (2021). A new titanosaur (Dinosauria: Sauropoda) from the Upper Cretaceous of Velaux-La-Bastide Neuve (southern France). *Historical Biology*, 33(11), 2998–3017.
- Díez Díaz, V., Mocho, P., Páramo, A., et al. (2016). A new titanosaur (Dinosauria, Sauropoda) from the Upper Cretaceous of Lo Hueco (Cuenca, Spain). *Cretaceous Research*, 68, 49–60.
- Díez Díaz, V., Suberbiola, X. P., and Company, J. (2015). Updating titanosaurian diversity (Sauropoda) from the Late Cretaceous of Spain: The fossil sites of Laño and Chera. *Spanish Journal of Palaeontology*, 30(2), 293–306.
- Díez Díaz, V., Suberbiola, X. P., and Sanz, J. L. (2013a). Appendicular skeleton and dermal armour of the Late Cretaceous titanosaur *Lirainosaurus astibiae* (Dinosauria: Sauropoda) from Spain. *Palaeontologia Electronica*, 16(2), 19A.
- Díez Díaz, V., Suberbiola, X. P., and Sanz, J. L. (2013b). The axial skeleton of the titanosaur *Lirainosaurus astibiae* (Dinosauria: Sauropoda) from the latest Cretaceous of Spain. *Cretaceous Research*, 43, 145–160.
- Filippi, L. S., and Garrido, A. C. (2008). *Pitekunsaurus macayai* gen. et sp. nov., nuevo titanosaurio (Saurischia, Sauropoda) del Cretácico Superior de la Cuenca Neuquina, Argentina. *Ameghiniana*, 45(3), 575–590.
- Filippi, L. S., García, R. A., and Garrido, A. C. (2011). A new titanosaur sauropod dinosaur from the Upper Cretaceous of North Patagonia, Argentina. *Acta Palaeontologica Polonica*, 56(3), 505–520.
- Filippi, L. S., Martinelli, A. G., and Garrido, A. C. (2013). Registro de un dinosaurio Aeolosaurini (Sauropoda, Titanosauria) en el Cretácico Superior (Formación Plottier) del

- Norte de la Provincia de Neuquén, Argentina, y comentarios sobre los Aeolosaurini sudamericanos. *Revista Brasileira de Paleontologia*, 16(147), e156.
- Filippi, L. S., Valieri, R. D. J., Gallina, P. A., Méndez, A. H., Gianechini, F. A., and Garrido, A. C. (2024). A rebbachisaurid-mimicking titanosaur and evidence of a Late Cretaceous faunal disturbance event in south-west Gondwana. *Cretaceous Research*, 154, 105754.
- França, M. A., Marzola, J.C.D.A., Riff, D., Hsiou, A. S., and Langer, M. C. (2016). New lower jaw and teeth referred to *Maxakalisaurus topai* (Titanosauria: Aeolosaurini) and their implications for the phylogeny of titanosaurid sauropods. *PeerJ*, 4, e2054.
- Gallina, P. A. (2012). Notes on the axial skeleton of the titanosaur *Bonitasaura salgadoi* (Dinosauria-Sauropoda). *Anais da Academia Brasileira de Ciências*, 83, 235–246.
- Gallina, P. A., and Apesteguía, S. (2011). Cranial anatomy and phylogenetic position of the titanosaurian sauropod *Bonitasaura salgadoi*. *Acta Palaeontologica Polonica*, 56(1), 45–60.
- Gallina, P. A., and Apesteguía, S. (2015). Postcranial anatomy of *Bonitasaura salgadoi* (Sauropoda, Titanosauria) from the Late Cretaceous of Patagonia. *Journal of Vertebrate Paleontology*, 35(3), e924957.
- Gallina, P. A., and Otero, A. (2015). Reassessment of *Laplatasaurus araukanicus* (Sauropoda: Titanosauria) from the Upper Cretaceous of Patagonia, Argentina. *Ameghiniana*, 52(5), 487–501.
- Gallina, P. A., González Riga, B. J., and Ortiz David, L. D. (2022). Time for giants: Titanosaurs from the Berriasian–Santonian age. In *South American Sauropodomorph Dinosaurs: Record, Diversity and Evolution*, edited by Otero, A., Carballido, J. L., and Pol, D., 299–340. Cham: Springer International.

- Garcia, A. J. V., Morad, S., De Ros, L. F., and Al-Aasm, I. S. (1998). Palaeogeographical, palaeoclimatic and burial history controls on the diagenetic evolution of reservoir sandstones: Evidence from the Lower Cretaceous Serraria sandstones in the Sergipe–Alagoas Basin, NE Brazil. In *Carbonate Cementation in Sandstones: Distribution Patterns and Geochemical Evolution*, edited by Morad, S., 107–140. Hoboken, NJ: Blackwell Science.
- Garcia, G., Amico, S., Fournier, F., Thouand, E., and Valentin, X. (2010). A new titanosaur genus (Dinosauria, Sauropoda) from the Late Cretaceous of southern France and its paleobiogeographic implications. *Bulletin de la Société Géologique de France*, 181(3), 269–277.
- Goldberg, K., and Garcia, A. J. (2000). Palaeobiogeography of the Bauru Group, a dinosaur-bearing Cretaceous unit, northeastern Paraná Basin, Brazil. *Cretaceous Research*, 21(2–3), 241–254.
- Gomani, E. M. (2005). Sauropod dinosaurs from the early Cretaceous of Malawi, Africa. *Palaeontologia Electronica*, 8(1), 1.
- Gorscak, E. (2016). Descriptive and Comparative Morphology of African Titanosaurian Sauropods: New Information on the Evolution of Cretaceous African Continental Faunas. PhD dissertation, Ohio University, Athens.
- González Riga, B. J. (2003). A new titanosaur (Dinosauria, Sauropoda) from the Upper Cretaceous of Mendoza, Argentina. *Ameghiniana*, 40, 155–172.
- González Riga, B. J., and David, L. O. (2014). A new titanosaur (Dinosauria, Sauropoda) from the Upper Cretaceous (Cerro Lisandro Formation) of Mendoza Province, Argentina. *Ameghiniana*, 51(1), 3–25.

- González Riga, B. J., Lamanna, M. C., Ortiz David, L. D., Calvo, J. O., and Coria, J. P. (2016). A gigantic new dinosaur from Argentina and the evolution of the sauropod hind foot. *Scientific Reports*, 6(1), 19165.
- González Riga, B. J., Lamanna, M. C., Otero, A., David, L. D. O., Kellner, A. W., and Ibiricu, L. M. (2019). An overview of the appendicular skeletal anatomy of South American titanosaurian sauropods, with definition of a newly recognized clade. *Anais da Academia Brasileira de Ciências*, 91(suppl. 2), e20180374.
- González Riga, B. J., Mannion, P. D., Poropat, S. F., Ortiz David, L. D., and Coria, J. P. (2018). Osteology of the Late Cretaceous Argentinean sauropod dinosaur *Mendozasaurus neguyelap*: Implications for basal titanosaur relationships. *Zoological Journal of the Linnean Society*, 184(1), 136–181.
- González, R., Gallina, P. A., and Cerda, I. A. (2017). Multiple paleopathologies in the dinosaur *Bonitasaura salgadoi* (Sauropoda: Titanosauria) from the Upper Cretaceous of Patagonia, Argentina. *Cretaceous Research*, 79, 159–170.
- Gorscak, E., and O'Connor, P. M. (2019). A new African titanosaurian sauropod dinosaur from the Middle Cretaceous Galula Formation (Mtuka Member), Rukwa Rift Basin, southwestern Tanzania. *PLOS One*, 2(14), e0211412.
- Gorscak, E., Lamanna, M. C., Schwarz, D., et al. (2023). A new titanosaurian (Dinosauria: Sauropoda) from the Upper Cretaceous (Campanian) Quseir Formation of the Kharga Oasis, Egypt. *Journal of Vertebrate Paleontology*, 42(6), e2199810.
- Gorscak, E., O'Connor, P. M., Roberts, E. M., and Stevens, N. J. (2017). The second titanosaurian (Dinosauria: Sauropoda) from the Middle Cretaceous Galula Formation,

- southwestern Tanzania, with remarks on African titanosaurian diversity. *Journal of Vertebrate Paleontology*, 37(4), e1343250.
- Grigorescu, D. (2010). The latest Cretaceous fauna with dinosaurs and mammals from the Hațeg Basin—A historical overview. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 293(3–4), 271–282.
- Hechenleitner, E. M., Leuzinger, L., Martinelli, A. G., et al. (2020). Two Late Cretaceous sauropods reveal titanosaurian dispersal across South America. *Communications Biology*, 3(1), 622.
- Hunt, A. P., Lockley, M., Lucas, S., and Meyer, C. (1995). The global sauropod fossil record. In Aspects of Sauropod Paleobiology, edited by Lockley, M. G., dos Santos, V. F., Meyer, C. A. and Hunt, A. P. *GAIA—Ecological Perspectives for Science and Society*, 10, 261–279.
- Jacobs, L., Winkler, D. A., Downs, W. R., and Gomani, E. M. (1993). New material of an Early Cretaceous titanosaurid sauropod dinosaur from Malawi. *Palaeontology*, 36, 523–523.
- Juárez Valieri, R. D., and Calvo, J. O. (2011). Revision of MUCPv 204, a Senonian basal titanosaur from northern Patagonia. In *Paleontología y dinosaurios desde América Latina*, edited by Calvo J. O., González Riga, B. J., Porfiri, J., and Dos Santos, D., 143–152. Mendoza, Argentina: Editorial de la Universidad Nacional de Cuyo.
- Kellner, A. W. A., and de Azevedo, S. A. K. (1999). A new sauropod dinosaur (Titanosauria) from the Late Cretaceous of Brazil. *National Science Museum Monographs*, 15, 111–142.
- Kellner, A. W. A., de Almeida Campos, D., and Trotta, M. N. (2005). Description of a titanosaurid caudal series from the Bauru Group, Late Cretaceous of Brazil. *Arquivos do Museu Nacional*, 63(3), 529–564.

- Kellner, A. W., de Almeida Campos, D., de Azevedo, S. A. K., et al. (2006). On a new titanosaur sauropod from the Bauru Group, Late Cretaceous of Brazil. *Boletim do Museu Nacional, Nova Série, Geologia*, 74, 1–31.
- Klein, N., Sander, P. M., Stein, K., Le Loeuff, J., Carballido, J. L., and Buffetaut, E. (2012). Modified laminar bone in *Ampelosaurus atacis* and other titanosaurs (Sauropoda): Implications for life history and physiology. *PLOS One*, 7(5), e36907.
- Knoll, F., Lautenschlager, S., Valentin, X., Díaz, V. D., Suberbiola, X. P., and Garcia, G. (2019). First palaeoneurological study of a sauropod dinosaur from France and its phylogenetic significance. *PeerJ*, 7, e7991.
- Knoll, F., Ridgely, R. C., Ortega, F., Sanz, J. L., and Witmer, L. M. (2013). Neurocranial osteology and neuroanatomy of a Late Cretaceous titanosaurian sauropod from Spain (*Ampelosaurus* sp.). *PLOS One*, 8(1), e54991.
- Lacovara, K. J., Lamanna, M. C., Ibiricu, L. M., et al. (2014). A gigantic, exceptionally complete titanosaurian sauropod dinosaur from southern Patagonia, Argentina. *Scientific Reports*, 4(1), 6196.
- Le Loeuff, J. (1995). *Ampelosaurus atacis* (nov. gen., nov. sp.), un nouveau Titanosauridae (Dinosauria, Sauropoda) du Crétacé supérieur de la Haute Vallée de l'Aude (France). *Comptes Rendus de l'Académie des Sciences-Series IIA-Earth and Planetary Science*, 321, 693–699.
- Le Loeuff, J. (2005). Osteology of *Ampelosaurus atacis* (Titanosauria) from Southern France. In *Thunder-Lizards: The Sauropodomorph Dinosaurs*, edited by Tidwell, V., and Carpenter, K., 115–137. Bloomington: Indiana University Press.

- Machado, E. B., Avilla, L. D. S., Nava, W. R., Campos, D. D. A., and Kellner, A. W. (2013). A new titanosaur sauropod from the Late Cretaceous of Brazil. *Zootaxa*, 3701(3), 301–321.
- Mannion, P. D., and Otero, A. (2012). A reappraisal of the Late Cretaceous Argentinean sauropod dinosaur *Argyrosaurus superbis*, with a description of a new titanosaur genus. *Journal of Vertebrate Paleontology*, 32(3), 614–638.
- Mannion, P. D., Upchurch, P., Schwarz, D., and Wings, O. (2019). Taxonomic affinities of the putative titanosaurs from the Late Jurassic Tendaguru Formation of Tanzania: Phylogenetic and biogeographic implications for eusauropod dinosaur evolution. *Zoological Journal of the Linnean Society*, 185(3), 784–909.
- Martinelli, A. G., Riff, D., and Lopes, R. P. (2011). Discussion about the occurrence of the genus of the genus *Aeolosaurus* Powell 1987 (Dinosauria, Titanosauria) in the Upper Cretaceous of Brazil. *Gaea*, 7(1), 34–40.
- Martínez, R. D., Giménez, O., Rodríguez, J., Luna, M., and Lamanna, M. C. (2004). An articulated specimen of the basal titanosaurian (Dinosauria: Sauropoda) *Epachthosaurus sciuttoi* from the early Late Cretaceous Bajo Barreal Formation of Chubut Province, Argentina. *Journal of Vertebrate Paleontology*, 24(1), 107–120.
- Mazzetta, G. V., Christiansen, P., and Fariña, R. A. (2004). Giants and bizarres: Body size of some southern South American Cretaceous dinosaurs. *Historical Biology*, 16(2–4), 71–83.
- Mo, J. Y., Fu, Q. Y., Yu, Y. L., and Xu, X. (2023). A new titanosaurian sauropod from the Upper Cretaceous of Jiangxi Province, southern China. *Historical Biology*, 36(11), 2443–2457.

- Mocho, P., Pérez-García, A., and Codrea, V. A. (2022). New titanosaurian caudal remains provide insights on the sauropod diversity of the Hațeg Island (Romania) during the Late Cretaceous. *Historical Biology*, 35(10), 1881–1916.
- Navarrete, C., Casal, G., and Martínez, R. (2011). *Drusilasaura deseadensis* gen. et sp. nov., a new titanosaur (Dinosauria-Sauropoda), of the Bajo Barreal Formation, Upper Cretaceous of north of Santa Cruz, Argentina. *Revista Brasileira de Paleontologia*, 14(1), 1–14.
- Navarro, B. A., Ghilardi, A. M., Aureliano, T., et al. (2022). A new nanoid titanosaur (Dinosauria: Sauropoda) from the Upper Cretaceous of Brazil. *Ameghiniana*, 59(5), 317–354.
- Novas, F., Salgado, L., Calvo, J., and Agnolin, F. (2005). Giant titanosaur (Dinosauria, Sauropoda) from the Late Cretaceous of Patagonia. *Revista del Museo Argentino de Ciencias Naturales Nueva Serie*, 7(1), 31–36.
- Ortega, F., Bardet, N., Barroso-Barcenilla, F. L., et al. (2015). The biota of the Upper Cretaceous site of Lo Hueco (Cuenca, Spain). *Journal of Iberian Geology*, 41, 83–99.
- Paul, G. S. (2019). Determining the largest known land animal: A critical comparison of differing methods for restoring the volume and mass of extinct animals. *Annals of the Carnegie Museum*, 85(4), 335–358.
- Paulina Carabajal, A., Filippi, L., and Knoll, F. (2020). Neuroanatomy of the titanosaurian sauropod *Narambuenatitan palomoi* from the Upper Cretaceous of Patagonia, Argentina. *Publicación Electrónica de la Asociación Paleontológica Argentina*, 20(2).

- Pérez Moreno, A., Carballido, J. L., Otero, A., Salgado, L., and Calvo, J. O. (2022). The axial skeleton of *Rinconsaurus caudamirus* (Sauropoda: Titanosauria) from the Late Cretaceous of Patagonia, Argentina. *Ameghiniana*, 59(1), 1–46.
- Pérez Moreno, A., Otero, A., Carballido, J. L., Salgado, L., and Calvo, J. O. (2023). The appendicular skeleton of *Rinconsaurus caudamirus* (Sauropoda: Titanosauria) from the Upper Cretaceous of Patagonia, Argentina. *Cretaceous Research*, 142, 105389.
- Poropat, S. F., Kundrát, M., Mannion, P. D., Upchurch, P., Tischler, T. R., and Elliott, D. A. (2021). Second specimen of the Late Cretaceous Australian sauropod dinosaur *Diamantinasaurus matildae* provides new anatomical information on the skull and neck of early titanosaurs. *Zoological Journal of the Linnean Society*, 192(2), 610–674.
- Powell, J. (1990). *Epachthosaurus sciuttoi* (gen. et sp. nov.) un dinosaurio sauropodo del Cretácico de Patagonia (provincia de Chubut, Argentina). *Actas del Congreso Argentino de Paleontología y Bioestratigrafía*, 5, 125–128.
- Powell, J. E. (1986). Revisión de los titanosáuridos de América del Sur. PhD diss., Universidad Nacional de Tucumán, Argentina.
- Powell, J. E. (1987). The Late Cretaceous fauna of Los Alamitos, Patagonia, Argentina. Part VI. The titanosaurids. *Revista del Museo Argentino de Ciencias Naturales*, 3, 111–142.
- Rolando, M. A., Marsà, J. A. G., Agnolin, F. L., Motta, M. J., Rozadilla, S., and Novas, F. E. (2022). The sauropod record of Salitral Ojo del Agua: An Upper Cretaceous (Allen Formation) fossiliferous locality from northern Patagonia, Argentina. *Cretaceous Research*, 129, 105029.

- Salgado, L., and Calvo, J. O. (1993). Report of a sauropod with amphiplatyan mid-caudal vertebrae from the Late Cretaceous of Neuquén Province (Argentina). *Ameghiniana*, 30, 215–218.
- Salgado, L., and de Souza Carvalho, I. (2008). *Uberabatitan ribeiroi*, a new titanosaur from the Marília Formation (Bauru Group, Upper Cretaceous), Minas Gerais, Brazil. *Palaeontology*, 51(4), 881–901.
- Sallam, H. M., Gorscak, E., O'Connor, P. M., et al. (2018). New Egyptian sauropod reveals Late Cretaceous dinosaur dispersal between Europe and Africa. *Nature Ecology and Evolution*, 2(3), 445–451.
- Santucci, R. M., and Arruda-Campos, A. C. de (2011). A new sauropod (Macronaria, Titanosauria) from the Adamantina Formation, Bauru Group, Upper Cretaceous of Brazil and the phylogenetic relationships of Aeolosaurini. *Zootaxa*, 3085(1), 1–33.
- Santucci, R. M., and Bertini, R. J. (2001). Distribuição paleogeográfica e biocronológica dos titanossauros (Saurischia, Sauropoda) do Grupo Bauru, Cretáceo Superior do sudeste Brasileiro. *Revista Brasileira de Geociências*, 31(3), 307–314.
- Santucci, R. M., and Bertini, R. J. (2006). A new titanosaur from western São Paulo state, upper Cretaceous Bauru Group, south-east Brazil. *Palaeontology*, 49(1), 59–66.
- Santucci, R. M., and Filippi, L. S. (2022). Last titans: Titanosaurs from the Campanian–Maastrichtian age. In *South American Sauropodomorph Dinosaurs: Record, Diversity and Evolution*, edited by Otero, A., Carballido, J. L., and Pol, D., 341–391. Cham: Springer International.
- Sanz, J. L., Powell, J. E., Le Loeuff, J., Martínez, R., and Pereda-Suberbiola, X. (1999). Sauropod remains from the Upper Cretaceous of Laño (northcentral Spain). Titanosaur

- phylogenetic relationships. *Estudios del Museo de Ciencias Naturales de Alava*, 14(1), 235–255.
- Schroeter, E. R., Ullmann, P. V., Macauley, K., et al. Soft-tissue, rare earth element, and molecular analyses of *Dreadnoughtus schrani*, an exceptionally complete titanosaur from Argentina. *Biology*, 11(8), 1158.
- Silva Junior, J. C., Marinho, T. S., Martinelli, A. G., and Langer, M. C. (2019). Osteology and systematics of *Uberabatitan ribeiroi* (Dinosauria; Sauropoda): A Late Cretaceous titanosaur from Minas Gerais, Brazil. *Zootaxa*, 4577(3), 401–438.
- Silva Junior, J. C., Martinelli, A. G., Iori, F. V., Marinho, T. S., Hechenleitner, E. M., and Langer, M. C. (2022a). Reassessment of *Aeolosaurus maximus*, a titanosaur dinosaur from the Late Cretaceous of Southeastern Brazil. *Historical Biology*, 34(3), 403–411.
- Silva Junior, J. C., Martinelli, A. G., Marinho, T. S., da Silva, J. I., and Langer, M. C. (2022b). New specimens of *Baurutitan britoi* and a taxonomic reassessment of the titanosaur dinosaur fauna (Sauropoda) from the Serra da Galga Formation (Late Cretaceous) of Brazil. *PeerJ*, 10, e14333.
- Smith, J. B., Lamanna, M. C., Lacovara, K. J., et al. (2001). A giant sauropod dinosaur from an Upper Cretaceous mangrove deposit in Egypt. *Science*, 292(5522), 1704–1706.
- Stein, K., Csiki, Z., Curry Rogers, K., et al. (2010). Small body size and extreme cortical bone remodeling indicate phyletic dwarfism in *Magyarosaurus dacus* (Sauropoda: Titanosauria). *Proceedings of the National Academy of Sciences of the USA*, 107(20), 9258–9263.

Ullmann, P. V., and Lacovara, K. J. (2016). Appendicular osteology of *Dreadnoughtus schrani*, a giant titanosaurian (Sauropoda, Titanosauria) from the Upper Cretaceous of Patagonia, Argentina. *Journal of Vertebrate Paleontology*, 36(6), e1225303.

Upchurch, P., Barrett, P. M., and Dodson, P. (2004). Sauropoda. In *The Dinosauria*, 2nd ed., edited by Weishampel, D. B., Dodson, P., and Osmólska, H., 259–322. Oakland: University of California Press.

Vidal, L. D. S., Pereira, P.V.L.G.D.C., Tavares, S., Brusatte, S. L., Bergqvist, L. P., and Candeiro, C.R.D.A. (2021). Investigating the enigmatic Aeolosaurini clade: The caudal biomechanics of *Aeolosaurus maximus* (Aeolosaurini/Sauropoda) using the neutral pose method and the first case of protonic tail condition in Sauropoda. *Historical Biology*, 33(9), 1836–1856.

Vila, B., Díez Díaz, V., Sellés, A., and Le Loeuff, J. (2023). On the taxonomy and diversity of the Upper Cretaceous titanosaurian bonebed of Bellevue (France). Abstracts of the 20th Annual Conference of the European Association of Vertebrate Palaeontologists, edited by Alba, D. M., Marigó, J., Nacarino-Meneses, C., and Villa, A. *Palaeovertebrata*, special volume, 1–23.

Vila, B., Galobart, À., Canudo, J. I., et al. (2012). The diversity of sauropod dinosaurs and their first taxonomic succession from the latest Cretaceous of southwestern Europe: Clues to demise and extinction. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 350, 19–38.

Vila, B., Selles, A., Moreno-Azanza, M., et al. (2022). A titanosaurian sauropod with Gondwanan affinities in the latest Cretaceous of Europe. *Nature Ecology and Evolution*, 6(3), 288–296.

- von Huene, F. (1929). Los saurisquios y ornitisquios del Cretáceo Argentino. *Anales del Museo de La Plata*, ser. 2, 3, 1–196.
- von Huene, F. (1932). Die fossile Reptil-Ordnung Saurischia, ihre Entwicklung und Geschichte. *Monographien zur Geologie und Palaeontologie*, ser. 1, 4(1–2), 1–361.
- Wang, X., Bandeira, K. L., Qiu, R., et al. (2021). The first dinosaurs from the early Cretaceous Hami Pterosaur fauna, China. *Scientific Reports*, 11(1), 14962.
- Wilson, J. A., Barrett, P. M., and Carrano, M. T. (2011). An associated partial skeleton of *Jainosaurus* cf. *septentrionalis* (Dinosauria: Sauropoda) from the Late Cretaceous of Chhota Simla, central India. *Palaeontology*, 54(5), 981–998.
- Wilson, J. A., D’Emic, M. D., Rogers, C. A. C., Mohabey, D. M., and Sen, S. (2009). Reassessment of sauropod dinosaur *Jainosaurus* (=“Antarctosaurus”) *septentrionalis* from the Upper Cretaceous of India. *Contributions from the Museum of Paleontology, University of Michigan*, 32(2), 17–40.
- Xu, X., Zhang, X., Tan, Q., Zhao, X., and Tan, L. (2006). A new titanosaurian sauropod from Late Cretaceous of Nei Mongol, China. *Acta Geologica Sinica (English Edition)*, 80(1): 20–26.

Saltasauroidea

- Apesteguía, S., Soto Luzuriaga, J. E., Gallina, P. A., Tamay Granda, J., and Guamán Jaramillo, G.A. (2019). The first dinosaur remains from the Cretaceous of Ecuador. *Cretaceous Research*, 108, 104345.
- Averianov, A., and Efimov, V. (2018). The oldest titanosaurian sauropod of the Northern Hemisphere. *Biological Communications*, 63(3), 145–162.

- Averianov, A., and Lopatin, A. (2019). A possible new specimen of the Late Cretaceous Mongolian sauropod *Nemegtosaurus* and sauropod diversity in the Nemegt Formation. *Acta Palaeontologica Polonica*, 64(2), 313–321.
- Averianov, A., and Sues, H. D. (2017). Review of Cretaceous sauropod dinosaurs from Central Asia. *Cretaceous Research*, 69, 184–197.
- Bonaparte, J. F., and Powell, J. E. (1980). A continental assemblage of tetrapods from the Upper Cretaceous beds of El Brete, northwestern Argentina (Sauropoda-Coelurosauria-Carnosauria-Aves). *Mémoires de la Société Géologique de France, Nouvelle Série*, 139, 19–28.
- Bonaparte, J. F., Báez, A. M., Cione, A. L., and Panza, J. L. (2002). Vertebrados Mesozoicos. In *Geología y Recursos Naturales de Santa Cruz*, edited by Haller, M. J., 421–443. Relatorio del 15th Congreso Geológico Argentino, 23 al 26 Abril de 2002, el Calafate.
- Borsuk-Białynicka, M. M. (1977). A new camarasaurid sauropod *Opisthocoelicaudia skarzynskii* gen. n., sp. n. from the Upper Cretaceous of Mongolia. *Palaeontologia Polonica*, 37(5), 5–64.
- Carabajal, A. P. (2012). Neuroanatomy of titanosaurid dinosaurs from the Upper Cretaceous of Patagonia, with comments on endocranial variability within Sauropoda. *Anatomical Record: Advances in Integrative Anatomy and Evolutionary Biology*, 295(12), 2141–2156.
- Carballido, J. L., Otero, A., Mannion, P. D., Salgado, L., and Moreno, A. P. (2022). Titanosauria: A critical reappraisal of its systematics and the relevance of the South American record. In *South American Sauropodomorph Dinosaurs: Record, Diversity and*

- Evolution*, edited by Otero, A., Carballido, J. L., and Pol, D., 269–298. Cham: Springer International.
- Cerda, I., Zurriaguz, V. L., Carballido, J. L., González, R., and Salgado, L. (2021). Osteology, paleohistology and phylogenetic relationships of *Pellegrinisaurus powelli* (Dinosauria: Sauropoda) from the Upper Cretaceous of Argentinean Patagonia. *Cretaceous Research*, 128, 104957.
- Cerda, I. A., García, R. A., Powell, J. E., and Lopez, O. (2015). Morphology, microanatomy, and histology of titanosaur (Dinosauria, Sauropoda) osteoderms from the Upper Cretaceous of Patagonia. *Journal of Vertebrate Paleontology*, 35(1), e905791.
- Chiarenza, A. A., Mannion, P. D., Farnsworth, A., Carrano, M. T., and Varela, S. (2022). Climatic constraints on the biogeographic history of Mesozoic dinosaurs. *Current Biology*, 32(3), 570–585.
- Chinsamy, A., Cerda, I., and Powell, J. (2016). Vascularised endosteal bone tissue in armoured sauropod dinosaurs. *Scientific Reports*, 6(1), 24858.
- Currie, P. J., Wilson, J. A., Fanti, F., Mainbayar, B., and Tsogtbaatar, K. (2018). Rediscovery of the type localities of the Late Cretaceous Mongolian sauropods *Nemegtosaurus mongoliensis* and *Opisthocoelicaudia skarzynskii*: Stratigraphic and taxonomic implications. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 494, 5–13.
- Curry Rogers, K. (2009). The postcranial osteology of *Rapetosaurus krausei* (Sauropoda: Titanosauria) from the Late Cretaceous of Madagascar. *Journal of Vertebrate Paleontology*, 29(4), 1046–1086.
- Curry Rogers, K., and Forster, C. A. (2001). The last of the dinosaur titans: A new sauropod from Madagascar. *Nature*, 412(6846), 530–534.

- Curry Rogers, K., and Forster, C. A. (2004). The skull of *Rapetosaurus krausei* (Sauropoda: Titanosauria) from the Late Cretaceous of Madagascar. *Journal of Vertebrate Paleontology*, 24(1), 121–144.
- Curry Rogers, K., and Kulik, Z. (2018). Osteohistology of *Rapetosaurus krausei* (Sauropoda: Titanosauria) from the Upper Cretaceous of Madagascar. *Journal of Vertebrate Paleontology*, 38(4), 1–24.
- Curry Rogers, K., D’Emic, M., Rogers, R., Vickaryous, M., and Cagan, A. (2011). Sauropod dinosaur osteoderms from the Late Cretaceous of Madagascar. *Nature Communications*, 2(1), 564.
- Curry Rogers, K., Whitney, M., D’Emic, M., and Bagley, B. (2016). Precocity in a tiny titanosaur from the Cretaceous of Madagascar. *Science*, 352(6284), 450–453.
- D’Emic, M. D., and Wilson, J. A. (2011). New remains attributable to the holotype of the sauropod dinosaur *Neuquensaurus australis*, with implications for saltasaurine systematics. *Acta Palaeontologica Polonica*, 56(1), 61–73.
- D’Emic, M. D., Wilson, J. A., and Williamson, T. E. (2011). A sauropod dinosaur pes from the latest Cretaceous of North America and the validity of *Alamosaurus sanjuanensis* (Sauropoda, Titanosauria). *Journal of Vertebrate Paleontology*, 31(5), 1072–1079.
- Díez Díaz, V., Garcia, G., Pereda-Suberbiola, X., et al. (2021). A new titanosaur (Dinosauria: Sauropoda) from the Upper Cretaceous of Velaux-La-Bastide Neuve (southern France). *Historical Biology*, 33(11), 2998–3017.
- Filippi, L. S., Salgado, L., and Garrido, A. C. (2019). A new giant basal titanosaur sauropod in the Upper Cretaceous (Coniacian) of the Neuquén Basin, Argentina. *Cretaceous Research*, 100, 61–81.

- Garcia, R. A., and Salgado, L. (2012). The titanosaur sauropods from the Late Campanian–Early Maastrichtian Allen Formation of Salitral Moreno, Río Negro, Argentina. *Acta Palaeontologica Polonica*, 58(2), 269–284.
- Gilmore, C. W. (1922). A new sauropod dinosaur from the Ojo Alamo Formation of New Mexico. *Smithsonian Miscellaneous Collections*, 72(14), 1–9.
- Gilmore, C. W. (1946). Reptilian fauna of the North Horn Formation of central Utah. US Geological Survey, Professional Paper 210-C, 29–52. Washington, D.C.: US Government Printing Office.
- Gorscak, E., and O'Connor, P. M. (2019). A new African titanosaurian sauropod dinosaur from the Middle Cretaceous Galula Formation (Mtuka Member), Rukwa Rift Basin, southwestern Tanzania. *PLOS One*, 2(14), e0211412.
- Gorscak, E., Lamanna, M. C., Schwarz, D., et al. (2023). A new titanosaurian (Dinosauria: Sauropoda) from the Upper Cretaceous (Campanian) Quseir Formation of the Kharga Oasis, Egypt. *Journal of Vertebrate Paleontology*, 42(6), e2199810.
- Gorscak, E., O'Connor, P. M., Stevens, N. J., and Roberts, E. M. (2014). The basal titanosaurian *Rukwatitan biseptus* (Dinosauria, Sauropoda) from the Middle Cretaceous Galula Formation, Rukwa Rift Basin, southwestern Tanzania. *Journal of Vertebrate Paleontology*, 34(5), 1133–1154.
- Hechenleitner, E. M., Leuzinger, L., Martinelli, A. G., et al. (2020). Two Late Cretaceous sauropods reveal titanosaurian dispersal across South America. *Communications Biology*, 3(1), 622.
- Jain, S. L., and Bandyopadhyay, S. (1997). New titanosaurid (Dinosauria: Sauropoda) from the Late Cretaceous of central India. *Journal of Vertebrate Paleontology*, 17(1), 114–136.

- Jasinski, S. E., Sullivan, R. M., and Lucas, S. G. (2011). Taxonomic composition of the Alamo Wash local fauna from the Upper Cretaceous Ojo Alamo Formation (Naashoibito Member), San Juan Basin, New Mexico. *New Mexico Museum of Natural History and Science Bulletin*, 53, 216–271.
- Kurzanov, S. M., and Bannikov, A. F. (1983). A new sauropod from the Upper Cretaceous of Mongolia. *Paleontological Journal*, 2, 90–96.
- Lehman, T. M., and Coulson, A. B. (2002). A juvenile specimen of the sauropod *Alamosaurus sanjuanensis* from the Upper Cretaceous of Big Bend National Park, Texas. *Journal of Paleontology*, 76(1), 156–172.
- Lucas, S. G., and Sullivan, R. M. (1993). The sauropod dinosaur *Alamosaurus* from the Upper Cretaceous of the San Juan Basin, New Mexico. *New Mexico Museum of Natural History and Science Bulletin*, 17, 147–156.
- Lydekker, R. (1893). Contributions to a knowledge of the fossil vertebrates of Argentina. I. The dinosaurs of Patagonia. *Anales del Museo de La Plata. Paleontología Argentina*, 2, 1–16.
- Malkani, M. S. (2019). Large Titanosaur from Indo-Pakistan Peninsula. *Open Journal of Geology*, 9(10), 635.
- Martinelli, A., and Forasiepi, A. M. (2004). Late Cretaceous vertebrates from Bajo de Santa Rosa (Allen Formation), Rio Negro Province, Argentina, with the description of a new sauropod dinosaur (Titanosauridae). *Revista del Museo Argentino de Ciencias Naturales*, 6(2), 257–305.
- Michael, D. D., and Wilson, J. A. (2011). New remains attributable to the holotype of the sauropod dinosaur *Neuquensaurus australis*, with implications for saltasaurine systematics. *Acta Palaeontologica Polonica*, 56(1), 61–73.

- Mo, J., Wang, K., Chen, S., Wang, P., and Xu, X. (2017). A new titanosaurian sauropod from the Late Cretaceous strata of Shandong Province. *Geological Bulletin of China*, 36(9), 1501–1505.
- Mo J.-Y., Huang, C.-L., Zhao, Z.-R., Wang W., and Xu, X. (2008). A new titanosaur (Dinosauria: Sauropoda) from the Late Cretaceous of Guangxi, China. *Vertebrata Palasiatica*, 46(2), 147–156.
- Mocho, P., Escaso, F., Marcos-Fernández, F., et al. (2024). A Spanish saltasauroid titanosaur reveals Europe as a melting pot of endemic and immigrant sauropods in the Late Cretaceous. *Communications Biology*, 7(1), 1016.
- Navarro, B. A., Ghilardi, A. M., Aureliano, T., et al. (2022). A new nanoid titanosaur (Dinosauria: Sauropoda) from the Upper Cretaceous of Brazil. *Ameghiniana*, 59(5), 317–354.
- Novas, F., Agnolin, F., Rozadilla, S., et al. (2019). Paleontological discoveries in the Chorrillo Formation (Upper Campanian–Lower Maastrichtian, Upper Cretaceous), Santa Cruz Province, Patagonia, Argentina. *Revista del Museo Argentino de Ciencias Naturales*, 21(2), 217–293.
- Nowinski, A. (1971). *Nemegtosaurus mongoliensis* n. gen., n. sp. (Sauropoda) from the uppermost Cretaceous of Mongolia. *Palaeontologia Polonica*, 25, 57–81.
- Otero, A. (2010). The appendicular skeleton of *Neuquensaurus*, a Late Cretaceous saltasaurine sauropod from Patagonia, Argentina. *Acta Palaeontologica Polonica*, 55(3), 399–426.
- Pérez-Moreno, A., Salgado, L., Carballido, J. L., Otero, A., and Pol, D. (2024). A new titanosaur from the La Colonia Formation (Campanian-Maastrichtian), Chubut Province, Argentina. *Historical Biology*, 1–20. <https://doi.org/10.1080/08912963.2024.2332997>.

- Poropat, S. F. (2013). Carl Wiman's sauropods: The Uppsala Museum of Evolution's collection. *GFF*, 135(1), 104–119.
- Poropat, S. F., Kundrát, M., Mannion, P. D., Upchurch, P., Tischler, T. R., and Elliott, D. A. (2021). Second specimen of the Late Cretaceous Australian sauropod dinosaur *Diamantinasaurus matildae* provides new anatomical information on the skull and neck of early titanosaurs. *Zoological Journal of the Linnean Society*, 192(2), 610–674.
- Powell, J. E. (1992). Osteologia de *Saltasaurus loricatus* (Sauropoda-Titanosauridae) del Cretácico Superior del noroeste Argentino. In *Los Dinosaurios y Su Entorno Biotico: Actas del Segundo Curso de Paleontología in Cuenca.*, edited by Sanz, J. L. and Buscalioni, A. D., 165–230. Cuenca, Argentina: Institutio “Juan de Valdes.”
- Powell, J. E. (2003). *Revision of South American Titanosaurid Dinosaurs: Palaeobiological, Palaeobiogeographical and Phylogenetic Aspects*. Launceston, Australia: Queen Victoria Museum and Art Gallery.
- Roberts, E. M., O'Connor, P. M., Stevens, N. J., et al. (2010). Sedimentology and depositional environments of the Red Sandstone Group, Rukwa Rift Basin, southwestern Tanzania: New insight into Cretaceous and Paleogene terrestrial ecosystems and tectonics in sub-equatorial Africa. *Journal of African Earth Sciences*, 57(3), 179–212.
- Rolando, M. A., Marsà, J. A. G., Agnolin, F. L., Motta, M. J., Rozadilla, S., and Novas, F. E. (2022). The sauropod record of Salitral Ojo del Agua: An Upper Cretaceous (Allen Formation) fossiliferous locality from northern Patagonia, Argentina. *Cretaceous Research*, 129, 105029.

- Rubilar-Rogers, D., and Gutstein, C. S. (2012). Los Titanosaurios de Chile y su contexto filogenético y biogeográfico. *Boletín del Museo Nacional de Historia Natural (Santiago)*, 61, 55–73.
- Rubilar-Rogers, D., Vargas, A. O., Riga, B. G., et al. (2021). *Arackar licanantay* gen. et sp. nov. a new lithostrotian (Dinosauria, Sauropoda) from the Upper Cretaceous of the Atacama Region, northern Chile. *Cretaceous Research*, 124, 104802.
- Salgado, L. (1996). *Pellegrinisaurus powelli* nov. gen. et sp. (Sauropoda, Titanosauridae) from the Upper Cretaceous of Lago Pellegrini, northwestern Patagonia, Argentina. *Ameghiniana*, 33(4), 355–365.
- Salgado, L., and Azpilicueta, C. (2000). Un nuevo saltasaurino (Sauropoda, Titanosauridae) de la provincia de Río Negro (Formación Allen, Cretácico Superior), Patagonia, Argentina. *Ameghiniana*, 37(3), 259–264.
- Salgado, L., and Bonaparte, J. F. (2007). Sauropodomorpha. In *Patagonian Mesozoic Reptiles*, edited by Gasparini, Z., Salgado, L., Coria, R. A., 188–228. Bloomington: Indiana University Press.
- Salgado, L., Apesteguía, S., and Heredia, S. E. (2005). A new specimen of *Neuquensaurus australis*, a Late Cretaceous saltasaurine titanosaur from north Patagonia. *Journal of Vertebrate Paleontology*, 25(3), 623–634.
- Salgado, L., Gallina, P. A., and Paulina Carabajal, A. (2014). Redescription of *Bonatitan reigi* (Sauropoda: Titanosauria), from the Campanian–Maastrichtian of the Río Negro Province (Argentina). *Historical Biology*, 27(5), 525–548.
- Santucci, R. M., and Filippi, L. S. (2022). Last titans: Titanosaurs from the Campanian–Maastrichtian age. In *South American Sauropodomorph Dinosaurs: Record, Diversity*

- and Evolution*, edited by Otero, A., Carballido, J. L., and Pol, D., 341–391. Cham: Springer International.
- Silva Junior, J. C., Martinelli, A. G., Iori, F. V., Marinho, T. S., Hechenleitner, E. M., and Langer, M. C. (2022). Reassessment of *Aeolosaurus maximus*, a titanosaur dinosaur from the Late Cretaceous of southeastern Brazil. *Historical Biology*, 34(3), 403–411.
- Simón, M. E., and Salgado, L. (2023). A new gigantic titanosaurian sauropod from the early Late Cretaceous of Patagonia (Neuquén Province, Argentina). *Acta Palaeontologica Polonica*, 68(4), 719–735.
- Soto, M., Carballido, J. L., Langer, M. C., Junior, J. C. S., Montenegro, F., and Perea, D. (2024). Phylogenetic relationships of a new titanosaur (Dinosauria, Sauropoda) from the Upper Cretaceous of Uruguay. *Cretaceous Research*, 160, 105894.
- Soto, M., Pol, D., Perea, D., (2012). A new specimen of *Uruguaysuchus aznarezi* (Crocodyliformes: Notosuchia) from the middle Cretaceous of Uruguay and its phylogenetic relationships. *Zoological Journal of the Linnean Society*, 163, S173–S198.
- Tykoski, R. S., and Fiorillo, A. R. (2017). An articulated cervical series of *Alamosaurus sanjuanensis* Gilmore, 1922 (Dinosauria, Sauropoda) from Texas: New perspective on the relationships of North America's last giant sauropod. *Journal of Systematic Palaeontology*, 15(5), 339–364.
- Vidal, D., Ortega, F., Gascó, F., Serrano-Martínez, A., and Sanz, J. L. (2017). The internal anatomy of titanosaur osteoderms from the Upper Cretaceous of Spain is compatible with a role in oogenesis. *Scientific Reports*, 7(1), 42035.

- Vila, B., Selles, A., Moreno-Azanza, M., et al. (2022). A titanosaurian sauropod with Gondwanan affinities in the latest Cretaceous of Europe. *Nature Ecology and Evolution*, 6(3), 288–296.
- von Huene, F. (1929). Los sauriquios y ornitisquios del Cretáceo argentino. *Anales del Museo de La Plata*, ser. 2, 3, 1–196.
- Wick, S. L., and D. W. Corrick. (2015). Paleontological inventory of Big Bend National Park: The place, the people, and the fossils. Big Bend National Park, Division of Science and Resource Management [internal technical document].
- Wick, S. L., and Lehman, T. M. (2014). A complete titanosaur femur from West Texas with comments regarding hindlimb posture. *Cretaceous Research*, 49, 39–44.
- Wilson, J. A. (2005). Redescription of the Mongolian sauropod *Nemegtosaurus mongoliensis* Nowinski (Dinosauria: Saurischia) and comments on Late Cretaceous sauropod diversity. *Journal of Systematic Palaeontology*, 3(3), 283–318.
- Wilson, J. A., and Upchurch, P. (2003). A revision of *Titanosaurus* Lydekker (Dinosauria-Sauropoda), the first dinosaur genus with a ‘Gondwanan’ distribution. *Journal of Systematic Palaeontology*, 1(3), 125–160.
- Wilson, J. A., Pol, D., Carvalho, A. B., and Zaher, H. (2016). The skull of the titanosaur *Tapuiasaurus macedoi* (Dinosauria: Sauropoda), a basal titanosaur from the Lower Cretaceous of Brazil. *Zoological Journal of the Linnean Society*, 178(3), 611–662.
- Zaher, H., Pol, D., Carvalho, A. B., et al. (2011). A complete skull of an Early Cretaceous sauropod and the evolution of advanced titanosaurians. *PLOS One*, 6(2), e16663.

Zurriaguz, V., and Powell, J. (2015). New contributions to the presacral osteology of *Saltasaurus loricatus* (Sauropoda, Titanosauria) from the Upper Cretaceous of northern Argentina. *Cretaceous Research*, 54, 283–300.

Zurriaguz, V. L., and Cerda, I. A. (2017). Caudal pneumaticity in derived titanosaurs (Dinosauria: Sauropoda). *Cretaceous Research*, 73, 14–24.

Nomina Dubia

Ameghino, F. (1898). Sinopsis geológico-paleontológica de la Argentina. Segundo Censo Nacional de la República Argentina.

Barrett, P. M., and Xing, X. (2012). The enigmatic reptile *Pachysuchus imperfectus* Young, 1951 from the Lower Lufeng Formation (Lower Jurassic) of Yunnan, China. *Vertebrata Palasiatica*, 50(2), 151–159.

Barrett, P. M., Yoshikazu, H., Makoto, M., Shinji, I., and Hiroshige, M. (2002). Sauropod dinosaurs from the Lower Cretaceous of eastern Asia: Taxonomic and biogeographical implications. *Palaeontology*, 45(6), 1197–1217.

Barrett P. M., Benson, R. B. J., and Upchurch, P. (2010). Dinosaurs of Dorset: Part II, The sauropod dinosaurs (Saurischia, Sauropoda) with additional comments on the theropods. *Proceedings of the Dorset Natural History and Archaeological Society*, 131, 113–126.

Barrett, P. M., Chapelle, K. E. J., Staunton, C. K., Botha, J., and Choiniere, J. N. (2019). Postcranial osteology of the neotype specimen of *Massospondylus carinatus* Owen, 1854 (Dinosauria: Sauropodomorpha) from the upper Elliot formation of South Africa. *Palaeontologia Africana*, 53, 114–178.

Bohlin, B. (1953). Fossil reptiles from Mongolia and Kansu. *Sino-Swedish Expedition Publication*, 37(6), 1–113.

- Broom, R. (1911). On the dinosaurs of the Stormberg, South Africa. *Annals of the South African Museum*, 7(4), 291–308.
- Carroll, R. L., and Galton, P. M. (1977). A ‘modern’ lizard from the Upper Triassic of China. *Nature*, 266(5599), 252–255.
- Dong, Z. M. (1973). Cretaceous stratigraphy of Wuerho District, Dsungar (Zunggar) Basin. In Reports of Paleontological Expedition to Sinkiang (II): Pterosaurian Fauna from Wuerho, Sinkiang. *Memoirs of the Institute of Vertebrate Paleontology and Paleoanthropology Academia Sinica*, 11, 1–7.
- Evans, S. E., and Milner, A. R. (1989). *Fulengia*, a supposed early lizard reinterpreted as a prosauropod dinosaur. *Palaeontology*, 32(1), 223–230.
- Gallina, P. A., and Apesteguía, S. (2011). Cranial anatomy and phylogenetic position of the titanosaurian sauropod *Bonitasaura salgadoi*. *Acta Palaeontologica Polonica*, 56(1), 45–60.
- Galton, P. M. (1986). Prosauropod dinosaur *Plateosaurus* (= *Gresslyosaurus*) (Saurischia: Sauropodomorpha) from the Upper Triassic of Switzerland. *Geologica et Palaeontologica*, 20, 167–183.
- Galton, P. M., and Ayyasami, K. (2017). Purported latest bone of a plated dinosaur (Ornithischia: Stegosauria), a “dermal plate” from the Maastrichtian (Upper Cretaceous) of southern India. *Neues Jahrbuch für Geologie und Paläontologie*, 285(1), 91–96.
- Galton, P. M., and Upchurch, P. (2004). Prosauropoda. In *The Dinosauria*, 2nd ed., edited by Weishampel, D. B., Dodson, P., and Osmólska, H. Oakland: University of California Press.

Gervais, P. (1852). *Zoologie et paléontologie française (animaux vertébrés)*, 1st ed. Paris: A. Bertrand.

Haubold, H., and Kuhn, O. (1961). *Lebensbilder und Evolution fossiler Saurier, Amphibien und Reptilien*. Wittenberg : Ziemsen.

Hou, L. H., Yeh, H. K., and Zhao, X. J. (1975). Fossil reptiles from Fusui, Kwangshi. *Vertebrata Palasiatica*, 13(1), 24–33.

Hulke, J. W. (1879). Note (3rd) on (*Eucamerotus*, Hulke) *Ornithopsis*, H. G. Seeley, = *Bothrospondylus magnus*, Owen, = *Chondrosteous magnus*, Owen. *Quarterly Journal of the Geological Society*, 35, 752–762.

Huxley, T. H. (1866). On the remains of large dinosaurian reptiles from the Stormberg mountains, South Africa. *Geological Magazine*, 3, 563–564.

Huxley, T. H. (1867). On some remains of large dinosaurian reptiles from the Stormberg Mountains, South Africa. *Quarterly Journal of the Geological Society of London*, 23, 5.

Jaekel, O. (1911). *The Vertebrates: An Overview of the Fossil and Living Forms*. Berlin: Gebrüder Borntraeger.

Jensen, J. A. (1985). Three new sauropod dinosaurs from the Upper Jurassic of Colorado. *Great Basin Naturalist*, 45(4), 697–709.

Kim, H. (1983). [Cretaceous dinosaurs from South Korea]. *Journal of the Geological Society of Korea*, 19(3), 115–126.

Krupandan, E. D. (2019). Unravelling the Biology of the Southern African Sauropodomorph Dinosaurs, *Plateosauravus* and the ‘Maphutseng dinosaur.’ PhD diss., University of Cape Town, South Africa.

Kuhn, O. (1963). Sauria (supplementum I). *Fossilium Catalogus (Animalia)*, 104, 1–87.

- Le Loeuff, J. (1993). European titanosaurids. *Revue de Paléobiologie*, volume spéciale, 7, 105–117.
- Lee, Y.-N., Yang S.-Y., and Park E.-J. (1997). Sauropod dinosaur remains from the Gyeongsang Supergroup Korea. *Paleontological Society of Korea*, special publication, 2, 103–114.
- Lü, J., Yoshitsugu, K., Li, T., and Zhong, S. (2010). A new basal sauropod dinosaur from the Lufeng Basin, Yunnan Province, southwestern China. *Acta Geologica Sinica (English Edition)*, 84(6), 1336–1342.
- Lull, R. S. (1910). Dinosaurian distribution. *American Journal of Science*, 5th ser., 29(169), 1–39.
- Lydekker, R. (1887). On certain dinosaurian vertebrae from the Cretaceous of India and the Isle of Wight. *Quarterly Journal of the Geological Society of London*, 43, 157–160.
- Lydekker, R. (1888). *Catalogue of the Fossil Reptilia and Amphibia in the British Museum (Natural History)*. London: Printed by the Order of the Trustees.
- Lydekker, R. (1889). Note on new and other dinosaurian remains. *Geological Magazine*, 6(8), 352–356.
- Lydekker, R. (1893). Contributions to a knowledge of the fossil vertebrates of Argentina. I.—The dinosaurs of Patagonia. *Anales del Museo de La Plata. Paleontología Argentina*, 2, 1–16.
- Malkani, M. S. (2003). First Jurassic dinosaur fossils found from Kirthar range, Khuzdar District, Balochistan, Pakistan. *Geological Bulletin of the University of Peshawar*, 36, 73–83.

- Malkani, M. S. (2004). Saurischian dinosaurs from late Cretaceous of Pakistan. In Abstract Volume of Fifth Pakistan Geological Congress, April 2004. *National Geological Society of Pakistan, Pakistan Museum of Natural History, Islamabad*, 7173.
- Malkani, M. S. (2015). Titanosaurian sauropod dinosaurs from Pakistan. In Abstract Volume of 12th Symposium on “Mesozoic Terrestrial Ecosystems,” and 3rd Symposium of International Geoscience Program on “Cretaceous Ecosystem of Asia and Pacific,” 93–98. Shenyang, China: Paleontological Museum of Liaoning/Shenyang Normal University.
- Malkani, M. S. (2021). Formal description of Mesozoic and Cenozoic biotas found from Pakistan. *Open Journal of Geology*, 11(9), 411–455.
- Mannion, P. D., Upchurch, P., Barnes, R. N., and Mateus, O. (2013). Osteology of the Late Jurassic Portuguese sauropod dinosaur *Lusotitan atalaiensis* (Macronaria) and the evolutionary history of basal titanosauriforms. *Zoological Journal of the Linnean Society*, 168, 98–206.
- Marsh, O. C. (1878). Principal characters of American Jurassic dinosaurs. *American Journal of Science*, 3(95), 411–416.
- Martínez, R. D., Lamanna, M. C., Novas, F. E., et al. (2016). A basal lithostrotian titanosaur (Dinosauria: Sauropoda) with a complete skull: Implications for the evolution and paleobiology of Titanosauria. *PLOS One*, 11(4), e0151661.
- Matheron, P. M. (1869). Notice sur les reptiles fossiles des dépôts fluvio-lacustres Crétacés du bassin à lignite de Fuveau. *Extrait des Mémoires de l'Académie des Sciences, Belles-Lettres, et Arts de Marseille*, 345–379.

- McIntosh, J. S. (1990). Sauropoda. In *The Dinosauria*, edited by Weishampel, D. B., Dodson, P., and Osmólska, H., 345–401. Berkeley: University of California Press.
- Moussaye, M. de la. (1885). Sur une dent de *Neosodon*, trouvée dans les sables ferrugineux de Wilmille. *Bulletin, Société Géologique de France*, 3(13), 51–53.
- Osborn, H. F. (1924). Sauropoda and Theropoda from the Lower Cretaceous of Mongolia. *American Museum Novitates*, 128, 1–7.
- Owen, R. (1840). *Odontography; or, a Treatise on the Comparative Anatomy of the Teeth; Their Physiological Relations, Mode of Development, and Microscopic Structure, in the Vertebrate Animals. Part II. Dental System of Reptiles*. London: Hippolyte Bailliere.
- Owen, R. (1875). A monograph on the fossil Reptilia of the Mesozoic Formations. Monograph on the genus *Bothriospondylus*. *Palaeontographical Society Monograph*, 29, 15–26.
- Owen, R. (1876). Monograph on the fossil Reptilia of the Wealden and Purbeck Formations. Supplement 7. Crocodilia (*Poikilopleuron*) and Dinosauria? (*Chondrosteosaurus*). *Palaeontographical Society Monographs*, 30, 1–7.
- Pal, S., and Ayyasami, K. (2022). The lost titan of Cauvery. *Geology Today*, 38(3), 112–116.
- Paul, G. S. (2019). Determining the largest known land animal: A critical comparison of differing methods for restoring the volume and mass of extinct animals. *Annals of the Carnegie Museum*, 85(4), 335–358.
- Poropat, S. F., Frauenfelder, T. G., Mannion, P. D., et al. (2022) Sauropod dinosaur teeth from the lower Upper Cretaceous Winton Formation of Queensland, Australia and the global record of early titanosauriforms. *Royal Society Open Science*, 9, 220381.

- Powell, J. E. (2003). Revision of South American titanosaurid dinosaurs: Palaeobiological, palaeobiogeographical and phylogenetic aspects. *Records of the Queen Victoria Museum, III*, 1–173.
- Rauhut, O. W., Holwerda, F. M., and Furrer, H. (2020). A derived sauropodiform dinosaur and other sauropodomorph material from the Late Triassic of Canton Schaffhausen, Switzerland. *Swiss Journal of Geosciences, 113*, 1–54.
- Royo-Torres, R., Cobos, A., and Alcalá, L. (2006). A giant European dinosaur and a new sauropod clade. *Science, 314*(5807), 1925–1927.
- Russell, D. A., and Zheng, Z. (1993). A large mamenchisaurid from the Junggar Basin, Xinjiang, People's Republic of China. *Canadian Journal of Earth Sciences, 30*(10–11), 2082–2095.
- Rütimeyer, L. (1857). Reptilienknochen aus dem Keuper. *Allgemeine Schweizerische Gesellschaft für die Gesamten Naturwissenschaften, 41*, 62–64.
- Sauvage, H. E. (1874). Memoire sur les dinosauriens et les crocodiliens des terrains jurassiques de Boulogne-sur-Mer. *Mémoires de la Société Géologique de France*, 2nd ser., 10, 1–58.
- Seeley, H. G. (1869). Index to the fossil remains of Aves, Ornithosauria, and Reptilia, from the secondary system of strata, arranged in the Woodwardian Museum of the University of Cambridge. *Annals and Magazine of Natural History, 5*(27), 1–143.
- Seeley, H. G. (1894). LIII.—On *Hortalotarsus skirtopodus*, a new Saurischian fossil from Barkly East, Cape Colony. *Annals and Magazine of Natural History*, ser. 6, 14(84), 411–419.
- Simmons, D. J. (1965). The non-therapsid reptiles of the Lufeng Basin, Yunnan, China. *Chicago Natural History Museum, 990*.
- Steel, R. (1970). Part 14. Saurischia. *Handbuch der Paläoherpetologie/Encyclopedia of Paleoherpetology*, 1–87. Stuttgart: Gustav Fischer Verlag.

- van Heerden, J. (1979). The morphology and taxonomy of *Euskelosaurus* (Reptilia: Saurischia; Late Triassic) from South Africa. *Navorsinge van die Nasionale Museum*, 4(2):23-84.
- van Hoepen, E. C. N. (1916). De ouderdom der Transvaalsche Karroolagen. *Verhandelingen van het Geologisch-Mijnbouwkundig Genootschap voor Nederland en Koloniën. Geologische Serie*, 3, 107–117.
- von Huene, F. (1905). Trias-Dinosaurier Europas. *Zeitschrift der Deutschen Geologischen Gesellschaft*, 57, 345–349.
- von Huene, F. (1929). Los saurisquios y ornitisquios del Cretáceo Argentino. *Anales del Museo de La Plata*, ser. 2, 3, 1–196.
- Whitlock, J. A., and Mantilla, J. A. W. (2020). The Late Jurassic sauropod dinosaur ‘*Morosaurus*’ *agilis* Marsh, 1889 reexamined and reinterpreted as a dicraeosaurid. *Journal of Vertebrate Paleontology*, 40(6), e1780600.
- Wilson, J. A., Barrett, P. M., and Carrano, M. T. (2011). An associated partial skeleton of *Jainosaurus* cf. *septentrionalis* (Dinosauria: Sauropoda) from the Late Cretaceous of Chhota Simla, Central India. *Palaeontology*, 54(5), 981–998.
- Xue, X., Zhang, Y., Bi, Y., Yue, L., and Chen, D. (1996). [*The Development and Environmental Changes of the Intermontane Basins in the Eastern Part of Qinling Mountains.*] Beijing: Geological Publishing House.
- Yadagiri, P., and Ayyasami, K. (1987). A carnosaurian dinosaur from the Kallamedu Formation (Maestrichtian horizon), Tamilnadu. In *Three Decades of Development in Palaeontology and Stratigraphy in India*. Vol. 1. Precambrian to Mesozoic, edited by Sastry, M. V. A., Sastry, V. V., Ramanujam, C. G. K., et al. *Geological Society of India Special Publication*, 11(1), 523–528.

- Yates, A. M., Bonnan, M. F., Neveling, J., Chinsamy, A., and Blackbeard, M. G. (2010). A new transitional sauropodomorph dinosaur from the Early Jurassic of South Africa and the evolution of sauropod feeding and quadrupedalism. *Proceedings of the Royal Society B: Biological Sciences*, 277(1682): 787–794.
- Young, C. C. (1951). The Lufeng saurischian fauna in China, *Palaeontologia Sinica*, new ser. C, 13, 1–96.