

References

Time Periods and Continental Movements

Berggren, W. A., and Van Couvering, J. A., eds. (2014). *Catastrophes and Earth History: The New Uniformitarianism*. Princeton, N.J.: Princeton University Press.

Boulila, S., Haq, B. U., Hara, N., Müller, R. D., Galbrun, B., and Charbonnier, G. (2021).

Potential encoding of coupling between Milankovitch forcing and Earth's interior processes in the Phanerozoic eustatic sea-level record. *Earth-Science Reviews*, 220, 103727.

Caruthers, A. H., Smith, P. L., and Gröcke, D. R. (2013). The Pliensbachian–Toarcian (Early Jurassic) extinction, a global multi-phased event. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 386, 104–118.

Dal Corso, J., Bernardi, M., Sun, Y., et al. (2020). Extinction and dawn of the modern world in the Carnian (Late Triassic). *Science Advances*, 6(38), eaba0099.

Dalla Vecchia, F. M. (2009). *Telmatosaurus* and the other hadrosauroids of the Cretaceous European Archipelago. An update. *Natura Nascosta*, 39, 1–18.

Danisch, J., Nutz, A., Kabiri L., and Bodin, S. (2017). Timing of sea-level fluctuations and carbon cycle perturbation associated with the Sinemurian-Pliensbachian boundary event: New insight from the High Atlas Mountains of Morocco. *International Meeting of Sedimentology 2017*, 219.

Danise, S., and Holland, S. M. (2018). A sequence stratigraphic framework for the Middle to Late Jurassic of the Sundance Seaway, Wyoming: Implications for correlation, basin evolution, and climate change. *The Journal of Geology*, 126(4), 371–405.

- Dera, G., Toumoulin, A., and De Baets, K. (2016). Diversity and morphological evolution of Jurassic belemnites from South Germany. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 457, 80–97.
- Einarsson, E., and Kear, B. P. (2011). A mid-Campanian marine extinction event—Possible evidence from the Kristianstad Basin of southern Sweden. In *The 2nd Wiman Meeting. Carl Wiman's Legacy: 100 Years of Swedish Palaeontology*, 7–8.
- Ernst, R. E., Bond, D. P., Zhang, S. H., et al. (2021). Large igneous province record through time and implications for secular environmental changes and geological time-scale boundaries. In *Large Igneous Provinces: A Driver of Global Environmental and Biotic Changes*, 1–26.
- Ezcurra, M. D., and Agnolín, F. L. (2012a). An abelisauroid dinosaur from the Middle Jurassic of Laurasia and its implications on theropod palaeobiogeography and evolution. *Proceedings of the Geologists' Association*, 123(3), 500–507.
- Ezcurra, M. D., and Agnolín, F. L. (2012b). A new global palaeobiogeographical model for the Late Mesozoic and Early Tertiary. *Systematic Biology*, 61(4), 553–566.
- Falzone, F., Petrizzo, M. R., Clarke, L. J., MacLeod, K. G., and Jenkyns, H. C. (2016). Long-term Late Cretaceous oxygen- and carbon-isotope trends and planktonic foraminiferal turnover: A new record from the southern midlatitudes. *GSA Bulletin*, 128(11–12), 1725–1735.
- Gradstein, F. M., ed. (2012). *The Geologic Time Scale 2012*. Elsevier.
- Haq, B. U. (2014). Cretaceous eustasy revisited. *Global and Planetary Change*, 113, 44–58.
- Haq, B. U. (2018a). Jurassic sea-level variations: A reappraisal. *GSA Today*, 28(1), 4–10.
- Haq, B. U. (2018b). Triassic eustatic variations reexamined. *GSA Today*, 28(12), 4–9.

- Krause, D. W., Sertich, J. J., O'Connor, P. M., Curry Rogers, K., and Rogers, R. R. (2019). The Mesozoic biogeographic history of Gondwanan terrestrial vertebrates: Insights from Madagascar's fossil record. *Annual Review of Earth and Planetary Sciences*, 47(1), 519–553.
- Linnert, C., Robinson, S. A., Lees, J. A., et al. (2017). Did Late Cretaceous cooling trigger the Campanian–Maastrichtian boundary event? *Newsletters on Stratigraphy*.
- Longrich, N. R., Pereda-Suberbiola, X., Jalil, N. E., Khaldoune, F., and Jourani, E. (2017). An abelisaurid from the latest Cretaceous (late Maastrichtian) of Morocco, North Africa. *Cretaceous Research*, 76, 40–52.
- Lovecchio, J., Rohais, S., Ramos, V., Joseph, P., and Bolatti, N. (2019). Mesozoic breakup of southwest Gondwana and basin formation along the Argentinean Atlantic margin. In *2019 AAPG Annual Convention and Exhibition*.
- Molina-Pérez, R., Larramendi, A., Connolly, D., and Cruz, G. Á. R. (2019). *Dinosaur Facts and Figures: The Theropods and Other Dinosauriformes*. Princeton, N.J.: Princeton University Press.
- Novas, F. E., Agnolín, F. L., Ezcurra, M. D., Porfiri, J., and Canale, J. I. (2013). Evolution of the carnivorous dinosaurs during the Cretaceous: The evidence from Patagonia. *Cretaceous Research*, 45, 174–215.
- Puértolas-Pascual, E., Blanco, A., Brochu, C. A., and Canudo, J. I. (2016). Review of the Late Cretaceous–Early Paleogene crocodylomorphs of Europe: Extinction patterns across the K-PG boundary. *Cretaceous Research*, 57, 565–590.
- Rabi, M., and Sebők, N. (2015). A revised Eurogondwana model: Late Cretaceous notosuchian crocodyliforms and other vertebrate taxa suggest the retention of episodic faunal links

- between Europe and Gondwana during most of the Cretaceous. *Gondwana Research*, 28(3), 1197–1211.
- Racki, G., and Lucas, S. G. (2020). Timing of dicynodont extinction in light of an unusual Late Triassic Polish fauna and Cuvier's approach to extinction. *Historical Biology*, 32(4), 452–461.
- Ruban, D. A. (2022). The hypothetical Aalenian biotic crisis: Reconsidering the literary evidence and agenda for future research. *Historical Biology*, 34(12), 2287–2294.
- Schmieder, M., Jourdan, F., Tohver, E., and Cloutis, E. A. (2014). ⁴⁰Ar/³⁹Ar age of the Lake Saint Martin impact structure (Canada)—Unchaining the Late Triassic terrestrial impact craters. *Earth and Planetary Science Letters*, 406, 37–48.
- Seton, M., Gaina, C., Müller, R. D., and Heine, C. (2009). Mid-Cretaceous seafloor spreading pulse: Fact or fiction? *Geology*, 37(8), 687–690.
- Tennant, J. P., Mannion, P. D., Upchurch, P., Sutton, M. D., and Price, G. D. (2017). Biotic and environmental dynamics through the Late Jurassic–Early Cretaceous transition: Evidence for protracted faunal and ecological turnover. *Biological Reviews*, 92(2), 776–814.
- Tortosa, T., Buffetaut, E., Vialle, N., Dutour, Y., Turini, E., and Cheylan, G. (2014). A new abelisaurid dinosaur from the Late Cretaceous of southern France: Palaeobiogeographical implications. *Annales de Paléontologie*, 100(1), 63–86.
- Upchurch, P., Andres, B., Butler, R. J., and Barrett, P. M. (2015). An analysis of pterosaurian biogeography: Implications for the evolutionary history and fossil record quality of the first flying vertebrates. *Historical Biology*, 27(6), 697–717.
- Wen, J., Nie, Z. L., and Ickert-Bond, S. M. (2016). Intercontinental disjunctions between eastern Asia and western North America in vascular plants highlight the biogeographic

- importance of the Bering land bridge from Late Cretaceous to Neogene. *Journal of Systematics and Evolution*, 54(5), 469–490.
- Wilson, A. O. (2020). Chapter 3 Lithostratigraphy and depositional characteristics, age dating and sequence stratigraphy. *Geological Society, London, Memoirs*, 53(1), 37–94.
- Xu, X., Upchurch, P., Mannion, P. D., et al. (2018). A new Middle Jurassic diplodocoid suggests an earlier dispersal and diversification of sauropod dinosaurs. *Nature Communications*, 9(1), 2700.

Ornithischia

- Agnolín, F. L., and Rozadilla, S. (2018). Phylogenetic reassessment of *Pisanosaurus mertii* Casamiquela, 1967, a basal dinosauriform from the Late Triassic of Argentina. *Journal of Systematic Palaeontology*, 16(10), 853–879.
- Alifanov, V. R. (2014). The discovery of Late Jurassic dinosaurs in Russia. *Doklady Earth Sciences*, 455(2), 365–367.
- Alifanov, V. R. and, Saveliev, S. V. (2015). The most ancient ornithomimosaur (Theropoda, Dinosauria), with cover imprints from the Upper Jurassic of Russia. *Paleontological Journal*, 49(6), 636–650.
- Alifanov, V. R., and Saveliev, S. V. (2014). Two new ornithischian dinosaurs (Hypsilophodontia, Ornithopoda) from the Late Jurassic of Russia. English edition: *Paleontological Journal*, 48(4), 414–425. Russian edition: Палеонтологический Журнал 4, 72–82.
- Baron, M. G. (2018). *Pisanosaurus mertii* and the Triassic ornithischian crisis: Could phylogeny offer a solution? *Historical Biology*, 31(8), 967–981.

- Baron, M. G., Norman, D. B., and Barrett, P. M. (2016). Postcranial anatomy of *Lesothosaurus diagnosticus* (Dinosauria: Ornithischia) from the Lower Jurassic of southern Africa: Implications for basal ornithischian taxonomy and systematics. *Zoological Journal of the Linnean Society*, 179(1), 125–168.
- Barrett, P. M., and Han, F. L. (2009). Cranial anatomy of *Jeholosaurus shangyuanensis* (Dinosauria: Ornithischia) from the Early Cretaceous of China. *Zootaxa*, 2072(1), 31–55.
- Barrett, P. M., Butler, R. J., and Knoll, F. 2005. Small-bodied ornithischian dinosaurs from the Middle Jurassic of Sichuan, China. *Journal of Vertebrate Paleontology*, 25(4), 823–834.
- Barrett, P. M., Butler, R. J., Mundil, R., Scheyer, T. M., Irmis, R. B., and Sánchez-Villagra, M. R. (2014). A palaeoequatorial ornithischian and new constraints on early dinosaur diversification. *Proceedings of the Royal Society B: Biological Sciences*, 281(1791), 20141147.
- Barrett, P. M., Butler, R. J., Yates, A. M., Baron, M. G., and Choiniere, J. N. (2016). New specimens of the basal ornithischian dinosaur *Lesothosaurus diagnosticus* Galton, 1978 from the Early Jurassic of South Africa. *Palaeontologia Africana*, <http://hdl.handle.net/10141/610870>
- Becerra, M. G., Pol, D., Rauhut, O. W., and Cerda, I. A. (2016). New heterodontosaurid remains from the Cañadón Asfalto Formation: Cursoriality and the functional importance of the pes in small heterodontosaurids. *Journal of Paleontology*, 90(3), 555–577.
- Bonaparte, J. F. (1976). *Pisanosaurus mertii* Casamiquela and the origin of the Ornithischia. *Journal of Paleontology*, (5), 808–820.
- Boyd, C. A. (2015). The systematic relationships and biogeographic history of ornithischian dinosaurs. *PeerJ*, 3, e1523.

- Butler, R. J., Galton, P. M., Porro, L. B., Chiappe, L. M., Henderson, D. M., and Erickson, G. M. (2010). Lower limits of ornithischian dinosaur body size inferred from a new Upper Jurassic heterodontosaurid from North America. *Proceedings of the Royal Society B: Biological Sciences*, 277(1680), 375–381.
- Butler, R. J., Porro, L. B., Galton, P. M., and Chiappe, L. M. (2012). Anatomy and cranial functional morphology of the small-bodied dinosaur *Fruitadens haagarorum* from the Upper Jurassic of the USA. *PLOS One*, 7(4), e31556.
- Butler, R. J., Smith, R. M., and Norman, D. B. (2007). A primitive ornithischian dinosaur from the Late Triassic of South Africa, and the early evolution and diversification of Ornithischia. *Proceedings of the Royal Society B: Biological Sciences*, 274(1621), 2041–2046.
- Butler, R. J., Upchurch, P., and Norman, D. B. (2008). The phylogeny of the ornithischian dinosaurs. *Journal of Systematic Palaeontology*, 6(1), 1–40.
- Callison, George (1987). Fruita: A place for wee fossils. In Averett, W. R. (ed.). *Paleontology and Geology of the Dinosaur Triangle: Guidebook for 1987 Field Trip*, 91–96. Grand Junction, CO: Museum of Western Colorado.
- Carpenter, K., and Galton, P. M. (2018). A photo documentation of bipedal ornithischian dinosaurs from the Upper Jurassic Morrison Formation, USA. *Geology of the Intermountain West*, 5, 167–207.
- Casamiquela, R. M. (1967). Un nuevo dinosaurio ornitisquio triásico (*Pisanosaurus mertii*; Ornithopoda) de la Formación Ischigualasto, Argentina. *Ameghiniana*, (2), 47–64.
- Cau, A. (2015). Cosa è *Lepidocheirosaurus*? Theropoda. November 24, 2015.
<https://theropoda.blogspot.com/2015/11/cosa-e-lepidocheirosaurus.html>.

- Chen, J., LeBlanc, A. R., Jin, L., Huang, T., and Reisz, R. R. (2018). Tooth development, histology, and enamel microstructure in *Changchunsaurus parvus*: Implications for dental evolution in ornithopod dinosaurs. *PLOS One*, 13(11), e0205206.
- Creisler, B. Re: *Kulindapteryx* and *Daurosaurus*, new hypsilophodont ornithopods from Upper Jurassic of Siberia, Russia. Dinosaur mailing list, July 5, 2014, <https://web.archive.org/web/20160303214949/http://dml.cmnh.org/2014Jul/msg00028.html>.
- Crompton, A. W., and Charig, A. J. (1962). A new ornithischian from the Upper Triassic of South Africa. *Nature*, 196(4859), 1074–1077.
- Dai, H., Li, N., Maidment, S. C. R., et al. (2022). New stegosaurs from the Middle Jurassic lower member of the Shaximiao Formation of Chongqing, China. *Journal of Vertebrate Paleontology*, 41(5), e1995737.
- Dieudonné, P. E., Cruzado-Caballero, P., Godefroit, P., and Tortosa, T. (2020). A new phylogeny of cerapodan dinosaurs. *Historical Biology*, 33(10), 2335–2355.
- Dong, Z., and Tang, Z., (1983). New ornithopod genus from the Middle Jurassic of Sichuan Basin, China, *Vertebrata Palasiatica*, 21(2), 168–171
- Galton, P. M. (1978). Fabrosauridae, the basal family of ornithischian dinosaurs (Reptilia: Ornithopoda). *Paläontologische Zeitschrift*, 52(1), 138–159.
- Galton, P. M. 1972. Classification and evolution of ornithopod dinosaurs. *Nature*, 239, 464–466.
- Ginsburg, L., (1964), Decouverte d'un Scelidosaurien (Dinosaure ornithischien) dans le Trias supérieur du Basutoland. *Comptes Rendus de l'Académie des Sciences de Paris*, 258, 2366–2368.

- Godefroit, P., Sinitza, S. M., Dhouailly, D., et al. (2014). A Jurassic ornithischian dinosaur from Siberia with both feathers and scales. *Science*, 345(6195), 451–455.
- Gow, C. E. (1975). A new heterodontosaurid from the Redbeds of South Africa showing clear evidence of tooth replacement. *Zoological Journal of the Linnean Society*, , 335–339.
- Gow, C. E. (1990). A tooth-bearing maxilla referable to *Lycorhinus angustidens* Haughton, 1924 (Dinosauria, Ornithischia). *Annals of the South African Museum*, , 367–380.
- Han, F.-L., Barrett, P. M., Butler, R. J., and Xu, X. (2012). Postcranial anatomy of *Jeholosaurus shangyuanensis* (Dinosauria, Ornithischia) from the Lower Cretaceous Yixian Formation of China. *Journal of Vertebrate Paleontology*, 32(6), 1370–1395.
- Haughton, S. H. (1924). The fauna and stratigraphy of the Stormberg Series. *Annals of the South African Museum*, 12, 323–497.
- He, X.-L., and Cai, K.-J. (1983). A new species of *Yandusaurus* (hypsilophodont dinosaur) from the Middle Jurassic of Dashanpu, Zigong, Sichuan. *Journal of Chengdu College of Geology*, supplement no. 1, 5–14.
- He, X., (1979). A newly discovered ornithopod dinosaur *Yandusaurus* from Zigong, Sichuan. In *Contributions to International Exchange of Geology*, pt. 2, *Stratigraphy and Paleontology*. Beijing: Geological Publishing House, 116–123.
- Herne, M. C., Nair, J. P., Evans, A. R., and Tait, A. M. (2019). New small-bodied ornithopods (Dinosauria, Neornithischia) from the early Cretaceous Wonthaggi Formation (Strzelecki Group) of the Australian-Antarctic rift system, with revision of *Qantassaurus intrepidus* Rich and Vickers-Rich, 1999. *Journal of Paleontology*, 93(3), 543–584.

- Hopson, J. A. (1975). On the generic separation of the ornithischian dinosaurs *Lycorhinus* and *Heterodontosaurus* from the Stormberg series (Upper Triassic) of South Africa. *South African Journal of Science*, 71(10), 302–305.
- Li, N., Dai, H., Tan, C., et al., (2019). A neornithischian dinosaur from the Middle Jurassic Xintiangou Formation of Yunyang, Chongqing, China: The earliest record in Asia. *Historical Biology*, 33(7), 1089–1102.
- Madzia, D., Boyd, C. A., and Mazuch, M. (2018). A basal ornithopod dinosaur from the Cenomanian of the Czech Republic. *Journal of Systematic Palaeontology*, 16(11), 967–979.
- Manitkoon, S., Deesri, U., Khalloufi, B., et al. (2023). A new basal neornithischian dinosaur from the Phu Kradung Formation (Upper Jurassic) of Northeastern Thailand. *Diversity*, 15(7), 851.
- Marsh, O. C. (1877). Notice of some new vertebrate fossils. *American Journal of Science and Arts*, 14(81), 249–256.
- McPhee, B. W., Bordy, E. M., Sciscio, L., and Choiniere, J. N. (2017). The sauropodomorph biostratigraphy of the Elliot Formation of southern Africa: Tracking the evolution of Sauropodomorpha across the Triassic–Jurassic boundary. *Acta Palaeontologica Polonica*. 62(3), 441–465.
- Norman, D. B Crompton, A. W., Butler, R. J., Porro, L. B., and Charig, A. J. (2011). The Lower Jurassic ornithischian dinosaur *Heterodontosaurus tucki* Crompton and Charig, 1962: Cranial anatomy, functional morphology, taxonomy, and relationships. *Zoological Journal of the Linnean Society*, 182–276.

- Norman, D. B., and Barrett, P. M. (2002). Ornithischian dinosaurs from the Lower Cretaceous (Berriasian) of England. *Special Papers in Palaeontology*, 68, 161–189.
- Norman, D. B., Witmer, L. M., and Weishampel, D. B. (2004). Basal Ornithischia. *The Dinosauria*, 2nd edition, Weishampel, D. B., Dodson, P., and Osmólska, H., 325–334. Oakland: University of California Press.
- Olsen, P. E., Kent, D. V., and Whiteside, J. H. (2010). Implications of the Newark Supergroup-based astrochronology and geomagnetic polarity time scale (Newark-APTS) for the tempo and mode of the early diversification of the Dinosauria. *Earth and Environmental Science Transactions of the Royal Society of Edinburgh*, 101(3–4), 201–229.
- Olsen, P. E., Kent, D. V., and Whiteside, J. H. (2010). Implications of the Newark Supergroup-based astrochronology and geomagnetic polarity time scale (Newark-APTS) for the tempo and mode of the early diversification of the Dinosauria. *Earth and Environmental Science Transactions of the Royal Society of Edinburgh*, 101(3–4), 201–229.
- Owen, R. (1861). *Monograph on the Fossil Reptilia of the Wealden and Purbeck Formations. Part V. Order Lacertilia*, 31–39, Palaeontographical Society.
- Parker, W. G., Irmis, R. B., Nesbitt, S. J., Martz, J. W., and Browne, L. S. (2005). The Late Triassic pseudosuchian *Revueltosaurus callenderi* and its implications for the diversity of early ornithischian dinosaurs. *Proceedings of the Royal Society B: Biological Sciences*, 272(1566), 963–969.
- Paul, G. S., (2010). *The Princeton Field Guide to Dinosaurs*. Princeton, NJ: Princeton University Press.
- Peng, G. (1990). A new small ornithopod (*Agilisaurus louderbacki* gen. et sp. nov.) from Zigong, China. [In Chinese.] *Newsletter of the Zigong Dinosaur Museum*, 2, 19–27.

- Pol, D., Rauhut, O. W., and Becerra, M. (2011). A Middle Jurassic heterodontosaurid dinosaur from Patagonia and the evolution of heterodontosaurids. *Naturwissenschaften*, 98, 369–379.
- Porro, L. B., Witmer, L. M., and Barrett, P. M. (2015). Digital preparation and osteology of the skull of *Lesothosaurus diagnosticus* (Ornithischia: Dinosauria). *PeerJ*, 3, e1494.
- Radermacher, V. J., Fernandez V., Schachner E. R., et al. (2021). A new *Heterodontosaurus* specimen elucidates the unique ventilatory macroevolution of ornithischian dinosaurs. *Elife*, 10, e66036.
- Riguetti, F. J., Apesteguía, S., and Pereda-Suberbiola, X. (2022). A new Cretaceous thyreophoran from Patagonia supports a South American lineage of armoured dinosaurs. *Scientific Reports*, 12(1), 11621.
- Santa Luca, A. P. (1980). The postcranial skeleton of *Heterodontosaurus tucki* (Reptilia, Ornithischia) from the Stormberg of South Africa. *Annals of the South African Museum*, 79(7), 159–211.
- Sereno, P. C. (2012). Taxonomy, morphology, masticatory function and phylogeny of heterodontosaurid dinosaurs. *ZooKeys*, 226, 1.
- Thulborn, T. (2006). On the tracks of the earliest dinosaurs: Implications for the hypothesis of dinosaurian monophyly. *Alcheringa*, 30(2), 273–311.
- Xu, X., Wang, X.-L., and You, H.-L. (2000). A primitive ornithomimid from the Early Cretaceous Yixian Formation of Liaoning. *Vertebrata Palasiatica*, 38(4), 318–325.
- Yao, X., Zhao, Q., Ren, T., Wei, G., & Xu, X. (2025). New evidence for the earliest ornithischian dinosaurs from Asia. *iScience*, 28(1), 111641.

Zheng, W., Jin, X., Shibata, M., Azuma, Y., & Yu, F. (2012). A new ornithischian dinosaur from the Cretaceous Liangtoutang Formation of Tiantai, Zhejiang Province, China. *Cretaceous Research*, 34, 208–219.

Zheng, X.-T., You, H.-L., Xu, X., and Dong, Z.-M. 2009. An Early Cretaceous heterodontosaurid dinosaur with filamentous integumentary structures. *Nature*, 458(7236), 333–336.

Thescelosauridae

Avrahami, H. M., Makovicky, P. J., Tucker, R. T., & Zanno, L. E. (2024). A new semi-fossorial thescelosaurine dinosaur from the Cenomanian-age Mussentuchit Member of the Cedar Mountain Formation, Utah. *The Anatomical Record*, 307(12), 3717–3781.

Barta, D. E., and Norell, M. A. (2021). The osteology of Haya griva (Dinosauria: Ornithischia) from the late cretaceous of Mongolia. *Bulletin of the American Museum of Natural History*, 445(1), 1–112.

Bonde, J. W., Hall, R. L., Krumeracker, L. J., and Varricchio, D. J. (2022). *Nevadadromeus schmitti* (gen. et sp. nov.), a new basal neornithischian with affinities to the Thescelosaurinae, from the Upper Cretaceous (Cenomanian) Willow Tank Formation of Southern Nevada. *Journal of the Arizona-Nevada Academy of Science*, 50(1), 1–8.

Boyd, C. A. (2014). The cranial anatomy of the neornithischian dinosaur *Thescelosaurus neglectus*. *PeerJ*, 2, e669.

Boyd, C. A. (2015). The systematic relationships and biogeographic history of ornithischian dinosaurs. *PeerJ*, 3, e1523.

- Boyd, C. A., Brown, C. M., Scheetz, R. D., and Clarke, J. A. (2009). Taxonomic revision of the basal neornithischian taxa *Thescelosaurus* and *Bugenasaura*. *Journal of Vertebrate Paleontology*, 29(3), 758–770.
- Brown, C. M., Evans, D. C., Ryan, M. J., and Russell, A. P. (2013). New data on the diversity and abundance of small-bodied ornithopods (Dinosauria, Ornithischia) from the Belly River Group (Campanian) of Alberta. *Journal of Vertebrate Paleontology*, 33(3), 495–520.
- Butler, R. J., Liyong, J., Jun, C., and Godefroit, P. (2011). The postcranial osteology and phylogenetic position of the small ornithischian dinosaur *Changchunsaurus parvus* from the Quantou Formation (Cretaceous: Aptian-Cenomanian) of Jilin Province, north-eastern China. *Palaeontology*, 54(3), 667–683.
- Chen, J., LeBlanc, A. R., Jin, L., Huang, T., and Reisz, R. R. (2018). Tooth development, histology, and enamel microstructure in *Changchunsaurus parvus*: Implications for dental evolution in ornithopod dinosaurs. *PLOS One*, 13(11), e0205206.
- Cleland, T. P., Stoskopf, M. K., and Schweitzer, M. H. (2011). Histological, chemical, and morphological reexamination of the “heart” of a small Late Cretaceous *Thescelosaurus*. *Naturwissenschaften*, 98(3), 203–211.
- Dieudonné, P. E., Cruzado-Caballero, P., Godefroit, P., and Tortosa, T. (2020). A new phylogeny of cerapodan dinosaurs. *Historical Biology*, 33(10), 2335–2355.
- Fisher, P. E., Russell, D. A., Stoskopf, M. K., Barrick, R. E., Hammer, M., and Kuznitz, A. A. (2000). Cardiovascular evidence for an intermediate or higher metabolic rate in an ornithischian dinosaur. *Science*, 288(5465), 503–505.

- Gilmore, C. W. (1913). A new dinosaur from the Lance Formation of Wyoming. *Smithsonian Miscellaneous Collections*, 61(5), 1–5.
- Herne, M. C., Nair, J. P., Evans, A. R., and Tait, A. M. (2019). New small-bodied ornithopods (Dinosauria, Neornithischia) from the early Cretaceous Wonthaggi Formation (Strzelecki Group) of the Australian-Antarctic rift system, with revision of *Qantassaurus intrepidus* Rich and Vickers-Rich, 1999. *Journal of Paleontology*, 93(3), 543–584.
- Horner, J. and Weishampel, D. (1988). A comparative embryological study of two ornithischian dinosaurs, *Nature*, 332(6161), 256–257.
- Horner, J. R., De Ricqlès, A., Padian, K., and Scheetz, R. D. (2009). Comparative long bone histology and growth of the “hypsilophodontid” dinosaurs *Orodromeus makelai*, *Dryosaurus altus*, and *Tenontosaurus tillettii* (Ornithischia: Euornithopoda). *Journal of Vertebrate Paleontology*, 29(3), 734–747.
- Huh, M., Lee, D.-G., Kim, J.-K., Lim, J.-D., and P. Godefroit. (2010). A new basal ornithopod dinosaur from the Upper Cretaceous of South Korea. *Neues Jahrbuch für Geologie und Paläontologie. Abhandlungen*, 259(1), 1–24.
- Krumenacker, L. J., 2010. Chronostratigraphy and paleontology of the mid-Cretaceous Wayan Formation of eastern Idaho, with a description of the first *Oryctodromeus* specimens from Idaho. Master’s thesis, Brigham Young University.
- Kutter, M. M. (2003). New material of *Zephyrosaurus schaffi* (Dinosauria: Ornithischia) from the Cloverly Formation (Aptian-Albian) of Montana. *Journal of Vertebrate Paleontology*, 23, supplement 3, 69A.
- Liyong, J., Jun, C., Shuqin, Z., Butler, R. J., and Godefroit, P. (2010). Cranial anatomy of the small ornithischian dinosaur *Changchunsaurus parvus* from the Quantou Formation

- (Cretaceous: Aptian–Cenomanian) of Jilin Province, northeastern China. *Journal of Vertebrate Paleontology*, 30(1), 196–214.
- Madzia, D., Boyd, C. A., and Mazuch, M. (2018). A basal ornithopod dinosaur from the Cenomanian of the Czech Republic. *Journal of Systematic Palaeontology*, 16(11), 967–979.
- Makovicky, P. J., Kilbourne, B. M., Sadleir, R. W., and Norell, M. A. (2011). A new basal ornithopod (Dinosauria, Ornithischia) from the Late Cretaceous of Mongolia. *Journal of Vertebrate Paleontology*, 31(3), 626–640.
- Manitkoon, S., Deesri, U., Khalloufi, B., et al. (2023). A new basal neornithischian dinosaur from the Phu Kradung Formation (Upper Jurassic) of Northeastern Thailand. *Diversity*, 15(7), 851.
- Norell, M. A., and Barta, D. E. (2016). A new specimen of the ornithischian dinosaur *Haya griva*, Cross-Gobi Geologic Correlation, and the Age of The Zos Canyon Beds. *American Museum Novitates*, 3851(3851), 1–20.
- Paul, G. S. (2010). *The Princeton Field Guide to Dinosaurs*, Princeton, NJ: Princeton University Press.
- Rozadilla, S., Agnolín, F. L., Novas, F. E., et al. (2016). A new ornithopod (Dinosauria, Ornithischia) from the Upper Cretaceous of Antarctica and its palaeobiogeographical implications. *Cretaceous Research*, 57, 311–324.
- Scheetz, R. D. (1999). Osteology of *Orodromeus makelai* and the phylogeny of basal ornithopod dinosaurs PhD diss. Montana State University, Bozeman, 189.
- Stanford, R. Weems, R., and Lockley, M. (2004). A new dinosaur ichnotaxon from the Lower Cretaceous Patuxent Formation of Maryland and Virginia. *Ichnos*, (3–4), 251–259.

- Sternberg, C. M. (1937). Classification of *Thescelosaurus*, with a description of a new species. *Geological Society of America Proceedings for 1936*, 365.
- Sues, H.-D. (1980). Anatomy and relationships of a new hypsilophodontid dinosaur from the Lower Cretaceous of North America. *Palaeontographica Abteilung A*, 169(1–3), 51–72.
- Varricchio, D. J., Jackson, F., Borkowski, J. J., and Horner, J. R. (1997). Nest and egg clutches of the dinosaur *Troodon formosus* and the evolution of avian reproductive traits. *Nature*, 385(6613), 247–250.
- Varricchio, D. J., Martin, A. J., and Katsura, Y. (2007). First trace and body fossil evidence of a burrowing, denning dinosaur. *Proceedings of the Royal Society B: Biological Sciences*, 274(1616), 1361–1368.
- Zan, S.-Q., Chen, J., Jin, L.-Y., and Li, T. (2005). A primitive ornithopod from the Early Cretaceous Quantou Formation of Central Jilin, China. [In Chinese and English.] *Vertebrata Palasiatica*, 43(3), 182–193.

Thyreophora

- Arbour, V. M., (2014). Systematics, evolution, and biogeography of the ankylosaurid dinosaurs. PhD diss., University of Alberta.
- Arbour, V. M., and Currie, P. J. (2015). Systematics, phylogeny and palaeobiogeography of the ankylosaurid dinosaurs. *Journal of Systematic Palaeontology*, 14(5), 385–444.
- Blows, W. T., (2015), *British Polacanthid Dinosaurs—Observations on the History and Palaeontology of the UK Polacanthid Armoured Dinosaurs and their Relatives*, Manchester, UK: Siri Scientific Press, 220 pp.

- Bohlin, B. (1953). *Fossil Reptiles from Mongolia and Kansu. Reports from the Scientific Expedition to the North-western Provinces of China under Leadership of Dr. Sven Hedin. VI. Vertebrate Palaeontology* 6. Sino-Swedish Expedition Publications 37, 113 pp.
- Breedon III, B. T., Raven, T. J., Butler, R. J., Rowe, T. B., and Maidment, S. C. (2021). The anatomy and palaeobiology of the early armoured dinosaur *Scutellosaurus lawleri* (Ornithischia: Thyreophora) from the Kayenta Formation (Lower Jurassic) of Arizona. *Royal Society Open Science*, 8(7), 201676.
- Burns, M. E. (2008). Taxonomic utility of ankylosaur (Dinosauria, Ornithischia) osteoderms: *Glyptodontopelta mimus* Ford, 2000: A test case. *Journal of Vertebrate Paleontology*, 28(4), 1102–1109.
- Carpenter, K., DiCroce, T., Kinneer, B., and Simon, R. (2013). Pelvis of *Gargoyleosaurus* (Dinosauria: Ankylosauria) and the origin and evolution of the ankylosaur pelvis. *PLOS One*, 8(11), e79887.
- Carpenter, K., Miles, C., and Cloward, K. (1998). Skull of a Jurassic ankylosaur (Dinosauria). *Nature* 393, 782–783.
- Cerda, I. A., Gasparini, Z., Coria, R. A., et al. (2019). Paleobiological inferences for the Antarctic dinosaur *Antarctopelta oliveroi* (Ornithischia: Ankylosauria) based on bone histology of the holotype. *Cretaceous Research*, 103.
- Charig, A. J., and Newman, B. H., 1992, *Scelidosaurus harrisonii* Owen, 1861 (Reptilia, Ornithischia): Proposed replacement in inappropriate lectotype, *Bulletin of Zoological Nomenclature*, 49, 280–283.

- Chen, R., Zheng, W., Azuma, Y. et al. (2013). A new nodosaurid ankylosaur from the Chaochuan Formation of Dongyang, Zhejiang Province, China. *Acta Geologica Sinica* (English edition), 87(3), 658–671.
- Colbert, E. H. (1981). A primitive ornithischian dinosaur from the Kayenta Formation of Arizona. *Museum of Northern Arizona Bulletin*, 53, 1–61.
- Dieudonné, P. E., Cruzado-Caballero, P., Godefroit, P., and Tortosa, T. (2020). A new phylogeny of cerapodan dinosaurs. *Historical Biology*, 33(10), 2335–2355.
- Drumheller, S. K., McHugh, J. B., Kane, M., Riedel, A., and D’Amore, D. C. (2020). High frequencies of theropod bite marks provide evidence for feeding, scavenging, and possible cannibalism in a stressed Late Jurassic ecosystem. *PLOS One*, 15(5), e0233115.
- Ford, T. L. (2000). A review of ankylosaur osteoderms from New Mexico and a preliminary review of ankylosaur armor. In: *Dinosaurs of New Mexico*, edited by S. G. Lucas and A. B. Heckert. *New Mexico Museum of Natural History and Science Bulletin*, no 17, 157–176.
- Frauenfelder, T. G., Bell, P. R., Brougham, T., et al. (2022). New ankylosaurian cranial remains from the Lower Cretaceous (Upper Albian) Toolebuc Formation of Queensland, Australia. *Frontiers in Earth Science*, 10, <https://doi.org/10.3389/feart.2022.803505>
- Galton, P. M. (1980). Partial skeleton of *Dracopelta zbyszewskii* n. gen. And N. SP., an ankylosaurian dinosaur from the Upper Jurassic of Portugal. *Geobios*, 13(3), 451–457.
- Haubold, H. (1990). Ein neuer Dinosaurier (Ornithischia, Thyreophora) aus dem Unteren Jura des nördlichen Mitteleuropa. *Revue de Paléobiologie*, 9(1), 149–177.
- Hayashi, S., Carpenter, K., Scheyer, T. M., Watabe, M., and Suzuki, D. (2010). Function and evolution of ankylosaur dermal armor. *Acta Palaeontologica Polonica*, 55(2), 213–228.

- Hulke, J. W., (1881). *Polacanthus foxii*, a large undescribed dinosaur from the Wealden Formation in the Isle of Wight. *Philosophical Transactions of the Royal Society of London*, 172: 653–662.
- Huxley, T. H. (1867). IV.—On *Acanthopholis Horridus*, a new reptile from the chalk-marl. *Geological Magazine*, 4 (32), 65–67.
- Kilbourne, B., and Carpenter, K. (2005). Redescription of *Gargoyleosaurus parkpinorum*, a polacanthid ankylosaur from the Upper Jurassic of Albany County, Wyoming. *Neues Jahrbuch für Geologie und Paläontologie, Abhandlungen*, 237, 111–160.
- Kinneer, B., Carpenter, K., and Shaw, A. (2016). Redescription of *Gastonia burgei* (Dinosauria: Ankylosauria, Polacanthidae), and description of a new species. *Neues Jahrbuch Für Geologie Und Paläontologie, Abhandlungen*, 282(1), 37–80.
- Kirkland, J. I. 2014. The nature of the Jurassic/Cretaceous (J/K) unconformity and the Early Cretaceous of eastern Utah. In *Mid-Mesozoic: The Age of Dinosaurs in Transition*, edited by Kirkland J. et al., report of field visit to Fruita Colorado and Green River, Utah, April 30–May 5, 2014, 62–63, http://www.utahpaleo.org/pdf/Mid-Mesozoic/Mid_Mesozoic_Proceedings_final.pdf
- Kirkland, J. I. (1998). A polacanthine ankylosaur (Ornithischia: Dinosauria) from the Early Cretaceous (Barremian) of eastern Utah. In: *Lower and Middle Cretaceous Terrestrial Ecosystems*, edited by Lucas, S. G., Kirkland, J. I., and Estep, J. W. *New Mexico Museum of Natural History and Science Bulletin*, no. 14, 271–281.
- Kirkland, J. I., and Carpenter, K. (1994). North America's first pre-Cretaceous ankylosaur (Dinosauria) from the Upper Jurassic Morrison Formation of western Colorado. *Brigham Young University Geology Studies*, 40, 25–42.

- Kirkland, J. I., Carpenter, K., Hunt, A. P., and Scheetz, R. D. (1998). Ankylosaur (Dinosauria) specimens from the Upper Jurassic Morrison Formation. *Modern Geology*, 23(1), 145–178.
- Kirkland, J. I., Hunt-Foster, R. K., Foster, J. R., and Loewen, M. (2010). Newly recovered skeletal elements of the Late Jurassic dinosaur *Mymoorapelta* from its type locality in the Morrison Formation permits re-evaluation of ankylosaur phylogeny. *Journal of Vertebrate Paleontology*, 30, 116A.
- Leahey, L. G., and Salisbury, S. W. (2013). First evidence of ankylosaurian dinosaurs (Ornithischia: Thyreophora) from the mid-Cretaceous (late Albian–Cenomanian) Winton Formation of Queensland, Australia. *Alcheringa: An Australasian Journal of Palaeontology*, 37(2), 249–257.
- Leahey, L. G., Molnar, R. E., Carpenter, K., Witmer, L. M., and Salisbury, S. W. (2015). Cranial osteology of the ankylosaurian dinosaur formerly known as *Minmi* sp. (Ornithischia: Thyreophora) from the Lower Cretaceous Allaru Mudstone of Richmond, Queensland, Australia. *PeerJ*, 3, e1475.
- Lü, J., Jin, X., Sheng, Y., Li, Y., Wang, G., and Azuma, Y. (2007). New nodosaurid dinosaur from the Late Cretaceous of Lishui, Zhejiang Province, China. *Acta Geologica Sinica* (English edition), 81(3), 344–350.
- Lucas, F. A. (1901). A new dinosaur, *Stegosaurus marshi*, from the Lower Cretaceous of South Dakota. *Proceedings of the United States National Museum*, 23(1224), 591–592.
- Lydekker, R. (1893). On the jaw of a new carnivorous dinosaur from the Oxford Clay of Peterborough. *Quarterly Journal of the Geological Society*, 49(1–4), 284–287.

- Maidment, S. C., Strachan, S. J., Ouarhache, D., et al. (2021). Bizarre dermal armour suggests the first African ankylosaur. *Nature Ecology and Evolution*, 5(12), 1576–1581.
- Mantell, G. A. (1833). *The Geology of the South-East of England*. London: Longman.
- McDonald, A. T., and Wolfe, D. G. (2018). A new nodosaurid ankylosaur (Dinosauria: Thyreophora) from the Upper Cretaceous Menefee Formation of New Mexico. *PeerJ*, 6, e5435.
- Molnar, R. E. (1980). An ankylosaur (Ornithischia: Reptilia) from the Lower Cretaceous of southern Queensland. *Memoirs of the Queensland Museum*, 20, 65–75.
- Molnar, R. E. (1996). Preliminary report on a new ankylosaur from the Early Cretaceous of Queensland, Australia. *Memoirs of the Queensland Museum*, 39(3), 653–668.
- Norman, D. B. (2019). *Scelidosaurus harrisonii* from the Early Jurassic of Dorset, England: Cranial anatomy. *Zoological Journal of the Linnean Society*, 188(1), January 2020: 1–81.
- Norman, D. B. (2020a). *Scelidosaurus harrisonii* (Dinosauria: Ornithischia) from the Early Jurassic of Dorset, England: Biology and phylogenetic relationships. *Zoological Journal of the Linnean Society*, 191(1), 1–86.
- Norman, D. B. (2020b). *Scelidosaurus harrisonii* from the Early Jurassic of Dorset, England: The dermal skeleton. *Zoological Journal of the Linnean Society*, 190(1), 1–53.
- Norman, D. B. (2020c). *Scelidosaurus harrisonii* from the Early Jurassic of Dorset, England: Postcranial skeleton. *Zoological Journal of the Linnean Society*, 189(1), 47–157.
- Ősi, A., and Makádi, L. (2009). New remains of *Hungarosaurus tormai* (Ankylosauria, Dinosauria) from the Upper Cretaceous of Hungary: Skeletal reconstruction and body mass estimation. *Paläontologische Zeitschrift*, 83, 227–245.
- Owen, R. (1859). Palaeontology. In: *Encyclopædia Britannica*, 8th edition, vol. 17, 150.

- Pereda-Suberbiola, X., and Barrett, P. M. (1999). A systematic review of ankylosaurian dinosaur remains from the Albian of England. *Special Papers in Palaeontology*, 60, 177–208.
- Pond, S., Strachan, S.-J., Raven, T. J., Simpson, M. I., Morgan, K., and Maidment, S. C. R. (2023). *Vectipelta barretti*, a new ankylosaurian dinosaur from the Lower Cretaceous Wessex Formation of the Isle of Wight, UK. *Journal of Systematic Palaeontology*, 21(1).
- Raven, T. J Barrett, P. M Joyce, C. B Maidment, S. C. R. (2023). The phylogenetic relationships and evolutionary history of the armoured dinosaurs (Ornithischia: Thyreophora). *Journal of Systematic Palaeontology*, 21(1).
- Raven, T. J., Barrett, P. M., Pond, S. B., and Maidment, S. C. R. (2020). Osteology and taxonomy of British Wealden Supergroup (Berriasian–Aptian) Ankylosaurs (Ornithischia, Ankylosauria). *Journal of Vertebrate Paleontology*, 40(4), e1826956.
- Riguetti, F. J., Apesteguía, S., and Pereda-Suberbiola, X. (2022). A new Cretaceous thyreophoran from Patagonia supports a South American lineage of armoured dinosaurs. *Scientific Reports*, 12(1), 11621.
- Rivera-Sylva, H. E., Frey, E., Stinnesbeck, W., Carbot-Chanona, G., Sanchez-Uribe, I. E., and Guzmán-Gutiérrez, J. R. (2018). Paleodiversity of Late Cretaceous Ankylosauria from Mexico and their phylogenetic significance. *Swiss Journal of Palaeontology*, 137, 83–93.
- Rosenbaum, J. N., and Padian, K. (2000). New material of the basal thyreophoran *Scutellosaurus lawleri* from the Kayenta Formation (Lower Jurassic) of Arizona. *PaleoBios*, 20(1), 13–23.
- Rozadilla, S., Agnolín, F., Manabe, M., Tsuihiji, T., and Novas, F. E. (2021). Ornithischian remains from the Chorrillo Formation (Upper Cretaceous), southern Patagonia,

- Argentina, and their implications on ornithischian paleobiogeography in the Southern Hemisphere. *Cretaceous Research*, 125, 104881.
- Russo, J., and Mateus, O. (2021). History of the discovery of the ankylosaur *Dracopelta zbyszewskii* (Upper Jurassic), with new data about the type specimen and its locality. *Comunicações Geológicas*, 108(1), 27–34.
- Russo, J., and Mateus, O. (2023). Review of *Dracopelta zbyszewskii*, an ankylosaur from the Upper Jurassic of Portugal. In *ed dinosaursor. The Anatomical Record*, 306(supp. 1), 221–223.
- Salgado, L., and Gasparini, Z. (2006). Reappraisal of an ankylosaurian dinosaur from the Upper Cretaceous of James Ross Island (Antarctica). *Geodiversitas*, 28(1), 119–135.
- Schade, M., and Ansorge, J. (2022). New thyreophoran dinosaur material from the Early Jurassic of northeastern Germany. *PalZ*, 96(2), 303–311.
- Seeley, H. G. (1879). On the Dinosauria of the Cambridge Greensand. *Quarterly Journal of the Geological Society*, 35(1–4), 591–635.
- Sereno, P. C. (1997). The origin and evolution of dinosaurs. *Annual Review of Earth and Planetary Sciences*, 25(1), 435–489.
- Soto-Acuña, S., Vargas, A. O., Kaluza, J., et al. (2021). Bizarre tail weaponry in a transitional ankylosaur from subantarctic Chile. *Nature*, 600(7888), 259–263.
- Stanford, R., Weishampel, D. B., and DeLeon, V. B. (2011). The first hatchling dinosaur reported from the eastern United States: *Propanoplosaurus marylandicus* (Dinosauria: Ankylosauria) from the Early Cretaceous of Maryland, U.S.A. *Journal of Paleontology*, 85(5), 916–924.

- Stumpf, S., and Meng, S. (2013). Dinosaurier aus Nordostdeutschland: Verschleppt. *Biologie in unserer Zeit*, 43(6), 362–368.
- Suberbiola, X. P., Dantas, P., Galton, P. M., and Sanz, J. L. (2005). Autopodium of the holotype of *Dracopelta zbyszewskii* (Dinosauria, Ankylosauria) and its type horizon and locality (Upper Jurassic: Tithonian, western Portugal). *Neues Jahrbuch für Geologie und Paläontologie-Abhandlungen*, 175–196.
- Thompson, R. S., Parish, J. C., Maidment, S. C., and Barrett, P. M. (2012). Phylogeny of the ankylosaurian dinosaurs (Ornithischia: Thyreophora). *Journal of Systematic Palaeontology*, 10(2), 301–312.
- Tremaine, K., D’Emic, M., Williams, S., Hunt-Foster, R. K., Foster, J., and Mathews, J. (2015). Paleoecological implications of a new specimen of the ankylosaur *Mymoorapelta maysi* from the Hanksville-Burpee Quarry, latest Jurassic (Tithonian) Morrison Formation (Brushy Basin Member) [abs.]. *Journal of Vertebrate Paleontology Program and Abstracts*, 226.
- Vickaryous, M. K., Maryańska, T., and Weishampel, D. B. (2004). Ankylosauria. In *The Dinosauria*, 2nd edition, edited by Weishampel, D. B., Dodson, P., and Osmólska, H., 363–392. Oakland: University of California Press.
- Yang J.-T., You, H.-L., Li, D.-Q., and Kong D.-L. (2013). First discovery of polacanthine ankylosaur dinosaur in Asia. [In Chinese and English.] *Vertebrata Palasiatica*, 51(4), 265–277.
- Yao, X., Barrett, P. M., Yang, L., Xu, X., and Bi, S. (2022). A new early branching armored dinosaur from the Lower Jurassic of southwestern China. *Elife*, 11, e75248.

Nodosaurinae

- Arbour, V. M., and Currie, P. J. (2015). Systematics, phylogeny and palaeobiogeography of the ankylosaurid dinosaurs. *Journal of Systematic Palaeontology*, 14(5), 385–444.
- Arbour, V. M., Burns, M. E., and Sissons, R. L. (2009). A redescription of the ankylosaurid dinosaur *Dyoplosaurus acutosquameus* Parks, 1924 (Ornithischia: Ankylosauria) and a revision of the genus. *Journal of Vertebrate Paleontology*, 29(4), 1117–1135.
- Arbour, V. M., Zanno, L. E., and Gates, T. (2016). Ankylosaurian dinosaur palaeoenvironmental associations were influenced by extirpation, sea-level fluctuation, and geodispersal. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 449, 289–299.
- Brown, C. M. (2017). An exceptionally preserved armored dinosaur reveals the morphology and allometry of osteoderms and their horny epidermal coverings. *PeerJ*, 5, e4066.
- Brown, C. M., Henderson, D. M., Vinther, J., Fletcher, I., Sistiaga, A., Herrera, J., and Summons, R. E. (2017). An exceptionally preserved three-dimensional armored dinosaur reveals insights into coloration and Cretaceous predator-prey dynamics, *Current Biology*, 27(16), 2514–2521, e3.
- Bunzel, E. (1871). Die Reptilfauna der Gosaformation in der Neuen Welt bei Wiener-Neustadt. *Abhandlungen der Kaiserlich-Königlichen Geologischen Reichsanstalt*, 5, 1–18.
- Burns, M. E., and Sullivan, R. M. (2011). A new ankylosaurid from the Upper Cretaceous Kirtland Formation, San Juan Basin, with comments on the diversity of ankylosaurids in New Mexico. Fossil Record 3. *New Mexico Museum of Natural History and Science Bulletin*, no. 53, 169–178.
- Carpenter, K. (1990). Ankylosaur systematics: Example using *Panoplosaurus* and *Edmontonia* (Ankylosauria: Nodosauridae). In *Dinosaur Systematics: Approaches and Perspectives*,

edited by K. Carpenter and P. J. Currie, 281–298. Cambridge: Cambridge University Press.

Carpenter, K. (2006). Assessing dinosaur faunal turnover in the Cedar Mountain Formation (Lower Cretaceous) of eastern Utah, USA. In *9th International Symposium on Mesozoic Terrestrial Ecosystems and Biota*, edited by Barrett, P. M., Evans, S. E., 21–25. London: Natural History Museum.

Carpenter, K., and Currie, P. J. (1990). *Dinosaur Systematics: Approaches and Perspectives*. Cambridge: Cambridge University Press.

Carpenter, K., and Everhart, M. J. (2007). Skull of the ankylosaur *Niobrarasaurus coleu* (Ankylosauria: Nodosauridae) from the Smoky Hill Chalk (Coniacian) of western Kansas. *Transactions of the Kansas Academy of Science*, 110(1–2), 1–9.

Carpenter, K., and Kirkland, J. I. (1998). Review of Lower and Middle Cretaceous ankylosaurs from North America. *Lower and Middle Cretaceous Terrestrial Ecosystems Bulletin*, 14, 249.

Carpenter, K., and Kirkland, J. I. (1998). Review of Lower and Middle Cretaceous Ankylosaurs from North America. In *Lower and Middle Cretaceous Ecosystems*, edited by Lucas, S. G., Kirkland, J. I., and Estep, J. W. *New Mexico Museum of Natural History and Science Bulletin*, no. 14, 249–270.

Carpenter, K., Bartlett, J., Bird, J., and Barrick, R. (2008). Ankylosaurs from the Price River Quarries, Cedar Mountain Formation (Lower Cretaceous), east-central Utah. *Journal of Vertebrate Paleontology*, 28(4), 1089–1101.

- Carpenter, K., Dilkes, D., and Weishampel, D. B. (1995). The dinosaurs of the Niobrara Chalk Formation (Upper Cretaceous, Kansas). *Journal of Vertebrate Paleontology*, 15(2), 275–297.
- Carpenter, K., Kirkland, J. I., Burge, D. L., and Bird, J. (1999). Ankylosaurs (Dinosauria: Ornithischia) of the Cedar Mountain Formation, Utah, and their stratigraphic distribution. In: *Vertebrate Paleontology in Utah* edited by Gillette, D. Utah Geological Survey Miscellaneous Publication 99–1, 243–251.
- Codrea, V., Vremir, M., Jipa, C., et al. (2010). More than just Nopcsa's Transylvanian dinosaurs: A look outside the Hațeg Basin. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 293(3–4), 391–405.
- Coombs, W. P., Jr. (1978). The families of the ornithischian dinosaur order Ankylosauria. *Palaeontology*, 21(1), 143–170.
- Coombs, W. P., Jr. (1995). A nodosaurid ankylosaur (Dinosauria: Ornithischia) from the Lower Cretaceous of Texas. *Journal of Vertebrate Paleontology*, 15(2), 298–312.
- Eaton, T. H., Jr. (1960). A new armored dinosaur from the Cretaceous of Kansas. *University of Kansas Paleontological Contributions: Vertebrata*, 8, 1–24.
- Frotzler N. (2017). A new reconstruction of *Struthiosaurus austriacus* Bunzel 1871. *PeerJ Preprints*, 5, e2758v1.
- Garcia, G., and Pereda-Suberbiola, X. (2003). A new species of *Struthiosaurus* (Dinosauria: Ankylosauria) from the Upper Cretaceous of Villeveyrac (southern France). *Journal of Vertebrate Paleontology*, 23(1), 156–165.

- Hunt, A. P., and Lucas, S. G. (1992). Stratigraphy, paleontology and age of the Fruitland and Kirkland Formations (Upper Cretaceous), San Juan Basin, New Mexico. In *New Mexico Geological Society Guidebook*, 43rd Field Conference, San Juan Basin, vol. 4, 217–240.
- Kirkland, J. I., Alcalá, L., Loewen, M. A., Espílez, E., Mampel, L., and Wiersma, J. P. (2013). The basal nodosaurid ankylosaur *Europelta carbonensis* n. gen., n. sp. from the Lower Cretaceous (Lower Albian) Escucha Formation of northeastern Spain. *PLOS One*, 8(12), e80405.
- Lambe, L. M. (1919). Description of a new genus and species (*Panoplosaurus mirus*) of an armoured dinosaur from the Belly River Beds of Alberta. *Transactions of the Royal Society of Canada*, 3(3), 39–50.
- Larramendi, A., Paul, G. S., and Hsu, S.-Y. (2020). A review and reappraisal of the specific gravities of present and past multicellular organisms, with an emphasis on tetrapods. *Anatomical Record*, 304(9), 1833–1888.
- Lee, Y.-N. (1996). A new nodosaurid ankylosaur (Dinosauria: Ornithischia) from the Paw Paw Formation (Late Albian) of Texas. *Journal of Vertebrate Paleontology*, 16(2), 232–245.
- Madzia, D., Arbour, V. M., Boyd, C. A., Farke, A. A., Cruzado-Caballero, P., and Evans, D. C. (2021). The phylogenetic nomenclature of ornithischian dinosaurs. *PeerJ*, 9, e12362.
- Marsh, O. C. (1889). Notice of gigantic horned Dinosauria from the Cretaceous. *American Journal of Science*, 38, 173–175.
- Nopcsa, F. 1915, Die dinosaurier der Siebenbürgischen landesteile Ungarns, *Mitteilungen aus dem Jahrbuche der Königlich-Ungarischen Geologischen Reichsanstalt*, 23, 1–24.
- Ösi, A. (2005). *Hungarosaurus tormai*, a new ankylosaur (Dinosauria) from the Upper Cretaceous of Hungary. *Journal of Vertebrate Paleontology*, 25(2), 370–383.

- Ősi, A., and Makádi, L. (2009). New remains of *Hungarosaurus tormai* (Ankylosauria, Dinosauria) from the Upper Cretaceous of Hungary: Skeletal reconstruction and body mass estimation. *Paläontologische Zeitschrift*, 83(2), 227–245.
- Ősi, A., and Prondvai, E. (2013). Sympatry of two ankylosaurs (*Hungarosaurus* and cf. *Struthiosaurus*) in the Santonian of Hungary. *Cretaceous Research*, 44, 58–63.
- Ostrom, J. H. (1970). Stratigraphy and paleontology of the Cloverly Formation (Lower Cretaceous) of the Bighorn Basin area, Wyoming and Montana. *Bulletin of the Peabody Museum of Natural History*, 35, 1–234.
- Parsons, W. L., and Parsons, K. M. (2009). A new ankylosaur (Dinosauria: Ankylosauria) from the Lower Cretaceous Cloverly Formation of central Montana. *Canadian Journal of Earth Sciences*, 46(10), 721–738.
- Paulina-Carabajal, A., Lee, Y. N., and Jacobs, L. L. (2016). Endocranial morphology of the primitive nodosaurid dinosaur *Pawpawsaurus campbelli* from the Early Cretaceous of North America. *PLOS One*, 11(3), e0150845.
- Pond, S., Strachan, S.-J., Raven, T. J., Simpson, M. I., Morgan, K., and Maidment, S. C. R. (2023). *Vectipelta barretti*, a new ankylosaurian dinosaur from the Lower Cretaceous Wessex Formation of the Isle of Wight, UK. *Journal of Systematic Palaeontology*, 21(1).
- Raven, T. J., Barrett, P. M., Joyce, C. B., and Maidment, S. C. R. (2023). The phylogenetic relationships and evolutionary history of the armoured dinosaurs (Ornithischia: Thyreophora). *Journal of Systematic Palaeontology*, 21(1).
- Riguetti, F., Pereda-Suberbiola, X., Ponce, D., et al. (2022). A new small-bodied ankylosaurian dinosaur from the Upper Cretaceous of North Patagonia (Río Negro Province, Argentina). *Journal of Systematic Palaeontology*, 20(1), 2137441.

- Rivera-Sylva, H. E., Carpenter, K., and Aranda-Manteca, F. J. (2011). Late Cretaceous nodosaurids (Ankylosauria: Ornithischia) from Mexico. *Revista Mexicana de Ciencias Geológicas*, 28(3), 371–378.
- Rivera-Sylva, H. E., Frey, E., Stinnesbeck, W., Carbot-Chanona, G., Sanchez-Uribe, I. E., and Guzmán-Gutiérrez, J. R. (2018). Paleodiversity of Late Cretaceous Ankylosauria from Mexico and their phylogenetic significance. *Swiss Journal of Palaeontology*, 137, 83–93.
- Schade, M., Stumpf, S., Kriwet, J., Kettler, C., and Pfaff, C. Unravelling the biology of the nodosaurid dinosaur *Struthiosaurus austriacus* from the Late Cretaceous of Austria. In *92nd Annual Meeting of the Paläontologische Gesellschaft*. Geologische Bundesanstalt, (September 2021), 80
- Sternberg, C. M. (1928). A new armored dinosaur from the Edmonton Formation of Alberta. *Transactions of the Royal Society of Canada*, series 3, 22, 93–106.
- Stumpf, S., Schläffer, F., Novak, F. A., Villalobos-Segura, E., Kettler, C., and Kriwet, J. (2023). Resurrection of the European Late Cretaceous ankylosaur, *Struthiosaurus austriacus* BUNZEL, 1871. In *93rd Annual Meeting of the Paläontologische Gesellschaft Jena*, [abstract volume], 36.
- Tangeman, A. Kansas designates *Silvisaurus condrayi* the official state land fossil. KU Biodiversity Institute and Natural History Museum, April 2023.
<https://biodiversity.ku.edu/news/article/2023/04/10/kansas-designates-silvisaurus-condrayi-official-state-land-fossil>
- Thompson, R. S., Parish, J. C., Maidment, S. C., and Barrett, P. M. (2012). Phylogeny of the ankylosaurian dinosaurs (Ornithischia: Thyreophora). *Journal of Systematic Palaeontology*, 10(2), 301–312.

- Vickaryous, M. K. (2006). New information on the cranial anatomy of *Edmontonia rugosidens* Gilmore, a Late Cretaceous nodosaurid dinosaur from Dinosaur Provincial Park, Alberta. *Journal of Vertebrate Paleontology*, 26(4), 1011–1013.
- Vickaryous, M. K., Maryńska, T., and Weishampel, D. B. (2004). Ankylosauria. In *The Dinosauria*, 2nd edition, edited by Weishampel, D. B., Dodson, P., and Osmólska, H., 363–392. Oakland, CA: University of California Press.
- Wiersma, J. P., and Irmis, R. B. (2018). A new southern Laramidian ankylosaurid, *Akainacephalus johnsoni* gen. et sp. nov., from the upper Campanian Kaiparowits Formation of southern Utah, USA. *PeerJ*, 6, e5016.
- Williston, S. W. (1905). A new armored dinosaur from the Upper Cretaceous of Wyoming. *Science*, 22(564), 503–504.
- Zheng, W., Jin, X., Azuma, Y., Wang, Q., Miyata, K., and Xu, X. (2018). The most basal ankylosaurine dinosaur from the Albian–Cenomanian of China, with implications for the evolution of the tail club. *Scientific Reports*, 8(1).

Ankylosauridae

- Alicea, J., and Loewen, M. (2013). New *Minotaurasaurus* material from the Djodokta Formation establishes new taxonomic and stratigraphic criteria for the taxon. *Journal of Vertebrate Paleontology*, 33, 76.
- Alifanov, V. R., and Saveliev, S. V. (2019). The brain morphology and neurobiology in armored dinosaur *Bissektipelta archibaldi* (Ankylosauridae) from the Late Cretaceous of Uzbekistan. *Paleontological Journal*, 53(3), 315–321.

- Arbour, V. (2011). Baron von Nopcsa, *Scolosaurus*, and the spiky-clubbed ankylosaur. Pseudoplocephalus, February 2, 2011, <https://pseudoplocephalus.com/2011/02/02/baron-von-nopcsa-scolosaurus-and-the-spiky-clubbed-ankylosaur>
- Arbour, V. (2018). Inside Scolosaurus, June 10, 2018, <https://pseudoplocephalus.com/2018/06/10/inside-scolosaurus/>
- Arbour, V. M. (2009). Estimating impact forces of tail club strikes by ankylosaurid dinosaurs. *PLOS One*, 4(8), e6738.
- Arbour, V. M., (2014). Systematics, evolution, and biogeography of the ankylosaurid dinosaurs. PhD diss., University of Alberta.
- Arbour, V. M., and Currie, P. J. (2013). *Euoplocephalus tutus* and the diversity of ankylosaurid dinosaurs in the Late Cretaceous of Alberta, Canada, and Montana, USA. *PLOS One*, 8(5), e62421.
- Arbour, V. M., and Currie, P. J. (2015). Systematics, phylogeny and palaeobiogeography of the ankylosaurid dinosaurs. *Journal of Systematic Palaeontology*, 14(5), 1–60.
- Arbour, V. M., and Evans, D. C. (2017). A new ankylosaurine dinosaur from the Judith River Formation of Montana, USA, based on an exceptional skeleton with soft tissue preservation. *Royal Society Open Science*, 4(5), 161086.
- Arbour, V. M., and Mallon, J. C. (2017). Unusual cranial and postcranial anatomy in the archetypal ankylosaur *Ankylosaurus magniventris*. *FACETS*, 2(2), 764–794.
- Arbour, V. M., Burns, M. E., and Sissons, R. L. (2009). A redescription of the ankylosaurid dinosaur *Dyoplosaurus acutosquameus* Parks, 1924 (Ornithischia: Ankylosauria) and a revision of the genus. *Journal of Vertebrate Paleontology*, 29(4), 1117.

- Arbour, V. M., Burns, M. E., Sullivan, R. M., et al. (2014a). A new ankylosaurid dinosaur from the Upper Cretaceous (Kirtlandian) of New Mexico with implications for ankylosaurid diversity in the Upper Cretaceous of western North America. *PLOS One*, 9(9), e108804.
- Arbour, V. M., Currie, P. J., and Badamgarav, D. (2014b). The ankylosaurid dinosaurs of the Upper Cretaceous Baruungoyot and Nemegt formations of Mongolia. *Zoological Journal of the Linnean Society*, 172(3), 631–652.
- Arbour, V. M., Zanno, L. E., and Evans, D. C. (2022). Palaeopathological evidence for intraspecific combat in ankylosaurid dinosaurs. *Biology Letters*, 18(12), 20220404.
- Averianov, A. O. (2002). An ankylosaurid (Ornithischia: Ankylosauria) braincase from the Upper Cretaceous Bissekty Formation of Uzbekistan. *Bulletin of the Royal Belgian Institute of Natural Sciences—Earth Sciences*, 72, 97–110.
- Barrett, P. M., You, H., Upchurch, P., and Burton, A. C. (1998). A new ankylosaurian dinosaur (Ornithischia: Ankylosauria) from the Upper Cretaceous of Shanxi Province, People's Republic of China. *Journal of Vertebrate Paleontology*, 18(2), 376–384.
- Brown, B. (1908). The Ankylosauridae, a new family of armored dinosaurs from the Upper Cretaceous. *Bulletin of the American Museum of Natural History*, 24, 187–201.
- Carpenter, K., Bartlett, J., Bird, J., and Barrick, R. (2008). Ankylosaurs from the Price River Quarries, Cedar Mountain Formation (Lower Cretaceous), east-central Utah. *Journal of Vertebrate Paleontology*, 28(4), 1089–1101.
- Carpenter, K., Kirkland, J. I., Burge, D., and Bird, J. (2001). Disarticulated skull of a new primitive ankylosaurid from the Lower Cretaceous of eastern Utah. In *The Armored Dinosaurs*, edited by Carpenter, K., 211–238. Bloomington, IN: University of Indiana Press.

- Coombs, W. P., Jr., (1990). Teeth and taxonomy in ankylosaurs. In: *Dinosaur Systematics: Approaches and Perspective*, edited by Carpenter, K., and Currie, P. J., 269–279. Cambridge: Cambridge University Press.
- Coombs, W. P., Jr., and Deméré T. A. (1996). A Late Cretaceous nodosaurid ankylosaur (Dinosauria: Ornithischia) from marine sediments of coastal California, *Journal of Paleontology*, 70(2), 311–326.
- Coombs, W. P., Jr., and Maryńska, T. (1990). Ankylosauria. In: *The Dinosauria*, edited by Weishampel, D. P., Dodson, P., and Osmólk, H., 456–483. Oakland: University of California Press.
- Dong, Z. (1993). An ankylosaur (ornithischian dinosaur) from the Middle Jurassic of the Junggar Basin, China. *Vertebrata Palasiatica*, 31, 258–264.
- Dong, Z.-M. (2002). A new armored dinosaur (Ankylosauria) from Beipiao Basin, Liaoning Province, Northeastern China. *Vertebrata Palasiatica*, 40(04), 276.
- Ford T. L. and Kirkland, J. I. (2001). Carlsbad ankylosaur (Ornithischia, Ankylosauria): An ankylosaurid and not a nodosaurid, In: *The Armored Dinosaurs*. Bloomington, IN: Indiana University Press, 239–260.
- Frauenfelder, T. G., Bell, P. R., Brougham, T., et al. (2022). New ankylosaurian cranial remains from the Lower Cretaceous (Upper Albian) Toolebuc Formation of Queensland, Australia. *Frontiers in Earth Science*, 10, 803505.
- Gilmore, C. W. (1933). Two new dinosaurian reptiles from Mongolia with notes on some fragmentary specimens. *American Museum Novitates*, 679, 1–20.
- Godefroit, P., Pereda-Suberbiola, X., Li, H., and Dong, Z. M. (1999). A new species of the ankylosaurid dinosaur *Pinacosaurus* from the Late Cretaceous of Inner Mongolia (P.R.

- China). *Bulletin de l'Institut Royal des Sciences Naturelles de Belgique, Sciences de la Terre*, 69(supp. B), 17–36.
- Han, F., Zheng, W., Hu, D., Xu, X., and Barrett, P. M. (2014). A new basal ankylosaurid (Dinosauria: Ornithischia) from the Lower Cretaceous Jiufotang Formation of Liaoning Province, China. *PLOS One*, 9(8), e104551.
- Ji, Q., Wu, X., Cheng, Y., Ten, F., and Ji, Y. (2016). Fish-hunting ankylosaurs (Dinosauria, Ornithischia) from the Cretaceous of China. *Journal of Geology*, 40(2), 183–190.
- Jiang, B., and Sha, J. (2006). Late Mesozoic stratigraphy in western Liaoning, China: A review. *Journal of Asian Earth Sciences*, 28(4–6), 205–217.
- Kuzmin, I., Petrov, I., Averianov, A. O., Boitsova, E., Skutschas, P., and Sues, H.-D. (2020). The braincase of *Bissektipelta archibaldi*—new insights into endocranial osteology, vasculature, and paleoneurobiology of ankylosaurian dinosaurs. *Biological Communications*, 65(2), 85–156.
- Lambe, L. M. (1910). Note on the parietal crest of *Centrosaurus apertus* and a proposed new generic name for *Stereocephalus tutus*. *The Ottawa Naturalist*, 24, 149–51.
- Li, X., and Reisz, R. R. (2019). The early Cretaceous ankylosaur *Liaoningosaurus* from western Liaoning, China: Progress and problems. 7th Annual meeting Canadian Society of Vertebrate Palaeontology, May 10–13, 2019, 31–32.
- Lü, J., Ji, Q., Gao, Y., and Li, Z. (2007). A new species of the ankylosaurid dinosaur *Crichtonsaurus* (Ankylosauridae: Ankylosauria) from the Cretaceous of Liaoning Province, China. *Acta Geologica Sinica* (English edition), 81(6), 883–897.

- Maidment, S.C.R., Ouarhache, D., Ech-charay, K. et al. (2025). Extreme armour in the world's oldest ankylosaur. *Nature*(Online ahead of print). <https://doi.org/10.1038/s41586-025-09453-6>
- Maleev, E. A. (1952). Noviy ankylosavr is verchnego mela Mongolii [A new ankylosaur from the Upper Cretaceous of Mongolia] *Doklady Akademii Nauk SSSR*, 87(2), 273–276.
- Maryańska, T. (1977). Ankylosauridae (Dinosauria) from Mongolia. *Palaeontologia Polonica*, 37, 85–151.
- Miles, C. A., and Miles, C. J. (2009). Skull of *Minotaurasaurus ramachandrani*, a new Cretaceous ankylosaur from the Gobi Desert. *Current Science*, 96(1).
- Miyashita, T., Arbour, V. M., Witmer, L. M., and Currie, P. J. (2011). The internal cranial morphology of an armoured dinosaur *Euoplocephalus* corroborated by X-ray computed tomographic reconstruction. *Journal of Anatomy*, 219(6), 661–75.
- Nopcsa, B. F. (1928). Palaeontological notes on reptiles. V. On the skull of the Upper Cretaceous dinosaur *Euoplocephalus*. *Geologica Hungarica, Series Palaeontologica*, 1(1), 1–84.
- Pang, Q., and Cheng, Z. (1998). A new ankylosaur of the late Cretaceous from Tianzhen, Shanxi. *Progress in Natural Science*, 8, 326–334.
- Parish, J. C., and Barrett, P. M. (2004). A reappraisal of the ornithischian dinosaur *Amtosaurus magnus* Kurzanov and Tumanova 1978, with comments on the status of *A. archibaldi* Averianov 2002. *Canadian Journal of Earth Sciences*, 41(3), 299–306.
- Park, J. Y., Lee, Y. N., and Currie, P. J. et al. (2019). Additional skulls of *Talarurus plicatospineus* (Dinosauria: Ankylosauridae) and implications for paleobiogeography and paleoecology of armored dinosaurs. *Cretaceous Research*, 108, 104340.

Park, J. Y., Lee, Y. N., Currie, P. J. et al. (2021a). A new ankylosaurid skeleton from the Upper Cretaceous Baruungoyot Formation of Mongolia: Its implications for ankylosaurid postcranial evolution. *Scientific Reports*, 11(1), 4101.

Park, J. Y., Lee, Y. N., Kobayashi, Y. et al. (2021b). A new ankylosaurid from the Upper Cretaceous Nemegt Formation of Mongolia and implications for paleoecology of armoured dinosaurs. *Scientific Reports*, 11(1), 22928.

Parks, W. A. (1924). *Dyoplosaurus acutosquameus, a new genus and species of armored dinosaur; and notes on a skeleton of Prosaurolophus maximus*. University of Toronto Studies Geological Series, 18, 1–35.

Paul, G. S., (2016) *The Princeton Field Guide to Dinosaurs*, 2nd ed. Princeton NJ: Princeton University Press.

Penkalski, P. (2013). A new ankylosaurid from the late Cretaceous Two Medicine Formation of Montana, USA. *Acta Palaeontologica Polonica*, 59(3), 617–634.

Penkalski, P., (2001). Variation in specimens referred to *Euoplocephalus tutus*. In: *The Armored Dinosaurs*, edited by Carpenter, K., pp 261–298. Bloomington, IN: Indiana University Press.

Penkalski, P., and Blows, W. T. (2013). *Scolosaurus cutleri* (Ornithischia: Ankylosauria) from the Upper Cretaceous Dinosaur Park Formation of Alberta, Canada. *Canadian Journal of Earth Sciences*, 50(2), 171–182.

Penkalski, P., and Tumanova, T. (2016). The cranial morphology and taxonomic status of *Tarchia* (Dinosauria: Ankylosauridae) from the Upper Cretaceous of Mongolia. *Cretaceous Research*, 70, 117–12.

- Penkalski, P. (2018). Revised systematics of the armoured dinosaur *Euoplocephalus* and its allies. *Neues Jahrbuch für Geologie und Paläontologie Abhandlungen*, 287(3), 261–306.
- Raven, T. J., Barrett, P. M., Joyce, C. B., and Maidment, S. C. R. (2023). The phylogenetic relationships and evolutionary history of the armoured dinosaurs (Ornithischia: Thyreophora). *Journal of Systematic Palaeontology*, 21(1).
- Riguetti, F., Pereda-Suberbiola, X., Ponce, D. et al. (2022). A new small-bodied ankylosaurian dinosaur from the Upper Cretaceous of North Patagonia (Río Negro Province, Argentina). *Journal of Systematic Palaeontology*, 20(1), 2137441.
- Rivera-Sylva, H. E., Frey, E., Stinnesbeck, W., Carbot-Chanona, G., Sanchez-Uribe, I. E., and Guzmán-Gutiérrez, J. R. (2018). Paleodiversity of Late Cretaceous Ankylosauria from Mexico and their phylogenetic significance. *Swiss Journal of Palaeontology*, 137(1), 83–93.
- Sternberg, C. M. (1929). A toothless armoured dinosaur from the Upper Cretaceous of Alberta. *Canada Department of Mines Geological Survey Bulletin (Geological Series)*, 54(49), 28–33.
- Sullivan, R. (1999). *Nodocephalosaurus kirtlandensis*, gen et sp nov., a new ankylosaurid dinosaur (Ornithischia; Ankylosauria) from the Upper Cretaceous Kirtland Formation (Upper Campanian), San Juan Basin, New Mexico. *Journal of Vertebrate Paleontology*, 19(1), 126–139.
- Tumanova, T. A. (1983). Pervyy ankilozavr iz nizhnego mela Mongolii. In: *Iskopayemyye reptilii mongoli*, edited by L. P. Tatarinov, et al. Trudy Sovmestnaya Sovetsko-Mongol'skaya Paleontologicheskaya Ekspeditsiya, 24, 110–118. [AU: I have styled this as a book in a series. Is that correct?]]

- Tumanova, T. A. (1987). *The Armored Dinosaurs of Mongolia*, vol. 32, 1–76. Moscow: Izdat. Nauka.
- Tumanova, T. A. (1993). O novom pantsirnov dinozavre iz iugo-vostochnoy Gobi [A new armored dinosaur from Southeastern Gobi]. *Paleontologicheskii Zhurnal*, 27(2), 92–98.
- Tumanova, T. A., (2000). Armoured dinosaurs from the Cretaceous of Mongolia. In: *The Age of Dinosaurs in Russia and Mongolia*, edited by Benton, M. J. et al. Cambridge: Cambridge University Press, 517–532.
- Vickaryous, M. K., Maryanska, T., and Weishampel, D. B. (2004). Ankylosauria. In *The Dinosauria*, 2nd edition, edited by Weishampel, D. B., Dodson, P., and Osmólska, H., 363–392. Oakland, CA: University of California Press.
- Vickaryous, M. K., Russell, A. P., Currie, P. J., and Zhao, X.-J. (2001). A new ankylosaurid (Dinosauria: Ankylosauria) from the Lower Cretaceous of China, with comments on ankylosaurian relationships. *Canadian Journal of Earth Sciences*, 38(12), 1767–1780.
- Wiersma, J. P., and Irmis, R. B. (2018). A new southern Laramidian ankylosaurid, *Akainacephalus johnsoni* gen. et sp. nov., from the upper Campanian Kaiparowits Formation of southern Utah, USA. *PeerJ*, 6, e5016.
- Xing, L., Niu, K., Mallon, J., and Miyashita, T. (2024). A new armored dinosaur with double cheek horns from the early Late Cretaceous of southeastern China. *Vertebrate Anatomy Morphology Palaeontology*, 11.
- Xu, L., Lü, J., Zhang, X., et al. (2007). New nodosaurid ankylosaur from the Cretaceous of Ruyang, Henan Province. *Acta Geologica Sinica*, 81(4), 433–438.
- Xu, X., Wang, X.-L., and You, H.-L. (2001). A juvenile ankylosaur from China. *Naturwissenschaften*, 88(7), 297–300.

- Yang J., You H., Xie, L., and Zhou H. (2017). A new specimen of *Crichtonpelta benxiensis* (Dinosauria: Ankylosaurinae) from the Mid-Cretaceous of Liaoning Province, China, *Acta Geologica Sinica*, 91(3), 781–790.
- Zheng, W., Jin, X., Azuma, Y., Wang, Q., Miyata, K., and Xu, X. (2018). The most basal ankylosaurine dinosaur from the Albian–Cenomanian of China, with implications for the evolution of the tail club. *Scientific Reports*, 8(1), 3711.
- Zhou, C.-F., Liu, Q., Wang, X., and Zhang, H. (2022). First discovery of ankylosaurian fossil from the Early Cretaceous Jiufotang Formation of Jianchang, western Liaoning. *Journal of Shandong University of Science and Technology (Natural Science)*, 41(3), 1–7.
- Zhu, Z., Wu, J., You, Y., et al. (2024). A new ankylosaurid dinosaur from the Upper Cretaceous of Jiangxi Province, southern China. *Historical Biology*, 1–17.

Stegosauria

- Alifanov, B. P., Tumanova, T. A., and Kurzanov, C. M. (2005): First discovery of a stegosaur in Mongolia. [In Russian.] *Priroda*, 12: 61–63..
- Allain, R., Vullo, R., Rozada, L. et al. (2022). Vertebrate paleobiodiversity of the Early Cretaceous (Berriasian) Angeac-Charente Lagerstätte (southwestern France): Implications for continental faunal turnover at the J/K boundary. *Geodiversitas*, 44(25), 683–752.
- Barden, H. E., and Maidment, S. C. R. (2011). Evidence for sexual dimorphism in the stegosaurian dinosaur *Kentrosaurus aethiopicus* from the Upper Jurassic of Tanzania. *Journal of Vertebrate Paleontology*, 31(3), 641–651.
- Cameron, R. P., Cameron, J. A., and Barnett, S. M. (2015). Were there two forms of *Stegosaurus*?, <https://arXiv preprint arXiv:1508.03729>.

- Carpenter K., and Galton P. M. (2001). Othniel Charles Marsh and the myth of the eight-spiked *Stegosaurus*. In *The Armored Dinosaur*, edited by Carpenter K. Bloomington, IN: Indiana University Press, 76–102.
- Carpenter, K. (2010). Species concept in North American stegosaurs. *Swiss Journal of Geosciences*, 103(2), 155–162.
- Carpenter, K., Miles, C. A., and Cloward, K. (2001). New primitive stegosaur from the Morrison Formation, Wyoming. In *The Armored Dinosaur*, edited by Carpenter, K. Bloomington, IN: Indiana University Press, 55–75.
- Chatterjee, S., and Rudra, D. K. (1996). KT events in India: Impact, rifting, volcanism and dinosaur extinction. In: Gondwanan Dinosaur Symposium, Brisbane—Proceedings. *Memoirs of the Queensland Museum*, 39(3), iv, 489–532.
- Christiansen, N. A., and Tschopp, E. (2010). Exceptional stegosaur integument impressions from the Upper Jurassic Morrison Formation of Wyoming. *Swiss Journal of Geosciences*, 103, 163–171.
- Cobos, A., Royo-Torres, R., Luque, L., Alcalá, L., and Mampel, L. (2010). An Iberian stegosaurs paradise: The Villar del Arzobispo Formation (Tithonian–Berriasian) in Teruel (Spain). *Palaeogeography, Palaeoclimatology, Palaeoecology*, 293(1–2), 223–236.
- Costa, F., and Mateus, O. (2019). Dacentrurine stegosaurs (Dinosauria): A new specimen of *Miragaia longicollum* from the Late Jurassic of Portugal resolves taxonomical validity and shows the occurrence of the clade in North America. *PLOS One*, 14(11), e0224263.
- Dai, H., Li, N., Maidment, S. C. R., et al. (2022). New stegosaurs from the Middle Jurassic lower member of the Shaximiao Formation of Chongqing, China. *Journal of Vertebrate Paleontology*, 41(5), e1995737.

- Dong, Z. (1973). [Dinosaurs from Wuerho.] Reports of paleontological expedition to Sinkiang (II): Pterosaurian Fauna from Wuerho, Sinkiang. [In Chinese.] In: *Memoirs of the Institute of Vertebrate Paleontology and Paleoanthropology*, vol. 11. Academia Sinica, 45–52.
- Dong, Z. (1990). Stegosaurids of Asia. In: *Dinosaur Systematics: Perspectives and Approaches*, edited by Carpenter, K., and Currie, P. J., Cambridge: Cambridge University Press.
- Dong, Z.-M. (1993). A new species of stegosaur (Dinosauria) from the Ordos Basin, Inner Mongolia, People's Republic of China. *Canadian Journal of Earth Sciences*, 30(10), 2174–2176.
- Dong, Z., Li, X., Zhou, S., and Zhang, Y. (1977). On the Stegosaurian remain from Zigong (Tzekung), Sechuan Province. *Vert Palasiatica*, 15(4), 301–302.
- Dong, Z., Tang, Z. and Zhou, S.W. (1982). Note on the new Mid-Jurassic stegosaur from Sichuan Basin, China. [In Chinese.] *Vertebrata Palasiatica*, 20(1), 83–87.
- Dong, Z., Zhou, S., and Zhang, Y. (1983). Dinosaurs from the Jurassic of Sichuan. [In Chinese.] *Palaeontologia Sinica*, new ser. C, 162(23), 1–136.
- Galton, P. M. (1985). British plated dinosaurs (Ornithischia, Stegosauridae). *Journal of Vertebrate Paleontology*, 5(3), 211–254.
- Galton, P. M., and Ayyasami, K. (2017). Purported latest bone of a plated dinosaur (Ornithischia: Stegosauria), a “dermal plate” from the Maastrichtian (Upper Cretaceous) of southern India. *Neues Jahrbuch für Geologie und Paläontologie—Abhandlungen*. 285(1), 91–96.
- Galton, P. M., and Carpenter, K. (2016). The plated dinosaur *Stegosaurus longispinus* Gilmore, 1914 (Dinosauria: Ornithischia; Upper Jurassic, western USA), type species of

- Alcovasaurus* n. gen. *Neues Jahrbuch Für Geologie Und Paläontologie—Abhandlungen*, 279(2), 185–208.
- Galton, P. M., and Coombs, W. P., Jr. (1981). *Paranthodon africanus* (broom) a stegosaurian dinosaur from the Lower Cretaceous of South Africa. *Geobios*, 14(3), 299–309.
- Giffin, E. B. (1990). Gross spinal anatomy and limb use in living and fossil reptiles. *Paleobiology*, 16(4), 448–58.
- Glut, D. F. (1997). *Dinosaurs: The Encyclopedia*. Jefferson, NC: McFarland.
- Han, F., Forster, C. A., Xu, X., and Clark, J. M. (2018). Postcranial anatomy of *Yinlong downsi* (Dinosauria: Ceratopsia) from the Upper Jurassic Shishugou Formation of China and the phylogeny of basal ornithischians. *Journal of Systematic Palaeontology*, 16, 1159–1187.
- Hao, B., Zhang, Q., Peng, G., Ye, Y., and You, H. (2018). Redescription of *Gigantospinosaurus sichuanensis* (Dinosauria, Stegosauria) from the Late Jurassic of Sichuan, Southwestern China. *Acta Geologica Sinica* (English edition), 92(2), 431–441.
- Hennig, E. (1915). *Kentrosaurus aethiopicus*, der Stegosauride des Tendaguru [*Kentrosaurus aethiopicus*, the stegosaur of the Tendaguru]. *Sitzungsberichte der Gesellschaft Naturforschender Freunde zu Berlin*, 1915, 219–247.
- Hennig, E. (1925). *Kentrurosaurus aethiopicus*; die Stegosaurierfunde vom Tendaguru, Deutsch-Ostafrika. *Palaeontographica-Supplementbände*, 101–254.
- Hoffstetter, R., (1957). Quelques observations sur les Stégosaurinés. *Bulletin du Muséum National d'Histoire Naturelle, Paris*, ser. 2, 29, 537–547.
- Jia, C., Foster, C. A., Xu, X., and Clark, J. M. (2007). The first stegosaur (Dinosauria, Ornithischia) from the Upper Jurassic Shishugou Formation of Xinjiang, China. *Acta Geologica Sinica* (English edition), 81(3), 351–356.

- Jia, L., Li, N., Dong, L. et al. (2024). A new stegosaur from the late Early Cretaceous of Zuoyun, Shanxi Province, China. *Historical Biology*, 37(6), 1–10.
- Lucas, F. A. (1902). Paleontological notes. The generic name *Omosaurus*: A new generic name for *Stegosaurus marshi*. *Science*, new ser., 16(402), 435.
- Madzia, D., Arbour, V. M., Boyd, C. A., Farke, A. A., Cruzado-Caballero, P., and Evans, D. C. (2021). The phylogenetic nomenclature of ornithischian dinosaurs. *PeerJ*, 9, e12362.
- Maidment, S. C. R., and Wei, G. (2006). A review of the Late Jurassic stegosaurs (Dinosauria, Stegosauria) from the People's Republic of China. *Geological Magazine*, 143(05), 621.
- Maidment, S. C. R., Norman, D. B., Barrett, P. M., and Upchurch, P. (2008). Systematics and phylogeny of Stegosauria (Dinosauria: Ornithischia). *Journal of Systematic Palaeontology*, 6(4), 367–407.
- Maidment, S. C. R., Raven, T. J., Ouarhache, D., and Barrett, P. M. (2020). North Africa's first stegosaur: Implications for Gondwanan thyreophoran dinosaur diversity. *Gondwana Research*, 77, 82–97.
- Maidment, S. C. R., Wei, G., and Norman, D. B. (2006). Re-description of the postcranial skeleton of the middle Jurassic stegosaur *Huayangosaurus taibaii*. *Journal of Vertebrate Paleontology*, 26(4), 944–956.
- Maidment, S. C. R., Woodruff, D. C., and Horner, J. R. (2018). A new specimen of the ornithischian dinosaur *Hesperosaurus mjosi* from the Upper Jurassic Morrison Formation of Montana, U.S.A., and implications for growth and size in Morrison stegosaurs. *Journal of Vertebrate Paleontology*, 38(1), e1406366.

- Main, R., de Ricqlès, A., Horner, J. R., and Padian, K. (2005). The evolution and function of thyreophoran dinosaur scutes: Implications for plate function in stegosaurs. *Paleobiology*, 31(2), 291–314.
- Mallison, H. (2010). CAD assessment of the posture and range of motion of *Kentrosaurus aethiopicus* HENNIG 1915. *Swiss Journal of Geosciences*, 103(2), 211–233.
- Mallison, H. (2011a). Defense capabilities of *Kentrosaurus aethiopicus* HENNIG 1915. *Palaeontologia Electronica*, 14(2), 10.
- Mallison, H. (2011b). The real lectotype of *Kentrosaurus aethiopicus* HENNIG 1915. *Neues Jahrbuch für Geologie und Paläontologie*, 259(2), 197–206.
- Mallison, H. (2014-03-07). Osteoderm distribution has low impact on the centre of mass of stegosaurs. *Fossil Record*, 17(1), 33–39.
- Marsh, O. C. (1877). A new order of extinct Reptilia (*Stegosauria*) from the Jurassic of the Rocky Mountains. *American Journal of Science*, 3(14), 513–514.
- Mateus, O., Maidment, S. C. R., and Christiansen, N. A. (2009). A new long-necked “sauropod-mimic” stegosaur and the evolution of the plated dinosaurs. *Proceedings of the Royal Society B: Biological Sciences*, 276(1663), 1815–1821.
- Ning, L., Maidment, S. C., Daqing, L., Hailu, Y., and Guangzhao, P. (2024). A new stegosaur (Dinosauria: Ornithischia) from the Middle Jurassic of Gansu Province, China. *Scientific Reports*, 14(1), 15241.
- Nopcsa, B. F. (1911). I.—Notes on British Dinosaurs. Part IV: *Stegosaurus priscus*, sp. nov. *Geological Magazine*, 8(4), 145–153.
- Nopcsa, F. (1929). Dinosaurierreste aus Siebenburgen V. *Geologica Hungarica*, ser., *Palaeontologica*, fasc. 4(1), 13.

- Ouyang, H. (1992). Discovery of *Gigantspinosaurus sichanensis* and its scapular spine orientation. [In Chinese.] *Youth Academic Symposium on New Discoveries and Ideas in Stratigraphic Paleontology, Abstracts and Summaries*, 47–49.
- Paul, G. S., (2010). *The Princeton Field Guide to Dinosaurs*, Princeton, NJ: Princeton University Press.
- Peng, G., Ye, Y., Gao, Y., Shu, C.-K., and Jiang, S. (2005). *Jurassic Dinosaur Faunas in Zigong*. Zigong, China: Sichuan Scientific and Technological Publishing House.
- Raven, T. J., and Maidment, S. C. R. (2017). A new phylogeny of *Stegosauria* (Dinosauria, Ornithischia). *Palaeontology*, 60(3), 401–408.
- Raven, T. J., and Maidment, S. C. R. (2018). The systematic position of the enigmatic thyreophoran dinosaur *Paranthodon africanus*, and the use of basal exemplifiers in phylogenetic analysis. *PeerJ*, 6, e4529.
- Raven, T. J., Barrett, P. M., Joyce, C. B., and Maidment, S. C. R. (2023). The phylogenetic relationships and evolutionary history of the armoured dinosaurs (Ornithischia: Thyreophora). *Journal of Systematic Palaeontology*, 21(1).
- Saitta, E. T. (2015). Evidence for sexual dimorphism in the plated dinosaur *Stegosaurus mjosi* (Ornithischia, Stegosauria) from the Morrison Formation (Upper Jurassic) of western USA. *PLOS One*, 10(4), e0123503.
- Salgado, L., Canudo, J. I., Garrido, A. C. et al. (2017). A new primitive Neornithischian dinosaur from the Jurassic of Patagonia with gut contents. *Scientific Reports*, 7(1).
- Siber, H. J., and Möckli, U. (2009). *The Stegosaur of the Sauriermuseum Aathal*, 56. Aathal, Switzerland: Sauriermuseum Aathal.

- Tumanova, T. A., and Alifanov, V. R. (2018). First record of stegosaur (Ornithischia, Dinosauria) from the Aptian–Albian of Mongolia. *Paleontological Journal*, 52(14), 1771–1779.
- Ulansky, R. E. (2014). *Dinosaurs Classification. Basal Thyreophora & Stegosauria*. Dinologia, 8 pp.
- Ulansky, R. E. (2015) *Yingshanosaurus jichuanensis and Gigantspinosaurs sichuensis, primitive Jurassic stegosaurs from China*. [In Russian.] Dinologia, 11 pp.
- Yadagiri, P., and Ayyasami, K., (1979). A new stegosaurian dinosaur from Upper Cretaceous sediments of south India. *Journal of the Geological Society of India*, 20(11), 521–530.
- Young, C.-C. (1959). On a new Stegosauria from Szechuan, China, *Vertebrata Palasiatica*, 3(1), 1–8.
- Zafaty, O., Oukassou, M., Rigueti, F. et al. (2024). A new stegosaurian dinosaur (Ornithischia: Thyreophora) with a remarkable dermal armour from the Middle Jurassic of North Africa. *Gondwana Research*, 131, 344–362.
- Zhao, X. (1986). The Cretaceous biota of China: Reptilia. In *The Cretaceous System of China. Stratigraphy of China* [In Chinese], edited by Hao, Y. et al., 67–73, Beijing: Geological Publishing House.
- Zhu, S., (1994). 记四川盆地营山县一剑龙化石 [Record of a fossil stegosaur from Yingshan in the Sichuan Basin], *Sichuan Cultural Relics*, 1994(S1), 8–14.

Ornithopoda

- Agnolín, F. L., Ezcurra, M. D., Pais, D. F., and Salisbury, S. W. (2010). A reappraisal of the Cretaceous non-avian dinosaur faunas from Australia and New Zealand: Evidence for their Gondwanan affinities. *Journal of Systematic Palaeontology*, 8(2), 257–300.
- Andrzejewski, K. A., Winkler, D. A., and Jacobs, L. L. (2019). A new basal ornithopod (Dinosauria: Ornithischia) from the Early Cretaceous of Texas. *PLOS One*, 14(3), e0207935.
- Bandeira, K. L., Navarro, B. A., Pêgas, R. V., et al. (2024). A reassessment of the historical fossil findings from Bahia State (Northeast Brazil) reveals a diversified dinosaur fauna in the Lower Cretaceous of South America. *Historical Biology*, 36(5) 1–42.
- Bell, P. R., Herne, M. C., Brougham, T., and Smith, E. T. (2018). Ornithopod diversity in the Griman Creek Formation (Cenomanian), New South Wales, Australia. *PeerJ*, 6, e6008.
- Boyd, C. A. (2015). The systematic relationships and biogeographic history of ornithischian dinosaurs. *PeerJ*, 3, e1523.
- Butler, R. J., and Galton, P. M. (2008). The “dermal armour” of the ornithopod dinosaur *Hypsilophodon* from the Wealden (Early Cretaceous: Barremian) of the Isle of Wight: A reappraisal. *Cretaceous Research*, 29(4), 636–642.
- Calvo, J. O., Porfiri, J. D., and Novas, F. E. (2007). Discovery of a new ornithopod dinosaur from the Portezuelo formation (Upper Cretaceous), Neuquen, Patagonia, Argentina. *Arquivos do Museu Nacional, Rio de Janeiro*, 65(4), 471–483.
- Cerda, I. A. (2008). Gastroliths in an ornithopod dinosaur. *Acta Palaeontologica Polonica*, 53(2), 351–355.

- Cerda, I. A., and Chinsamy, A. (2012). Biological implications of the bone microstructure of the Late Cretaceous ornithopod dinosaur *Gasparinisaura cincosaltensis*. *Journal of Vertebrate Paleontology*, 32(2), 355–368.
- Cooper, M. R. (1985). A revision of the ornithischian dinosaur *Kangnasaurus coetzeei* Haughton, with a classification of the Ornithischia. *Annals of the South African Museum*, 95(8), 281–317.
- Coram, R. A., Radley, J. D., and Martill, D. M. (2017). A Cretaceous calamity? The *Hypsilophodon* bed of the Isle of Wight, southern England. *Geology Today*, 33(2), 66–70.
- Coria, R. A., and Calvo, J. O. (2002). A new iguanodontian ornithopod from Neuquen Basin, Patagonia, Argentina. *Journal of Vertebrate Paleontology*, 22(3), 503–509.
- Coria, R. A., and Salgado, L. (1996). A basal iguanodontian (Ornithischia: Ornithopoda) from the Late Cretaceous of South America. *Journal of Vertebrate Paleontology*, 16(3), 445–457.
- Coria, R. A., Moly, J. J., Reguero, M., Santillana, S., and Marensi, S. (2013). A new ornithopod (Dinosauria; Ornithischia) from Antarctica. *Cretaceous Research*, 41, 186–193.
- Cruzado-Caballero, P., Gasca, J. M., Filippi, L. S., Cerda, I. A., and Garrido, A. C. (2019). A new ornithopod dinosaur from the Santonian of Northern Patagonia (Rincón de los Sauces, Argentina). *Cretaceous Research*, 98, 211–229.
- Dieudonné, P. E., Cruzado-Caballero, P., Godefroit, P., and Tortosa, T. (2020). A new phylogeny of cerapodan dinosaurs. *Historical Biology*, 33(10), 2335–2355.
- Duncan, R. J., Evans, A. R., Vickers-Rich, P., Rich, T. H., and Poropat, S. F. (2021). Ornithopod jaws from the Lower Cretaceous Eumeralla Formation, Victoria, Australia, and their

- implications for polar neornithischian dinosaur diversity. *Journal of Vertebrate Paleontology*, 41(3), e1946551.
- Egerton, V. M Novas, F. E Doson, P Lacovarae, K. (2013). The first record of a neonatal ornithopod dinosaur from Gondwana. *Gondwana Research*, 23(1), 268–271.
- Galton, P.M. (1974) *The Ornithischian Dinosaur Hypsilophodon from the Wealden of the Isle of Wight. Bulletin of the British Museum (Natural History), Geology*, 25, 1–152c.
- Galton, P.M., (2009) Notes on Neocomian (Lower Cretaceous) ornithopod dinosaurs from England—*Hypsilophodon*, *Valdosaurus*, “*Camptosaurus*,” “*Iguanodon*”—and referred specimens from Romania and elsewhere, *Revue de Paléobiologie*, 28(1), 211–273.
- Garcia-Marsà, J. A., Cerroni, M. A., Rozadilla, S., et al. (2020). Biological implications of the bone microstructure of the Antarctic ornithopods *Trinisaura* and *Morrosaurus* (Dinosauria, Ornithischia). *Cretaceous Research*, 116, 104605.
- Haughton, S. H. (1915). On some dinosaur remains from Bushmanland. *Transactions of the Royal Society of South Africa*, 5(1), 259–264.
- Herne, M. (2013). Anatomy, systematics and phylogenetic relationships of the Early Cretaceous ornithopod dinosaurs of the Australian-Antarctic rift system. PhD diss., University of Queensland.
- Herne, M. C., Nair, J. P., Evans, A. R., and Tait, A. M. (2019). New small-bodied ornithopods (Dinosauria, Neornithischia) from the Early Cretaceous Wonthaggi Formation (Strzelecki Group) of the Australian-Antarctic rift system, with revision of *Qantassaurus intrepidus* Rich and Vickers-Rich, 1999. *Journal of Paleontology*, 93(3), 543–584.

- Herne, M. C., Tait, A. M., Weisbecker, V., et al. (2018). A new small-bodied ornithopod (Dinosauria, Ornithischia) from a deep, high-energy Early Cretaceous river of the Australian–Antarctic rift system. *PeerJ*, 5, e4113.
- Huxley, T. H. (1869). On *Hypsilophodon*, a new genus of Dinosauria. *Geological Society of London Abstracts of Proceedings*, 204, 3–4.
- Ibiricu, L. M., Casal, G. A., Martínez, R. D., et al. (2019). A new ornithopod dinosaur (Dinosauria: Ornithischia) from the Late Cretaceous of central Patagonia. *Cretaceous Research*, 98, 276–291.
- Ibiricu, L. M., Martínez, R. D., Luna, A., and Casal, G. A. (2014). A reappraisal of *Notohypsilophodon comodorensis* (Ornithischia: Ornithopoda) from the Late Cretaceous of Patagonia, Argentina. *Zootaxa*, 3786(4), 401.
- Lamanna, M. C., Case, J. A., Roberts, E. M., et al. (2019). Late Cretaceous non-avian dinosaurs from the James Ross Basin, Antarctica: Description of new material, updated synthesis, biostratigraphy, and paleobiogeography. *Advances in Polar Science*, 30(3), 228–250.
- Madzia, D. Boyd, C. A. Mazuch, M. (2017). A basal ornithopod dinosaur from the Cenomanian of the Czech Republic. *Journal of Systematic Palaeontology*, 16(11) 1–13.
- Manitkoon, S., Deesri, U., Khalloufi, B., et al. (2023). A new basal neornithischian dinosaur from the Phu Kradung Formation (Upper Jurassic) of Northeastern Thailand. *Diversity*, 15(7), 851.
- Martill, D. M., and Naish, D. (2001). *Dinosaurs of the Isle of Wight*. London: The Palaeontological Association.
- Martínez, Rubén D. (1998). *Notohypsilophodon comodorensis*, gen. et sp. nov., un Hypsilophodontidae (Ornithischia: Ornithopoda) del Cretácico Superior de Chubut,

- Patagonia central, Argentina. [In Spanish and English.] *Acta Geologica Leopoldensia*, 21(46/47), 119–135.
- Moyano-Paz, D., Rozadilla, S., Agnolín, F. (2022). The uppermost Cretaceous continental deposits at the southern end of Patagonia, the Chorrillo Formation case study (Austral-Magallanes Basin): Sedimentology, fossil content and regional implications. *Cretaceous Research*, 130, 105059.
- Nogueira, R. A., Rozadilla, S., Agnolín, F. L., Marsà, J. A. G., Motta, M. J., and Novas, F. E. (2024). A new ornithopod from the Upper Cretaceous (Huincul Formation) of northwestern Patagonia, Argentina: Implications on elasmarian postcranial anatomy. *Cretaceous Research*, 159, 105874.
- Norman, D. B. (2004). Basal Iguanodontia. In *The Dinosauria*, 2nd edition, edited by Weishampel, D. B., Dodson, P., and Osmólska, H., 413–437. Oakland, CA: University of California Press.
- Novas, F. E., Cambiaso, A. V., and Ambrosio, A. (2004). A new basal iguanodontian (Dinosauria, Ornithischia) from the Upper Cretaceous of Patagonia. *Ameghiniana*, 41(1), 75–82.
- Novas, F., Agnolín, F., Rozadilla, S., et al. (2019). Paleontological discoveries in the Chorrillo Formation (upper Campanian-lower Maastrichtian, Upper Cretaceous), Santa Cruz Province, Patagonia, Argentina. *Revista del Museo Argentino de Ciencias Naturales*, 21(2), 217–293.
- O’leary, M. A., Bouaré, M. L., Claeson, K. M., et al. (2019). Stratigraphy and paleobiology of the Upper Cretaceous-Lower Paleogene sediments from the trans-Saharan seaway in Mali. *Bulletin of the American Museum of Natural History*, 2019(436), 1–183.

- Poropat, S. (2018). Museo Carmen Funes—and *Anabisetia saldiviai*. Stephen Poropat—
Palaeontologist, November 22, 2018, <https://stephenporopat.weebly.com/blog/museo-carmen-funes-and-anabisetia-saldiviai>
- Rich, T. and Vickers-Rich, P. (1989). Polar dinosaurs and biotas of the Early Cretaceous of
southeastern Australia. *National Geographic Research*, 5(1), 15–53.
- Rich, T. H., and Vickers-Rich, P. (1999). The Hypsilophodontidae from southeastern Australia.
National Science Museum Monographs, 15, 167–180.
- Riguetti, F. J., Apesteguía, S., and Pereda-Suberbiola, X. (2022). A new Cretaceous
thyreophoran from Patagonia supports a South American lineage of armoured dinosaurs.
Scientific Reports, 12(1), 11621.
- Rozadilla, S. (2015). A new ornithopod (Dinosauria, Ornithischia) from the Upper Cretaceous of
Antarctica and its palaeobiogeographical implications. *Cretaceous Research*, 57: 311–
324.
- Rozadilla, S., Agnolín, F. L., and Novas, F. E. (2019). Osteology of the Patagonian ornithopod
Talenkauen santacrucensis (Dinosauria, Ornithischia). *Journal of Systematic
Palaeontology*, 17, 2043–2089.
- Rozadilla, S., Agnolín, F. L., Novas, F. E., et al. (2016). A new ornithopod (Dinosauria,
Ornithischia) from the Upper Cretaceous of Antarctica and its palaeobiogeographical
implications. *Cretaceous Research*, 57, 311–324.
- Rozadilla, S., Cruzado-Caballero, P., and Calvo, J. O. (2019). Osteology of Ornithopod
Macrogyphosaurus gondwanicus (Dinosauria, Ornithischia) from the Upper Cretaceous
of Patagonia, Argentina. *Cretaceous Research*, 104311.

- Ruiz-Omeñaca, J. I., (2001). Dinosaurios hipsilofodóntidos (Ornithischia: Ornithopoda) en la Península Iberica. In: *Actas de las I Jornadas Internacionales sobre Paleontología de Dinosaurios y su Entorno, Salas de los Infantes*, edited by Colectivo Arqueológico Paleontológico de Salas, 175–266.
- Ruiz-Omeñaca, J. I., Canudo, J. I., Cuenca-Bescós, G., Cruzado-Caballero, P., Gasca, J. M., and Moreno-Azanza, M. (2012). A new basal ornithopod dinosaur from the Barremian of Galve, Spain. *Comptes Rendus Palevol*, 11(6), 435–444.
- Salgado, L., Coria, R. A., and Heredia, S. (1997). New materials of *Gasparinisaura cincosaltensis* (Ornithischia: Ornithopoda) from the Upper Cretaceous of Argentina, *Journal of Paleontology*, 71, 933–940.
- Sanz, J. L., A. D. Buscalioni, M.-L. Casanovas and J.-V. Santafé, (1987). Dinosaurios del Cretacico Inferior de Galve (Teruel, España), *Estudios Geológicos*, 43(Extra), 45–64.
- Tykoski, R. S., Contreras, D. L., and Noto, C. (2023). The first small-bodied ornithopod dinosaur from the Lewisville Formation (middle Cenomanian) of Texas. *Journal of Vertebrate Paleontology*, 43(2), e2257238.
- Yang, Y., Wu, W., Dieudonné, P. E., and Godefroit, P. (2020). A new basal ornithopod dinosaur from the Lower Cretaceous of China. *PeerJ*, 8, e9832.
- Zanno, L. E., Gates, T. A., Avrahami, H. M., Tucker, R. T., and Makovicky, P. J. (2023). An early-diverging iguanodontian (Dinosauria: Rhabdodontomorpha) from the Late Cretaceous of North America. *PLOS One*, 18(6), e0286042.

Iguanodontia

- Augustin, F. J., Bastiaans, D., Dumbravă, M. D., and Csiki-Sava, Z. (2022b). A new ornithopod dinosaur, *Transylvanosaurus platycephalus* gen. et sp. nov. (Dinosauria: Ornithischia),

- from the Upper Cretaceous of the Hațeg Basin, Romania. *Journal of Vertebrate Paleontology*, 42(2), e2133610.
- Augustin, F. J., Dumbravă, M. D., Bastiaans, D., and Csiki-Sava, Z. (2022a). Reappraisal of the braincase anatomy of the ornithopod dinosaurs *Telmatosaurus* and *Zalmoxes* from the Upper Cretaceous of the Hațeg Basin (Romania) and the taxonomic reassessment of some previously referred specimens. *PalZ*, 97(1), 129–145.
- Barrett, P. (2016). A new specimen of *Valdosaurus canaliculatus* (Ornithopoda: Dryosauridae) from the Lower Cretaceous of the Isle of Wight, England. *Memoirs of Museum Victoria*, 74, 29–48.
- Barrett, P. M., Butler, R. J., Twitchett, R. J., and Hutt, S. (2011). New material of *Valdosaurus canaliculatus* (Ornithischia: Ornithopoda) from the Lower Cretaceous of southern England. In *Studies on Fossil Tetrapods*, 131–163. Durham, UK: Palaeontological Association.
- Bartholomai, A., and Molnar, R. E. (1981). *Muttaburrasaurus*: A new iguanodontid (Ornithischia:Ornithopoda) dinosaur from the Lower Cretaceous of Queensland. *Memoirs of the Queensland Museum*, 20(2), 319–349.
- Bell, P. R., Brougham, T., Herne, M. C., Frauenfelder, T., and Smith, E. T. (2019). *Fostoria dhimbangunmal*, gen. et sp. nov., a new iguanodontian (Dinosauria, Ornithopoda) from the mid-Cretaceous of Lightning Ridge, New South Wales, Australia. *Journal of Vertebrate Paleontology*, 39(1), e1564757.
- Boyd, C. A. (2015). The systematic relationships and biogeographic history of ornithischian dinosaurs. *PeerJ*, 3, e1523.

- Brusatte, S. L., Dumbravă, M., Vremir, M., Csiki-Sava, Z., Totoianu, R., and Norell, M. A. (2017). A catalog of *Zalmoxes* (Dinosauria: Ornithopoda): Specimens from the Upper Cretaceous Nălaț-Vad Locality, Hațeg Basin, Romania. *American Museum Novitates*, 2017(3884), 1–36.
- Buffetaut E., Cuny G., and Le Loeuff J. (1991). French dinosaurs: The best record in Europe? *Modern Geology*, 16, 17–42.
- Butler, R. J., Liyong, J., Jun, C., and Godefroit, P. (2011). The postcranial osteology and phylogenetic position of the small ornithischian dinosaur *Changchunsaurus parvus* from the Quantou Formation (Cretaceous: Aptian–Cenomanian) of Jilin Province, north-eastern China. *Palaeontology*, 54(3), 667–683.
- Carpenter, K., and Galton, P. (2018). A photo documentation of bipedal ornithischian dinosaurs from the Upper Jurassic Morrison Formation, USA. *Geology of the Intermountain West*, 5, 167–207.
- Carpenter, K., and Lamanna, M. C. (2015). The braincase assigned to the ornithopod dinosaur *Uteodon* McDonald, 2011, reassigned to *Dryosaurus* Marsh, 1894: Implications for iguanodontian morphology and taxonomy. *Annals of Carnegie Museum*, 83(2), 149–165.
- Coria, R. A., Cerda, I. A., Escaso, F., et al. (2025). First Valanginian (Early Cretaceous) ornithopod (Dinosauria, Ornithischia) from Patagonia. *Cretaceous Research*, 166, 106027.
- Czepiński, Ł., and Madzia, D. (2025-04-30). Exploring the diversity and disparity of rhabdodontomorph ornithopods from the Late Cretaceous European archipelago. *Scientific Reports*. 15(1), 15209.

- Dantas, P., Yagüe, P., Hazevoet, C. J., et al. (2000). Preliminary study of a new basal Iguanodontia from the Portuguese Upper Jurassic. In I Iberian Congress of Paleontology XVI Conference of the Spanish Society of Paleontology, VIII International Meeting of IGCP No. 421 Medio-Paleozoic Bioevents in North Gondwana/Modelosbiogeográficos em relação com a crustal dynamics. *Paleontology in Portugal: História e colaboraciones Espanha-Portuga*, 12–13.
- Dieudonné, P. E., Cruzado-Caballero, P., Godefroit, P., and Tortosa, T. (2020). A new phylogeny of cerapodan dinosaurs. *Historical Biology*, 33(10), 2335–2355.
- Escaso, F., Ortega, F., Dantas, P., et al. (2014). A new dryosaurid ornithopod (Dinosauria, Ornithischia) from the Late Jurassic of Portugal. *Journal of Vertebrate Paleontology*, 34(5), 1102–1112.
- Fejfar, O Košťák, M Kvaček, J Mazuch, M Moučka, M. (2005). First Cenomanian dinosaur from Central Europe (Czech Republic). *Acta Palaeontologica Polonica*, 50(2), 295–300.
- Forster, C. A. (1990). The postcranial skeleton of the ornithopod dinosaur *Tenontosaurus tilletti*. *Journal of Vertebrate Paleontology*, 10(3), 273–294.
- Forster, C. A., de Klerk, W. J., Poole, K. E., Chinsamy-Turan, A., Roberts, E. M., and Ross, C. F. (2022). *Iyuku raathi*, a new iguanodontian dinosaur from the Early Cretaceous Kirkwood Formation, South Africa. *The Anatomical Record*, 306(7), 1762–1803.
- Forster, C., Poole, K., De Klerk, W., Anusuya, C.-T., and Roberts, E. (2012). A new taxon of iguanodontoid dinosaur from the Kirkwood Formation (Valanginian) of South Africa based on an assemblage of juvenile specimens. 22nd Conference of the Society of Vertebrate Paleontology. *Journal of Paleontology*, 32, 95–95.

- Foster, J. (2007). Appendix. *Jurassic West: The Dinosaurs of the Morrison Formation and their World*. Bloomington:IN: Indiana University Press, 327–329.
- Galton, P. M. (1977). The Upper Jurassic dinosaur *Dryosaurus* and a Laurasia-Gondwana connection in the Upper Jurassic, *Nature*, 268(5617), 230–232.
- Galton, P. M. (1980). European Jurassic ornithopod dinosaurs of the families Hypsilophodontidae and Camptosauridae. *Neues Jahrbuch für Geologie und Paläontologie, Abhandlungen*, 160(1), 73–95.
- Galton, P. M. (2009). Notes on Neocomian (Late Cretaceous) ornithopod dinosaurs from England—*Hypsilophodon*, *Valdosaurus*, “*Camptosaurus*,” “*Iguanodon*”—and referred specimens from Romania and elsewhere. *Revue de Paléobiologie*, 28(1), 211–273.
- Galton, P. M., and Jensen, J. A. (1973). Small bones of the hypsilophodontid dinosaur *Dryosaurus altus* from the Upper Jurassic of Colorado. *Great Basin Nature*, 33, 129–132.
- Galton, P. M., and Taquet, P. (1982). *Valdosaurus*, a hypsilophodontid dinosaur from the Lower Cretaceous of Europe and Africa. *Géobios*, 15(2), 147–159.
- Galton, P. M. (1989). Crania and endocranial casts from ornithopod dinosaurs of the families Dryosauridae and Hypsilophodontidae (Reptilia: Ornithischia). *Geologica et Palaeontologica*, 23, 217–239.
- Garcia, G., Pincemaille, M., Vianey-Liaud, M., et al. (1999). Découverte du premier squelette presque complet de *Rhabdodon priscus* (Dinosauria, Ornithopoda) du Maastrichtien inférieur de Provence. *Comptes Rendus de l'Académie des Sciences-Series IIA-Earth and Planetary Science*, 328(6), 415–421.

- Gignac, P. M., Makovicky, P. J., Erickson, G. M., and Walsh, R. P. (2010). A description of *Deinonychus antirrhopus* bite marks and estimates of bite force using tooth indentation simulations. *Journal of Vertebrate Paleontology*, 30(4), 1169–1177.
- Godefroit, P., Garcia, G., Gomez, B., et al. (2017). Extreme tooth enlargement in a new Late Cretaceous rhabdodontid dinosaur from Southern France. *Scientific Reports*, 7(1).
- Herne, M. C., Nair, J. P., Evans, A. R., and Tait, A. M. (2019). New small-bodied ornithopods (Dinosauria, Neornithischia) from the Early Cretaceous Wonthaggi Formation (Strzelecki Group) of the Australian-Antarctic rift system, with revision of *Qantassaurus intrepidus* Rich and Vickers-Rich, 1999. *Journal of Paleontology*, 93(3), 543–584.
- Hübner, T. (2018). The postcranial ontogeny of *Dysalotosaurus lettowvorbecki* (Ornithischia: Iguanodontia) and implications for the evolution of ornithopod dinosaurs. *Palaeontographica Abteilung A: Palaeozoologie*, 310(3–6), 43–120.
- Hübner, T. R. (2012). Bone histology in *Dysalotosaurus lettowvorbecki* (Ornithischia: Iguanodontia)--variation, growth, and implications, edited by Laudet, V. *PLOS One*, 7(1), e29958.
- Hübner, T. R., and Rauhut, O. W. M. (2010). A juvenile skull of *Dysalotosaurus lettowvorbecki* (Ornithischia: Iguanodontia), and implications for cranial ontogeny, phylogeny, and taxonomy in ornithopod dinosaurs. *Zoological Journal of the Linnean Society*, 160(2), 366–396.
- Hübner, T. R., Foth, C., Heinrich, W. D., Schwarz, D., and Bussert, R. (2021). Research history, taphonomy, and age structure of a mass accumulation of the ornithopod dinosaur *Dysalotosaurus lettowvorbecki* from the Upper Jurassic of Tanzania. *Acta Palaeontologica Polonica*, 66, 275–300.

- Inabinett, M. (2018). Postcranial anatomy of a new, well-preserved specimen of the dinosaur *Dryosaurus Altus* (Ornithischia, Dryosauridae) from Albany County, Wyoming. PhD diss., Amherst College.
- Lopatin, A. V., and Averianov, A. O. (2020). *Riabininohadros*, a new genus for the Ornithischian Dinosaur *Orthomerus weberae* (Ornithopoda, Iguanodontia) from the Late Cretaceous of Crimea. *Paleontological Journal*, 54(3), 320–322.
- Lopatin, A. V., Averianov, A. O., and Alifanov, V. R. (2018). New data on dinosaurs of the Crimean Peninsula, *Doklady Biological Sciences*, 482, 206–209.
- Madzia, D.; Boyd, C. A., and Mazuch, M. (2017). A basal ornithopod dinosaur from the Cenomanian of the Czech Republic. *Journal of Systematic Palaeontology*, 16(11), 967–979.
- Maidment, S. C., Chapelle, K. E., Bonsor, J. A., Button, D., and Barrett, P. M. (2022). Osteology and relationships of *Cumnoria prestwichii* (Ornithischia: Ornithopoda) from the Late Jurassic of Oxfordshire, UK. *Monographs of the Palaeontographical Society*, 176(664), 1–55.
- Manitkoon, S., Deesri, U., Warapeang, P., Nonsrirach, T., and Chanthasit, P. (2023). Ornithischian dinosaurs in Southeast Asia: A review with palaeobiogeographic implications. *Fossil Record*, 26(1), 1–25.
- Marsh, O. C. (1885). Names of extinct reptiles. *American Journal of Science*, 29, 169.
- Marsh, O. C. (1894). The typical Ornithopoda of the American Jurassic, *American Journal of Science*, ser. 3, 48, 85–90.
- Matheron, P. (1869). Notice sur les reptiles fossiles des dépôts fluvio-lacustres crétacés du bassin à lignite de Fuveau [Notice on the fossil reptiles from the Cretaceous fluvio-lacustrine

- deposits of the lignitic Fuveau Basin]. *Mémoires de l'Académie des Sciences, Belles-Lettres, et Arts de Marseille*, 1868–1869, 345–379.
- Maxwell, W. D., and Ostrom, J. H. (1995). Taphonomy and paleobiological implications of *Tenontosaurus-Deinonychus* associations. *Journal of Vertebrate Paleontology*, 15(4), 707–712.
- McDonald, A. T. (2011). The taxonomy of species assigned to *Camptosaurus* (Dinosauria: Ornithopoda). *Zootaxa*, 2783, 52–68.
- McDonald, A. T., Kirkland, J. I., DeBlieux, D. D., et al., (2010). New basal iguanodonts from the Cedar Mountain Formation of Utah and the Evolution of thumb-spiked dinosaurs. *PLOS One*, 5(11), e14075.
- McIntosh, J. S. (1981). Annotated catalogue of the dinosaurs (Reptilia, Archosauria) in the collections of the Carnegie Museum of Natural History. *Bulletin of Carnegie Museum of Natural History*, 18, 1–67.
- Milner, A. R., and Norman, D. B. (1984). The biogeography of advanced ornithopod dinosaurs (Archosauria: Ornithischia)—a cladistic-vicariance model. In 3rd Symposium on Mesozoic Terrestrial Ecosystems, edited by Reif, W. D., and Westfal, F., 145–150. Tübingen: Attempto Verlag.
- Molnar, R. E. (1996). Observations on the Australian ornithopod dinosaur, *Muttaburrasaurus*. *Memoirs of the Queensland Museum*, 39(3), 639–652.
- Naish, D., and Martill, D. M. (2008). Dinosaurs of Great Britain and the role of the Geological Society of London in their discovery: Ornithischia. *Journal of the Geological Society of London*, 165(3), 613–623.

- Nudds, J. R., Lomax, D. R., and Tennant, J. P. (2022). Gastroliths and *Deinonychus* teeth associated with a skeleton of *Tenontosaurus* from the Cloverly Formation (Lower Cretaceous), Montana, USA. *Cretaceous Research*, 140, 105327.
- Ósi, A., Prondvai, E., Butler, R., and Weishampel, D. B. (2012). Phylogeny, histology and inferred body size evolution in a new rhabdodontid dinosaur from the Late Cretaceous of Hungary. *PLOS One*, 7(9).
- Ostrom, J. H. (1970). Stratigraphy and paleontology of the Cloverly Formation (Lower Cretaceous) of the Bighorn Basin area, Wyoming and Montana. *Bulletin of the Peabody Museum of Natural History*, 35, 1–234.
- Párraga, J., and Prieto-Márquez, A. (2019). *Pareisactus evrostopos*, a new basal iguanodontian (Dinosauria: Ornithomimidae) from the Upper Cretaceous of southwestern Europe. *Zootaxa*, 4555(2), 247–258.
- Poole, K. E. (2015). Phylogeny and biogeography of iguanodontian dinosaurs, with implications from ontogeny and an examination of the function of the fused carpal-digit I complex. PhD diss., George Washington University, 1–207.
- Poole, K. E. (2022). Placing juvenile specimens in phylogenies: An ontogenetically sensitive phylogenetic assessment of a new genus of iguanodontian dinosaur from the Early Cretaceous Kirkwood Formation, South Africa. *The Anatomical Record*, 306(7), 1939–1950.
- Roach, B. T. Brinkman, D. L. (2007). A reevaluation of cooperative pack hunting and gregariousness in *Deinonychus antirrhopus* and other nonavian theropod dinosaurs. *Bulletin of the Peabody Museum of Natural History*, 48(1), 103–138.

Rotatori, F. M., Ferrari, L., Sequero, C., Camilo, B., Mateus, O., and Moreno-Azanza, M.

(2024). An unexpected early-diverging iguanodontian dinosaur (Ornithischia, Ornithopoda) from the Upper Jurassic of Portugal. *Journal of Vertebrate Paleontology*, 43(4), e2310066.

Rotatori, F. M., Moreno-Azanza, M., and Mateus, O. (2022). Reappraisal and new material of the holotype of *Draconyx loureiroi* (Ornithischia: Iguanodontia) provide insights on the tempo and modo of evolution of thumb-spiked dinosaurs. *Zoological Journal of the Linnean Society*, 195(1), 125–156.

Ruiz-Omeñaca, J. I., Pereda Suberbiola, X., Galton, P. M., and Carpenter, K. (2007).

Callovosaurus leedsi, the earliest dryosaurid dinosaur (Ornithischia: Euornithopoda) from the Middle Jurassic of England. *Horns and Beaks: Ceratopsian and Ornithopod Dinosaurs*, 3–16. Bloomington, IN: Indiana University Press.

Schwarz, D., Fritsch, G., Issever, A. S., Berlin, C. U., and Hildebrandt, T. (2023). Description of contents of unopened bamboo corsets and crates from Quarry Ig/WJ of the Tendaguru locality (Late Jurassic, Tanzania, East Africa) as revealed by medical CT data and the potential of this data under paleontological and historical aspects. *Palaeontologia Electronica*, 26.1.a4, <https://doi.org/10.26879/1231>.

Seeley, H. G. (1881). The reptile fauna of the Gosau Formation preserved in the Geological Museum of the University of Vienna: With a note on the geological horizon of the fossils at Neue Welt, west of Wiener Neustadt, by Edw. Suess, Ph.D., F.M.G.S., &c., Professor of Geology in the University of Vienna, &c. *Quarterly Journal of the Geological Society*, 37(1–4), 620–707.

- Seeley, H.G. (1888). On *Cumnoria*, an iguanodont genus founded upon the *Iguanodon prestwichi*, Hulke. *Report of the British Association for the Advancement of Science*, 57, 698.
- Sobral, G., Hipsley, C.A., Müller, J. (2012). Braincase redescription of *Dysalotosaurus lettowvorbecki* (Dinosauria, Ornithopoda) based on computed tomography. *Journal of Vertebrate Paleontology*, 32(5), 1090–1102.
- Virchow, H. (1919). Atlas und Epistropheus bei den Schildkröten. *Sitzungsberichte der Gesellschaft Naturforschender Freunde zu Berlin*, 8, 303–332.
- Weishampel, D. B., Jianu, C.-M., Csiki, Z., and Norman, D. B. (2003). Osteology and phylogeny of *Zalmoxes* (n. g.), an unusual euornithopod dinosaur from the Latest Cretaceous of Romania. *Journal of Systematic Palaeontology*, 1(2), 65–123.
- Werning, S. (2012). The ontogenetic osteohistology of *Tenontosaurus tilletti*. *PLOS One*, 7(3), e33539.
- Winkler, D. A., Murry, P. A., and Jacobs, L. L. (1997). A new species of *Tenontosaurus* (Dinosauria: Ornithopoda) from the Early Cretaceous of Texas. *Journal of Vertebrate Paleontology*, 17(2), 330–348.
- Zanno, L. E., Gates, T. A., Avrahami, H. M., Tucker, R. T., and Makovicky, P. J. (2023). An early-diverging iguanodontian (Dinosauria: Rhabdodontomorpha) from the Late Cretaceous of North America. *PLOS One*, 18(6), e0286042.

Styracosterna

- Bailey, J. B. (1997). Neural spine elongation in dinosaurs: Sailbacks or buffalo-backs? *Journal of Paleontology*, 71(6), 1124–1146.

- Bertozzo, F., Dalla Vecchia, F. M., and Fabbri, M. (2017). The Venice specimen of *Ouranosaurus nigeriensis* (Dinosauria, Ornithopoda). *PeerJ*, 5, e3403.
- Bonsor, J. A., Lockwood, J. A., Leite, J. V., Scott-Murray, A., and Maidment, S. C. (2023). The osteology of the holotype of the British iguanodontian dinosaur *Mantellisaurus atherfieldensis*. *Monographs of the Palaeontographical Society*, 177(665), 1–63.
- Boyd, C. A., and Pagnac, D. C. (2015). Insight on the anatomy, systematic relationships, and age of the Early Cretaceous ankylopollexian dinosaur *Dakotadon lakotaensis*. *PeerJ*, 3, e1263.
- Brill, K., and Carpenter, K. (2006). A description of a new ornithopod from the Lytle Member of the Purgatoire Formation (Lower Cretaceous) and a reassessment of the skull of *Camptosaurus*. In *Horns and Beaks: Ceratopsian and Ornithopod Dinosaurs*, 49–67. Bloomington, IN: Indiana University Press.
- Carpenter, K., and Lamanna, M. C. (2015). The braincase assigned to the ornithopod dinosaur *Uteodon* McDonald, 2011, reassigned to *Dryosaurus* Marsh, 1894: Implications for iguanodontian morphology and taxonomy. *Annals of Carnegie Museum*, 83(2), 149–165.
- Carpenter, K., and Wilson, Y. (2008). A new species of *Camptosaurus* (Ornithopoda: Dinosauria) from the Morrison Formation (Upper Jurassic) of Dinosaur National Monument, Utah, and a biomechanical analysis of its forelimb. *Annals of Carnegie Museum*, 76(4), 227.
- DiCroce, T., and Carpenter, K. (2001). 13. New ornithopod from the Cedar Mountain Formation (Lower Cretaceous) of Eastern Utah. In *Mesozoic Vertebrate Life*, edited by Tanke, D. and Carpenter, K., 183–196. Bloomington, IN: Indiana University Press.

- Galton, P. M. (2009). Notes on Neocomian (Lower Cretaceous) ornithopod dinosaurs from England—*Hypsilophodon*, *Valdosaurus*, “*Camptosaurus*,” “*Iguanodon*”—and referred specimens from Romania and elsewhere. *Revue de Paléobiologie, Genève*, 28(1), 214.
- Gasulla, J. M., Escaso, F., Narváez, I., Ortega, F., and Sanz, J. L. (2015). A new sail-backed styracosternan (Dinosauria: Ornithopoda) from the Early Cretaceous of Morella, Spain. *PLOS One*, 10(12), e0144167.
- Gilmore, C. W. (1925). Osteology of ornithopodous dinosaurs from the Dinosaur National Monument, Utah. *Memoirs of the Carnegie Museum*, 10, 385–410.
- Gilpin, D., DiCroce, T., and Carpenter, K. (2007). A possible new basal hadrosaur from the Lower Cretaceous Cedar Mountain Formation of eastern Utah. *Horns and Beaks: Ceratopsian and Ornithopod Dinosaurs*, 79–89. Bloomington, IN: Indiana University Press.
- Godefroit, P., Escuillié, F., Bolotsky, Y.L., and Lauters, P. (2012). A new basal hadrosauroid dinosaur from the Upper Cretaceous of Kazakhstan. In *Bernissart Dinosaurs and Early Cretaceous Terrestrial Ecosystems*, edited by Godefroit, P., 334–358. Bloomington, IN: Indiana University Press.
- Holtz, T. R., Jr., and Rey, L. (2007). *Dinosaurs: The Most Complete, Up-to-Date Encyclopedia for Dinosaur Lovers of All Ages*, 257. New York: Random House.
- Ji, S., Zhang, P. (2022). First new genus and species of basal iguanodontian dinosaur (Ornithischia: Ornithopoda) from southern China. *Acta Geoscientica Sinica*, 43(1), 1–10.
- Kirkland, J. I., and Madsen, S. K. (2007). The Lower Cretaceous Cedar Mountain Formation, eastern Utah: The view up an always interesting learning curve. Geological Society of America, papers from a symposium, May 4–6, 2007.

- Kobayashi, Y., and Azuma, Y. (2003). A new iguanodontian (Dinosauria; Ornithopoda), from the lower Cretaceous Kitadani Formation of Fukui Prefecture, Japan. *Journal of Vertebrate Paleontology*, 23(1), 166–175.
- Lockwood, J. A., Martill, D. M., and Maidment, S. C. (2021). A new hadrosauriform dinosaur from the Wessex Formation, Wealden Group (Early Cretaceous), of the Isle of Wight, southern England. *Journal of Systematic Palaeontology*, 19(12), 847–888.
- Maidment, S. C., Chapelle, K. E., Bonsor, J. A., Button, D., and Barrett, P. M. (2022). Osteology and relationships of *Cumnoria prestwichii* (Ornithischia: Ornithopoda) from the Late Jurassic of Oxfordshire, UK. *Monographs of the Palaeontographical Society*, 176(664), 1–55.
- Manitkoon, S., Deesri, U., Warapeang, P., Nonsrirach, T., and Chanthasit, P. (2023). Ornithischian dinosaurs in Southeast Asia: A review with palaeobiogeographic implications. *Fossil Record*, 26(1), 1–25.
- Mantell, G. A. (1825). Notice on the iguanodon, a newly discovered fossil reptile, from the sandstone of Tilgate Forest, in Sussex. *Philosophical Transactions of the Royal Society*, 115, 179–186.
- Mateus, O., and Telles Antunes, M. (2001). *Draconyx loureiroi*, a new camptosauridae (Dinosauria, Ornithopoda) from the Late Jurassic of Lourinhã, Portugal. *Annales de Paléontologie*, 87(1), 61–73.
- McDonald, A. T. (2011). The taxonomy of species assigned to *Camptosaurus* (Dinosauria: Ornithopoda). *Zootaxa*, 2783, 52–68.

- McDonald, A. T. (2012). The status of *Dollodon* and other basal iguanodonts (Dinosauria: Ornithischia) from the upper Wealden beds (Lower Cretaceous) of Europe. *Cretaceous Research*, 33, 1–6.
- McDonald, A. T., Espílez, E., Mampel, L., Kirkland, J., and Alcalá, L. (2012). An unusual new basal iguanodont (Dinosauria: Ornithopoda) from the Lower Cretaceous of Teruel, Spain. *Zootaxa*, 3595, 61–76.
- McDonald, A. T., Kirkland, J. I., DeBlieux, D. D., et al. (2010). New basal iguanodonts from the Cedar Mountain Formation of Utah and the evolution of thumb-spiked dinosaurs. *PLOS One*, 5(11), e14075.
- Naish, D., and Martill, D. M. (2001). Ornithopod dinosaurs. In *Dinosaurs of the Isle of Wight*, 60–132. London: Palaeontological Association.
- Norman D. B. (2014). On the history, osteology, and systematic position of the Wealden (Hastings group) dinosaur *Hypselospinus fittoni* (Iguanodontia, Styrcosterna). *Zoological Journal of the Linnean Society*.
- Norman, D. (2010). A taxonomy of iguanodontian (Dinosauria: Ornithopoda) from the lower Wealden Group (Cretaceous: Valanginian) of southern England. *Zootaxa*, 2489, 47–66.
- Norman, D. B. (1985). Iguanodontidae. In *The Illustrated Encyclopedia of Dinosaurs*, 110–115. London: Salamander.
- Párraga, J., and Prieto-Márquez, A. (2019). *Pareisactus evrostopos*, a new basal iguanodontian (Dinosauria: Ornithopoda) from the Upper Cretaceous of southwestern Europe. *Zootaxa*, 4555(2), 247.

- Paul, G. S. (2007). Turning the old into the new: A separate genus for the gracile iguanodont from the Wealden of England. In *Horns and Beaks: Ceratopsian and Ornithopod Dinosaurs*, edited by Carpenter, K., 69–77. Bloomington, IN: Indiana University Press.
- Paul, G. S. (2008). A revised taxonomy of the iguanodont dinosaur genera and species. *Cretaceous Research*, 29(2), 192–216.
- Prieto-Márquez, A., and Sellés, A. (2023). Evolutionary convergence in a small cursorial styracosternan ornithopod dinosaur from western Europe. *Journal of Vertebrate Paleontology*, 42(5), e2210632.
- Ramírez-Velasco, A. A., Benammi, M., Prieto-Márquez, A., Ortega, J. A., and Hernández-Rivera, R. (2012). *Huehuecanauhtlus tiquichensis*, a new hadrosauroid dinosaur (Ornithischia: Ornithopoda) from the Santonian (Late Cretaceous) of Michoacán, Mexico. *Canadian Journal of Earth Sciences*, 49(2), 379–395.
- Rotatori, F. M., Moreno-Azanza, M., and Mateus, O. (2022). Reappraisal and new material of the holotype of *Draconyx loureiroi* (Ornithischia: Iguanodontia) provide zinsightsion the tempo and modo of evolution of thumb-spiked dinosaurs. *Zoological Journal of the Linnean Society*, 195(1), 125–156.
- Samathi, A., and Suteethorn, S. (2022) New materials of iguanodontians (Dinosauria: Ornithopoda) from the Lower Cretaceous Khok Kruat Formation, Ubon Ratchathani, Thailand. *Zootaxa*, 5094(2), 301–320.
- Sánchez-Fenollosa, S., Verdú, F. J., and Cobos, A. (2023). The largest ornithopod (Dinosauria: Ornithischia) from the Upper Jurassic of Europe sheds light on the evolutionary history of basal ankylopollexians. *Zoological Journal of the Linnean Society*, 199(4), 1013–1033.

- Shibata, M., Jintasakul, P., and Azuma, Y. (2011). A new iguanodontian dinosaur from the Lower Cretaceous Khok Kruat Formation, Nakhon Ratchasima in northeastern Thailand. *Acta Geologica Sinica* (English edition), 85(5), 969–976.
- Taquet, P. (1976). Géologie et Paléontologie du Gisement de Gadoufaoua (Aptien du Niger). *Cahiers de Paléontologie*, 1–191. Paris: Éditions du Centre National de la Recherche Scientifique.
- Taquet, P., and Russell, D. A. (1999). A massively-constructed iguanodont from Gadoufaoua, Lower Cretaceous of Niger. *Annales de Paléontologie*, 85(1), 85–96.
- Verdú, F. J., Royo-Torres, R., Cobos, A., and Alcalá, L. (2015). Perinates of a new species of *Iguanodon* (Ornithischia: Ornithopoda) from the lower Barremian of Galve (Teruel, Spain). *Cretaceous Research*, 56, 250–264.
- Verdú, F. J., Royo-Torres, R., Cobos, A., and Alcalá, L. (2018). New systematic and phylogenetic data about the early Barremian *Iguanodon galvensis* (Ornithopoda: Iguanodontoidea) from Spain. *Historical Biology*, 30(4), 437–474.
- Verdú, F. J., Royo-Torres, R., Cobos, A., and Alcalá, L. (2021). Systematics and paleobiology of a new articulated axial specimen referred to *Iguanodon* cf. *galvensis* (Ornithopoda, Iguanodontoidea). *Journal of Vertebrate Paleontology*, 40(6), e1878202.
- Vidarte, C. F., Calvo, M. M., Fuentes, F. M., and Fuentes, M. M. (2016). Un nuevo dinosaurio estiracosterno (Ornithopoda: Ankylopollexia) del Cretácico Inferior de España. *Spanish Journal of Palaeontology*, 31(2), 407–446.
- Weishampel, D. B., and Bjork, P. R. (1989). The first indisputable remains of *Iguanodon* (Ornithischia: Ornithopoda) from North America: *Iguanodon lakotaensis*, sp. nov. *Journal of Vertebrate Paleontology*, 9(1), 56–66.

- Xu, X., Tan, Q., Gao, Y., et al. (2018). A large-sized basal ankylopollexian from East Asia, shedding light on early biogeographic history of Iguanodontia. *Science Bulletin*, 63(9), 556–563.
- You, H Ji, Q Li, D. (2005). *Lanzhousaurus magnidens* gen. et sp. nov. from Gansu Province, China: the largest-toothed herbivorous dinosaur in the world [中国甘肃发现世界上最大牙齿的植食性恐龙：巨齿兰州龙(新属、新种)]. *Geological Bulletin of China*, 2(9), 785–794.

Hadrosauroidea

- Alarcón-Muñoz, J., Vargas, A. O., Püschel, H. P., et al. (2023). Relict duck-billed dinosaurs survived into the last age of the dinosaurs in subantarctic Chile. *Science Advances*, 9(24), eadg2456.
- Augustin, F. J., Dumbravă, M. D., Bastiaans, D., and Csiki-Sava, Z. (2022). Reappraisal of the braincase anatomy of the ornithomimid dinosaurs *Telmatosaurus* and *Zalmoxes* from the Upper Cretaceous of the Hăţeg Basin (Romania) and the taxonomic reassessment of some previously referred specimens. *PalZ*, 97(1), 129–145.
- Baird, D., and Horner, J. R. (1979). Cretaceous dinosaurs of North Carolina. *Brimleyana: The Journal of the North Carolina State Museum of Natural History*, 2, 1–28.
- Barrett, P. M., Butler, R. J., Xiao-Lin, W., and Xing, X. (2009). Cranial anatomy of the iguanodontoid ornithomimid *Jinzhousaurus yangi* from the Lower Cretaceous Yixian Formation of China. *Acta Palaeontologica Polonica*, 54(1), 35–48.

- Blanco, A., Prieto-Márquez, A., and De Esteban-Trivigno, S. (2015). Diversity of hadrosauroid dinosaurs from the Late Cretaceous Ibero-Armorican Island (European Archipelago) assessed from dentary morphology. *Cretaceous Research*, 56, 447–457.
- Borinder, N. H., Poropat, S. F., Campione, N. E., Wigren, T., and Kear, B. P. (2021). Postcranial osteology of the basally branching hadrosauroid dinosaur *Tanais sinensis* from the Upper Cretaceous Wangshi Group of Shandong, China. *Journal of Vertebrate Paleontology*, 41(1), e1914642.
- Boyd, C. A., and Pagnac, D. C. (2015). Insight on the anatomy, systematic relationships, and age of the Early Cretaceous ankylopollexian dinosaur *Dakotadon lakotaensis*. *PeerJ*, 3, e1263.
- Brett-Surman, M. K. (1979). Phylogeny and palaeobiogeography of hadrosaurian dinosaurs. *Nature*, 277(5697), 560–562.
- Buffetaut, E., and Suteethorn, V. (2011). A new iguanodontian dinosaur from the Khok Kruat Formation (Early Cretaceous, Aptian) of northeastern Thailand. *Annales de Paléontologie*, 97(1–2), 51–62.
- Carpenter, K., Dilkes, D., and Weishampel, D. B. (1995). The dinosaurs of the Niobrara Chalk Formation (Upper Cretaceous, Kansas). *Journal of Vertebrate Paleontology*, 15(2), 275–297.
- Casanovas, M. L., Pereda Suberbiola, X. P., Santafé, J. V., and Weishampel, D. B. (1999). A primitive euhadrosaurian dinosaur from the uppermost Cretaceous of the Ager syncline (southern Pyrenees, Catalonia). *Geologie en Mijnbouw*, 78, 345–356.

- Cruzado-Caballero, P., and Powell, J. (2017). *Bonapartesaurus rionegrensis*, a new hadrosaurine dinosaur from South America: Implications for phylogenetic and biogeographic relations with North America. *Journal of Vertebrate Paleontology*, 37(2), e1289381.
- Dalla Vecchia, F. M. (2009). *Telmatosaurus* and the other hadrosauroids of the Cretaceous European Archipelago. An update. *Natura Nascosta*, 39, 1–18.
- Dalla Vecchia, F. M. (2020). The unusual tail of *Tethyshadros insularis* (Dinosauria, Hadrosauroidea) from the Adriatic Island of the European Archipelago. *Rivista Italiana di Paleontologia e Stratigrafia*, 126(3).
- Dumbravă, M. D., Rothschild, B. M., Weishampel, D. B., et al. (2016). A dinosaurian facial deformity and the first occurrence of ameloblastoma in the fossil record. *Scientific reports*, 6(1), 29271.
- Gasulla, J. M., Escaso, F., Narváez, I., Ortega, F., and Sanz, J. L. (2015). A new sail-backed styracosternan (Dinosauria: Ornithopoda) from the Early Cretaceous of Morella, Spain. *PLOS One*, 10(12), e0144167.
- Gates, T. A., Tsogtbaatar, K., Zanno, L. E., Chinzorig, T., and Watabe, M. (2018). A new iguanodontian (Dinosauria: Ornithopoda) from the Early Cretaceous of Mongolia. *PeerJ*, 6, e5300.
- Gates, T., and Lamb, J. (2021). Redescription of *Lophorhothon atopus* (Ornithopoda: Dinosauria) from the Late Cretaceous of Alabama based on new material. *Canadian Journal of Earth Sciences*, 58(9), 918–935.
- Gilmore, C. W. (1933). On the dinosaurian fauna of the Iren Dabasu Formation. *Bulletin of the American Museum of Natural History*, 67(2), 23–78.

- Gilmore, C. W., and Stewart, D. R. (1945). A new sauropod dinosaur from the Upper Cretaceous of Missouri. *Journal of Paleontology*, 19(1). *Society for Sedimentary Geology*, 23–29.
- Godefroit, P., Dong, Z. M., De Potter, H., Lenglet, G., Smith, T., and Dermience, E. (1998). Sino-Belgian Cooperation Program Cretaceous dinosaurs and mammals from inner Mongolia. 1. New *Bactrosaurus* (Dinosauria: Hadrosauroidea) material from Iren Dabasu (inner Mongolia, P. R. China). *Bulletin-Institut royal des sciences naturelles de Belgique. Sciences de la terre*, 68, 3–70.
- Godefroit, P., Escuillié, F., Bolotsky, Y. L., and Lauters, P. (2012). A new basal hadrosauroid dinosaur from the Upper Cretaceous of Kazakhstan. In *Bernissart Dinosaurs and Early Cretaceous Terrestrial Ecosystems*, edited by Godefroit, P., 335–358. Bloomington, IN: Indiana University Press.
- Godefroit, P., Li, H., and Shang, C.-Y. (2005). A new primitive hadrosauroid dinosaur from the Early Cretaceous of Inner Mongolia (P. R. China). *Comptes Rendus Palevol*, 4(8), 697–705.
- Grigorescu, D., and Csiki, Z. (2006). Ontogenetic development of *Telmatosaurus transsylvanicus* (Ornithischia: Hadrosauria) from the Maastrichtian of the Hațeg Basin, Romania—evidence from the limb bones. *Hantkeniana*, 5, 20–26.
- Head, J. J. (1998). A new species of basal hadrosaurid (Dinosauria, Ornithischia) from the Cenomanian of Texas. *Journal of Vertebrate Paleontology*, 18(4), 718–738.
- Kirkland, J. I. (1998). A new hadrosaurid from the upper Cedar Mountain Formation (Albian-Cenomanian: Cretaceous) of eastern Utah—the oldest known hadrosaurid (lambeosaurine?). In *Lower and Middle Cretaceous Terrestrial Ecosystem*, edited by

- Lucas, S. G., et al. *New Mexico Museum of Natural History and Science Bulletin*, no. 14, 283–295.
- Langston, W. (1960). The vertebrate fauna of the Selma Formation of Alabama, part VI: The dinosaurs. *Fieldiana: Geology Memoirs*, 3(5), 315–359.
- Liang, S. (2021). Missouri dig site is home to at least 4 rare dinosaurs, and there could be more. CNN, November 25. <https://www.cnn.com/2021/11/24/world/missouri-dinosaur-bones-uncovered-scn/index.html>.
- Lockwood, J. A., Martill, D. M., and Maidment, S. C. (2021). A new hadrosauriform dinosaur from the Wessex Formation, Wealden Group (Early Cretaceous), of the Isle of Wight, southern England. *Journal of Systematic Palaeontology*, 19(12), 847–888.
- Lull, R. S. and Wright, N. E. (1942). Hadrosaurian dinosaurs of North America. Geological Society of America, special paper 40, 1–242.
- Maidment, S. C., Chapelle, K. E., Bonsor, J. A., Button, D., and Barrett, P. M. (2022). Osteology and relationships of *Cumnoria prestwichii* (Ornithischia: Ornithopoda) from the Late Jurassic of Oxfordshire, UK. *Monographs of the Palaeontographical Society*, 176(664), 1–55.
- Manitkoon, S., Deesri, U., Khalloufi, B., et al. (2023). A new basal neornithischian dinosaur from the Phu Kradung Formation (Upper Jurassic) of Northeastern Thailand. *Diversity*, 15(7), 851.
- Marsh, O. C. (1890). Additional characters of the Ceratopsidae, with notice of new Cretaceous dinosaurs. *American Journal of Science*, 39, 418–426.

- McDonald, A. T., Bird, J., Kirkland, J. I., and Dodson, P. (2012). Osteology of the basal hadrosauroid *Eolambia caroljonesa* (Dinosauria: Ornithopoda) from the Cedar Mountain Formation of Utah. *PLOS One*, 7.
- McDonald, A. T., Gates, T. A., Zanno, L. E., and Makovicky, P. J. (2017). Anatomy, taphonomy, and phylogenetic implications of a new specimen of *Eolambia caroljonesa* (Dinosauria: Ornithopoda) from the Cedar Mountain Formation, Utah, USA. *PLOS One*. **12**(5), e0176896.
- McDonald, A. T., Wolfe, D. G., and Kirkland, J. I. (2010). A new basal hadrosauroid (Dinosauria: Ornithopoda) from the Turonian of New Mexico. *Journal of Vertebrate Paleontology*, 30(3), 799–812.
- Mo, J., Zhao, Z., Wang, W., and Xu, X. (2007). The first hadrosaurid dinosaur from southern China. *Acta Geologica Sinica*, (English edition), 81(4), 550–554.
- Nopcsa, F. (1903). *Telmatosaurus*, new name for the dinosaur *Limnosaurus*. *Geological Magazine*, 10, 94–95.
- Norman, D. (1998). On Asian ornithopods (Dinosauria: Ornithischia). 3. A new species of iguanodontid dinosaur. *Zoological Journal of the Linnean Society*, 122(1–2), 291–348.
- Norman, D. B. (2004). Basal iguanodontia. *The Dinosauria*, 2nd edition, edited by Weishampel, D. B., Dodson, P., and Osmólska, H., 413–437. Oakland, CA: University of California Press.
- Norman, D. B. (2002). On Asian ornithopods (Dinosauria: Ornithischia). 4. *Probactrosaurus* Rozhdestvensky, 1966. *Zoological Journal of the Linnean Society*, 136(1), 113–144.

- Noto, C. R., Main, D. J., and Drumheller, S. K. (2012). Feeding traces and paleobiology of a Cretaceous (Cenomanian) crocodyliform: Example from the Woodbine Formation of Texas. *Palaaios*, 27(2), 105–115.
- Párraga, J., and Prieto-Márquez, A. (2019). *Pareisactus evrostos*, a new basal iguanodontian (Dinosauria: Ornithopoda) from the Upper Cretaceous of southwestern Europe. *Zootaxa*. 4555(2), 247–258.
- Prieto-Márquez, A. (2011). Cranial and appendicular ontogeny of *Bactrosaurus johnsoni*, a hadrosauroid dinosaur from the Late Cretaceous of northern China. *Palaeontology*, 54(4), 773–792.
- Prieto-Márquez, A., and Carrera Farias, M. Á. (2021). A new late-surviving early diverging Ibero-Armorican duck-billed dinosaur and the role of the Late Cretaceous European Archipelago in hadrosauroid biogeography. *Acta Palaeontologica Polonica*, 66(2).
- Prieto-Márquez, A., and Norell, M. A. (2010). Anatomy and relationships of *Gilmoresaurus mongoliensis* (Dinosauria: Hadrosauroidea) from the Late Cretaceous of Central Asia. *American Museum Novitates*, 3694, 1–49.
- Ramírez-Velasco, A. A., Benammi, M., Prieto-Márquez, A., Ortega, J. A., and Hernández-Rivera, R. (2012). *Huehuecanauhtlus tiquichensis*, a new hadrosauroid dinosaur (Ornithischia: Ornithopoda) from the Santonian (Late Cretaceous) of Michoacán, Mexico. *Canadian Journal of Earth Sciences*, 49(2), 379–395.
- Ramírez-Velasco, A. A., Morales-Salinas, E., Hernández-Rivera, R., and Tanke, D. H. (2016). Spinal and rib osteopathy in *Huehuecanauhtlus tiquichensis* (Ornithopoda: Hadrosauroidea) from the Late Cretaceous in Mexico. *Historical Biology*, 29(2), 208–222.

- Rotatori, F. M., Moreno-Azanza, M., and Mateus, O. (2022). Reappraisal and new material of the holotype of *Draconyx loureiroi* (Ornithischia: Iguanodontia) provide insights on the tempo and modo of evolution of thumb-spiked dinosaurs. *Zoological Journal of the Linnean Society*, 195(1), 125–156.
- Rozhdestvensky, A. K. (1966). Novyye iguanodonty iz Tsentral'noy Azii. Filogeneticheskiye i taksonomicheskiye v zaimootnosheniya pozdnikh Iguanodontidae i rannikh Hadrosauridae. [New iguanodonts from Central Asia. Phylogenetic and taxonomic interrelationships of late Iguanodontidae and early Hadrosauridae] *Paleontologicheskii Zhurnal*, 3, 103–116.
- Santos-Cubedo, A., de Santisteban, C., Poza, B., and Meseguer, S. (2021). A new styracosternan hadrosauroid (Dinosauria: Ornithischia) from the Early Cretaceous of Portell, Spain. *PLOS One*, 16(7), e0253599.
- Shibata, M., and Azuma, Y. (2015). New basal hadrosauroid (Dinosauria: Ornithopoda) from the Lower Cretaceous Kitadani Formation, Fukui, central Japan. *Zootaxa*, 3914(4), 421.
- Shibata, M., Jintasakul, P., Azuma, Y., and You, H. L. (2015). A new basal hadrosauroid dinosaur from the Lower Cretaceous Khok Kruat Formation in Nakhon Ratchasima Province, Northeastern Thailand. *PLOS One*, 10(12), e0145904.
- Shibata, M., Jintasakul, P., Azuma, Y., Chokchaloemwong, D., Kawabe, S. (2018) All about *Sirindhorna khoratensis* (Ornithopoda; Hadrosauroida). In: 6th International Symposium of International Geoscience Programme IGCP Project, 608, 4–5.
- Słowiak, J., Szczygielski, T., Rothschild, B. M., and Surmik, D. (2021). Dinosaur senescence: A hadrosauroid with age-related diseases brings a new perspective of “old” dinosaurs. *Scientific Reports*, 11(1), 11947.

- Sues, H.-D., and Averianov, A. (2009). A new basal hadrosauroid dinosaur from the Late Cretaceous of Uzbekistan and the early radiation of duck-billed dinosaurs. *Proceedings of the Royal Society B: Biological Sciences*, 276(1667), 2549–2555.
- Tsogtbaatar, K., Weishampel, D. B., Evans, D. C., and Watabe, M. (2019). A new hadrosauroid (Dinosauria: Ornithopoda) from the Late Cretaceous Baynshire Formation of the Gobi Desert (Mongolia). *PLOS One*, 14(4), e0208480.
- Tsogtbaatar, K., Weishampel, D., Evans, D. C., and Watabe, M. (2014). A new hadrosauroid (*Plesiohadros djadokhtaensis*) from the Late Cretaceous Djadokhtan Fauna of Southern Mongolia. In *Hadrosaurs* edited by Eberth, D. A., and Evans, D. C. Bloomington, IN: Indiana University Press, 108–135.
- Verdú, F. J., Royo-Torres, R., Cobos, A., and Alcalá, L. (2021). Systematics and paleobiology of a new articulated axial specimen referred to *Iguanodon* cf. *galvensis* (Ornithopoda, Iguanodontoidea). *Journal of Vertebrate Paleontology*, e1878202.
- Wang, R. F., You, H. L., Xu, S. C., et al. (2013). A new hadrosauroid dinosaur from the early Late Cretaceous of Shanxi Province, China. *PLOS One*, 8(10), e77058.
- Wang, R.-F., You, H.-L., Wang, S.-Z., et al. (2017). A second hadrosauroid dinosaur from the early Late Cretaceous of Zuoyun, Shanxi Province, China. *Historical Biology*, 29(1), 17–24.
- Wang, X.-L., and Xu, X. (2001) A new iguanodontid (*Jinzhousaurus yangi* gen. et sp. nov.) from the Yixian Formation of western Liaoning, China. *Chinese Science Bulletin*, 46, 1669–1672.
- Wang, X., Pan, R., Butler, R. J., and Barrett, P. M. (2010). The postcranial skeleton of the iguanodontian ornithopod *Jinzhousaurus yangi* from the Lower Cretaceous Yixian

- Formation of western Liaoning, China. *Earth and Environmental Science Transactions of the Royal Society of Edinburgh*, 101(02), 135–159.
- Weishampel, D. B., and Horner, J. R. (1986). The hadrosaurid dinosaurs from the Iren Dabasu Fauna, People's Republic of China, Late Cretaceous. *Journal of Vertebrate Paleontology*, 6(1), 38–45.
- Weishampel, D. B., Norman, D. B., and Grigorescu, D. (1993). *Telmatosaurus transsylvanicus* from the Late Cretaceous of Romania: The most basal hadrosaurid dinosaur. *Palaeontology*, 36(2), 361–385.
- Wenhao, W., and Godefroit, P. (2012). Anatomy and relationships of *Bolong yixianensis*, an Early Cretaceous iguanodontid dinosaur from western Liaoning, China. In *Bernissart Dinosaurs and Early Cretaceous Terrestrial Ecosystems*, edited by Godefroit, P., 293–333. Bloomington, IN: Indiana University Press.
- Wiman, C. (1929). Die Kreide-Dinosaurier aus Shantung. *Palaeontologia Sinica*, 6(1), 1–67.
- Wu, W.-H., Godefroit, P., and Hu, D.-Y. (2010). *Bolong yixianensis* gen. et sp. nov.: A new iguanodontoid dinosaur from the Yixian Formation of Western Liaoning, China. *Geology and Resources*, 19(2), 127–133.
- Wu, Y., You, H. L., and Li, X. Q. (2018). Dinosaur-associated Poaceae epidermis and phytoliths from the Early Cretaceous of China. *National Science Review*, 5(5), 721–727.
- Xing, H., Wang, D., Han, F., et al. (2014). A new basal hadrosauroid dinosaur (Dinosauria: Ornithopoda) with transitional features from the Late Cretaceous of Henan Province, China. *PLOS One*, 9(6), e98821.

- Xu, S.-C., You, H.-L., Wang, J.-W., Wang, S.-Z., Yi, J., Jia, L. (2016). A new hadrosauroid dinosaur from the Late Cretaceous of Tianzhen, Shanxi Province, China. *Vertebrata Palasiatica*, 54(1), 67.
- Xu, X., Tan, Q., Gao, Y., et al. (2018). A large-sized basal ankylopollexian from East Asia, shedding light on early biogeographic history of Iguanodontia. *Science Bulletin*, 63(9), 556–563.
- Xu, X., Zhao, X.-J., Lu, J.-C., Huang, W.-B., Li, Z.-Y., and Dong, Z.-M. (2000). A new iguanodontian from Sangping Formation of Neixiang, Henan and its stratigraphical implication, *Vertebrata Palasiatica*, 38(3), 176–191.
- You, H. L., Li, D. Q., and Dodson, P. (2014). *Gongpoquansaurus mazongshanensis* (Lü, 1997) comb. Nov. (Ornithischia: Hadrosauroidea) from the early Cretaceous of Gansu Province, northwestern China. In *Hadrosaurs. International Hadrosaur Symposium—Proceedings 2014*. Bloomington: Indiana University Press, 73–76.
- You, H. L., Luo, Z. X., Shubin, N. H., Witmer, L. M., Tang, Z. L., and Tang, F. (2003a). The earliest-known duck-billed dinosaur from deposits of late Early Cretaceous age in northwest China and hadrosaur evolution. *Cretaceous Research*, 24(3), 347–355.
- You, H.-L., and Li, D.-Q. (2009). A new basal hadrosauriform dinosaur (Ornithischia: Iguanodontia) from the Early Cretaceous of northwestern China. *Canadian Journal of Earth Sciences*, 46(12), 949–957.
- You, H., Ji, Q., Li, J., and Li, Y. (2003b). A new hadrosauroid dinosaur from the mid-Cretaceous of Liaoning, China, *Acta Geologica Sinica*, 77(2), 148–154.
- You, H., Li, D., and Liu, W. (2011). A new hadrosauriform Dinosaur from the Early Cretaceous of Gansu Province, China. *Acta Geologica Sinica* (English edition), 85(1), 51–57.

Zheng, W., Jin, X., Shibata, M., and Azuma, Y. (2013). An early juvenile specimen of *Bolong yixianensis* (Ornithopoda: Iguanodontia) from the Lower Cretaceous of Ningcheng County, Nei Mongol, China. *Historical Biology*, 26(2), 236–251.

Hadrosauridae

Alarcón-Muñoz, J., Vargas, A. O., Püschel, H. P., et al. (2023). Relict duck-billed dinosaurs survived into the last age of the dinosaurs in subantarctic Chile. *Science Advances*, 9(24), eadg2456.

Bamforth, E., Vavrek, M., and Sullivan, C., et al. (2023). Deadfall Hills: A new *Edmontosaurus* sp. bonebed from northwest Alberta's Late Cretaceous Wapiti Formation, with implications for boreal hadrosaurid diversity. Canadian Paleontology Conference, Mississauga, Ontario—Proceedings no. 18.

Bell, P. R. (2011). Cranial osteology and ontogeny of *Saurolophus angustirostris* Bell, P. R. (2012). Standardized terminology and potential taxonomic utility for hadrosaurid skin impressions: A case study for *Saurolophus* from Canada and Mongolia. *PLOS One*, 7(2), e31295.

Bell, P. R., and Evans, D. C. (2010). Revision of the status of *Saurolophus* (Hadrosauridae) from California, USA. *Canadian Journal of Earth Sciences*, 47(11), 1417–1426.

Bell, P. R., Evans, D. C., Eberth, D. A., Fanti, F., Tsogtbaatar, K., and Ryan, M. J. (2018). Sedimentological and taphonomic observations on the “Dragon’s Tomb” *Saurolophus* (Hadrosauridae) bonebed, Nemegt Formation (Upper Cretaceous), Mongolia. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 494, 75–90.

- Bell, P. R., Fanti, F., Currie, P. J., and Arbour, V.M. (2013). A mummified duck-billed dinosaur with a soft-tissue cock's comb. *Current Biology*, 24(1), 70–75.
- Bertozzo, F., Dal Sasso, C., Fabbri, M., Manucco, F., and Maganuco, S. (2017). Redescription of a remarkably large *Gryposaurus notabilis* (Dinosauria: Hadrosauridae) from Alberta, Canada. *Società Italiana di Scienze Naturali e Museo Civico di Storia Naturale*, 43, 1–56.
- Bolotsky, Y. L., and Godefroit, P. (2004). A new hadrosaurine dinosaur from the Late Cretaceous of Far Eastern Russia. *Journal of Vertebrate Paleontology*, 24(2), 351–365.
- Brett-Surman, M. K. (1979). Phylogeny and palaeobiogeography of hadrosaurian dinosaurs. *Nature*, 277 (5697), 560–562.
- Britt, B., Carpenter, K., Forster, C. A., Forster, C. A., Gillette, D. D., Norell, M. A., et al. (1994) *The Age of Dinosaurs*, 116–117. Phoenix International.
- Brown, B. (1910). The Cretaceous Ojo Alamo beds of New Mexico with description of the new dinosaur genus *Kritosaurus*. *Bulletin of the American Museum of Natural History*, 28(24), 267–274.
- Brown, B. (1912). A crested dinosaur from the Edmonton Cretaceous. *Bulletin of the American Museum of Natural History*, 31(14), 131–136.
- Brown, B. (1914). Cretaceous Eocene correlation in New Mexico, Wyoming, Montana, Alberta. *Geological Society of America Bulletin*, 25(1), 355–380.
- Brown, B. (1916). A new crested trachodont dinosaur, *Prosaurolophus maximus*. *Bulletin of the American Museum of Natural History*, 35(37), 701–708.

- Campione, N. E., and Evans, D. C. (2011). Cranial growth and variation in Edmontosaurs (Dinosauria: Hadrosauridae): Implications for Latest Cretaceous megaherbivore diversity in North America. *PLOS One*, 6(9), e25186.
- Cleland, T. P., Schroeter, E. R., Zamdborg, L., et al. (2015). Mass spectrometry and antibody-based characterization of blood vessels from *Brachylophosaurus canadensis*. *Journal of Proteome Research*, 14(12), 5252–5262.
- Coria, R. A. (2015). South American hadrosaurs: Considerations on their diversity. In *Hadrosaurs*, edited by Eberth, D. A., and Evans, D. C., 332–339. Life of the Past ser. Bloomington, IN: Indiana University Press.
- Coria, R. A., Gonzalez Riga, B., and Casadio, S. (2012). A new hadrosaurid (Dinosauria, Ornithopoda) from Allen Formation, La Pampa Province, Argentina. *Ameghiniana*, 49(4), 552–572.
- Cruzado-Caballero, P., and Powell, J. (2017). *Bonapartesaurus rionegrensis*, a new hadrosaurine dinosaur from South America: Implications for phylogenetic and biogeographic relations with North America. *Journal of Vertebrate Paleontology*, 37(2), e1289381.
- Cruzado-Caballero, P., Lecuona, A., Cerda, I., and Díaz-Martínez, I. (2021). Osseous paleopathologies of *Bonapartesaurus rionegrensis* (Ornithopoda, Hadrosauridae) from Allen Formation (Upper Cretaceous) of Patagonia Argentina. *Cretaceous Research*, 124, article 104800.
- Cubo, J., Woodward, H., Wolff, E., and Horner, J. R. (2015). First reported cases of biomechanically adaptive bone modeling in non-avian Dinosaurs. *PLOS One*, 10(7), e0131131.

- Currie, P. J. (2008). Faunal distribution in the Nemegt Formation (Upper Cretaceous), Mongolia, Korea-Mongolia International Dinosaur Project, *2008 Annual Report*, 143–156.
- Cuthbertson, R. S., and Holmes, R. B. (2010). The first complete description of the holotype of *Brachylophosaurus canadensis* Sternberg, 1953 (Dinosauria: Hadrosauridae) with comments on intraspecific variation. *Zoological Journal of the Linnean Society*, 159(2), 373–397.
- Dewaele, L., Tsogtbaatar, K., Barsbold, R., et al. (2015). Perinatal specimens of *Saurolophus angustirostris* (Dinosauria: Hadrosauridae), from the Upper Cretaceous of Mongolia. *PLOS One*, 10(10), e0138806.
- Dodson, P., Drysdale, E. T., Therrien, F., Zelenitsky, D. K., Weishampel, D. B., and Evans, D. C. (2019). Description of juvenile specimens of *Prosaurolophus maximus* (Hadrosauridae: Saurolophinae) from the Upper Cretaceous Bearpaw Formation of southern Alberta, Canada, reveals ontogenetic changes in crest morphology. *Journal of Vertebrate Paleontology*, 38(6), e1547310.
- Freedman Fowler, E. A., and Horner, J. R. (2015). A new brachylophosaurin hadrosaur (Dinosauria: Ornithischia) with an intermediate nasal crest from the Campanian Judith River Formation of northcentral Montana. *PLOS One*, 10(11), e0141304.
- from the Late Cretaceous of Mongolia with comments on *Saurolophus osborni* from Canada. *Acta Palaeontologica Polonica*, 56(4), 703–722.
- Gates, T. A., and Sampson, S. D. (2007). A new species of *Gryposaurus* (Dinosauria: Hadrosauridae) from the late Campanian Kaiparowits Formation, southern Utah, USA. *Zoological Journal of the Linnean Society*, 151(2), 351–376.

- Gates, T. A., and Scheetz, R. (2014). A new saurolophine hadrosaurid (Dinosauria: Ornithopoda) from the Campanian of Utah, North America. *Journal of Systematic Palaeontology*, 13(8), 711–725.
- Gates, T. A., Horner, J. R., Hanna, R. R., and Nelson, C. R. (2011). New unadorned hadrosaurine hadrosaurid (Dinosauria, Ornithopoda) from the Campanian of North America. *Journal of Vertebrate Paleontology*, 31(4), 798–811.
- Gates, T. A., Horner, J. R., Hanna, R. R., and Nelson, C. R. (2011). New unadorned hadrosaurine hadrosaurid (Dinosauria, Ornithopoda) from the Campanian of North America. *Journal of Vertebrate Paleontology*, 31(4), 798.
- Gates, T., and Lamb, J. (2021). Redescription of *Lophorhothon atopus* (Ornithopoda: Dinosauria) from the Late Cretaceous of Alabama based on new material. *Canadian Journal of Earth Sciences*, 58(9), 918–935.
- Godefroit, P., Bolotsky, Y. L., and Lauters, P. (2012). A new saurolophine dinosaur from the latest Cretaceous of far eastern Russia. *PLOS One*, 7(5), e36849:1-22
- Godefroit, P., Shulin, H., Tingxiang, Y., and Lauters, P. (2008). New hadrosaurid dinosaurs from the uppermost Cretaceous of Northeastern China. *Acta Palaeontologica Polonica*, 53(1), 47–74.
- Hone, D. W. E., and Watabe, M. (2011). New information on scavenging and selective feeding behaviour of tyrannosaurids. *Acta Palaeontologica Polonica*, 55(4), 627–634.
- Hone, D., Sullivan, C., Zhao, Q., Wang, K., and Xu, X. (2014). Body size distribution in a death assemblage of a colossal hadrosaurid from the Upper Cretaceous of Zhucheng, Shandong Province, China. In *Hadrosaurs*, edited by Eberth, D. A., and Evans, D. C., Bloomington, IN: Indiana University Press.

- Horner, J. R. (1992). Cranial morphology of *Prosaurolophus* (Ornithischia: Hadrosauridae) with descriptions of two new hadrosaurid species and an evaluation of hadrosaurid phylogenetic relationships. *Museum of the Rockies Occasional Paper*, 2, 1–119.
- Horner, J. R., and Makela, R. (1979). Nest of juveniles provides evidence of family structure among dinosaurs. *Nature*, 282 (5736), 296–298.
- Horner, J. R., Goodwin, M. B., and Myhrvold, N. (2011). Dinosaur census reveals abundant *Tyrannosaurus* and rare ontogenetic stages in the Upper Cretaceous Hell Creek Formation (Maastrichtian), Montana, USA. *PLOS One*, 6(2), e16574.
- Hu, C.-C. (1973). A new hadrosaur from the Cretaceous of Chucheng, Shantung. [In Chinese.] *Acta Geologica Sinica*, 1973(2), 179–206.
- Hunt, A. P., and Lucas, S. G. (1993). Cretaceous vertebrates of New Mexico. In *Dinosaurs of New Mexico*, edited by Lucas, S. G, and Zidek, J. *New Mexico Museum of Natural History and Science Bulletin*, no. 2, 77–91.
- Kobayashi, Y., Nishimura, T., Takasaki, R., et al. (2019). A new hadrosaurine (Dinosauria: Hadrosauridae) from the marine deposits of the late cretaceous Hakobuchi Formation, Yezo Group, Japan. *Scientific reports*, 9(1), 12389.
- Kobayashi, Y., Takasaki, R., Kubota, K., and Fiorillo, A. R. (2021). A new basal hadrosaurid (Dinosauria: Ornithischia) from the latest Cretaceous Kita-ama Formation in Japan implies the origin of hadrosaurids. *Scientific Reports*, 11(1), article 8547.
- Lambe, L. M. (1914). On *Gryposaurus notabilis*, a new genus and species of trachodont dinosaur from the Belly River Formation of Alberta, with a description of the skull of *Chasmosaurus belli*. *Ottawa Naturalist*, 27(11), 145–155.

- Lambe, L. M. (1917). A new genus and species of crestless hadrosaur from the Edmonton Formation of Alberta. *Ottawa Naturalist*, 31(7), 65–73.
- Lehman, T. M., Wick, S. L., and Wagner, J. R. (2016). Hadrosaurian dinosaurs from the Maastrichtian Javelina Formation, Big Bend National Park, Texas. *Journal of Paleontology*, 90(2), 333–356.
- Leidy, J. (1858). On the bones of a huge herbivorous saurian near Haddonfield. *Proceedings of the Academy of Natural Sciences of Philadelphia*, 10, 215–218.
- Longrich, N. R., Ramirez-Velasco, A. A., Kirkland, J., Bermúdez Torres, A. E., and Serrano-Brañas, C. I. (2024). *Coahuillasaurus lipani*, a New Kritosaurin Hadrosaurid from the Upper Campanian Cerro Del Pueblo Formation, Northern Mexico. *Diversity*, 16(9), 531.
- Lowi-Merri, T. M., and Evans, D. C. (2020). Cranial variation in *Gryposaurus* and biostratigraphy of hadrosaurines (Ornithischia: Hadrosauridae) from the Dinosaur Park Formation of Alberta, Canada. *Canadian Journal of Earth Sciences*, 57(6), 765–779.
- Lucas, S. G., Spielmann, J. A., Sullivan, R. M., Hunt, A. P., and Gates, T. A. (2006). *Anasazisaurus*, a hadrosaurian dinosaur from the Upper Cretaceous of New Mexico. In *Late Cretaceous Vertebrates from the Western Interior*, edited by Lucas, S. G., and Sullivan, R. M. *New Mexico Museum of Natural History and Science Bulletin*, no. 35, 293–297.
- Mallon, J. C., Evans, D. C., Zhang, Y., and Xing, H. (2023). Rare juvenile material constrains estimation of skeletal allometry in *Gryposaurus notabilis* (Dinosauria: Hadrosauridae). *The Anatomical Record*, 306(7), 1646–1668.
- Maryańska, T., and Osmólska, H. (1981). First lambeosaurine dinosaur from the Nemegt Formation, Upper Cretaceous, Mongolia. *Acta Palaeontologica Polonica*, 26, 243–255.

- McDonald, A. T., Wolfe, D. G., Fowler, E. A. F., and Gates, T. A. (2021). A new brachylophosaurin (Dinosauria: Hadrosauridae) from the Upper Cretaceous Menefee Formation of New Mexico. *PeerJ*, 9, e11084.
- McFeeters, B. D., Evans, D. C., Ryan, M. J., and Maddin, H. C. (2020). First occurrence of *Maiasaura* (Dinosauria, Hadrosauridae) from the Upper Cretaceous Oldman Formation of southern Alberta, Canada. *Canadian Journal of Earth Sciences*. 58(3), 286–296.
- McFeeters, B., Evans, D., and Maddin, H. (2021). Ontogeny and variation in the skull roof and braincase of *Maiasaura peeblesorum* from the Two Medicine Formation of Montana, U.S.A. *Acta Palaeontologica Polonica*, 66.
- McGarrity, C. T., Campione, N. E., and Evans, D. C. (2013). Cranial anatomy and variation in *Prosaurolophus maximus* (Dinosauria: Hadrosauridae). *Zoological Journal of the Linnean Society*, 167(4), 531–568.
- Murphy, N. L., Trexler, D., and Thompson, M. (2006). “Leonardo,” a mummified *Brachylophosaurus* from the Judith River Formation. In *Horns and Beaks: Ceratopsian and Ornithopod Dinosaurs*, edited by Carpenter, K., 117–133. Bloomington, IN: Indiana University Press.
- Norman, D. B., and Sues, H.-D. (2000). Ornithopods from Kazakhstan, Mongolia and Siberia. In *The Age of Dinosaurs in Russia and Mongolia*, edited by Benton, M. J., et al., 462–479. Cambridge: Cambridge University Press.
- Prieto-Márquez, A. (2005). New information on the cranium of *Brachylophosaurus canadensis* (Dinosauria, Hadrosauridae), with a revision of its phylogenetic position. *Journal of Vertebrate Paleontology*, 25(1), 144–156.

- Prieto-Márquez, A. (2010). The braincase and skull roof of *Gryposaurus notabilis* (Dinosauria, Hadrosauridae), with a taxonomic revision of the genus. *Journal of Vertebrate Paleontology*, 30(3), 838–854.
- Prieto-Márquez, A. (2011a). A reappraisal of *Barsboldia sicinskii* (Dinosauria: Hadrosauridae) from the Late Cretaceous of Mongolia. *Journal of Paleontology*, 83(3), 468–477.
- Prieto-Márquez, A. (2011b). Revised diagnoses of *Hadrosaurus foulkii* Leidy, 1858 (the type genus and species of Hadrosauridae Cope, 1869) and *Claosaurus agilis* Marsh, 1872 (Dinosauria: Ornithopoda) from the Late Cretaceous of North America. *Zootaxa*, 2765(1), 61.
- Prieto-Márquez, A. (2012). The skull and appendicular skeleton of *Gryposaurus latidens*, a saurolophine hadrosaurid (Dinosauria: Ornithopoda) from the early Campanian (Cretaceous) of Montana, USA. *Canadian Journal of Earth Sciences*, 49(3), 510–532.
- Prieto-Márquez, A. (2013). Skeletal morphology of *Kritosaurus navajovius* (Dinosauria: Hadrosauridae) from the Late Cretaceous of the North American south-west, with an evaluation of the phylogenetic systematics and biogeography of Kritosaurini. *Journal of Systematic Palaeontology*, 12(2), 133–175.
- Prieto-Márquez, A., and Salinas, G. C. (2010). A re-evaluation of *Secernosaurus koeneri* and *Kritosaurus australis* (Dinosauria, Hadrosauridae) from the Late Cretaceous of Argentina. *Journal of Vertebrate Paleontology*, 30(3), 813–837.
- Prieto-Márquez, A., and Wagner, J. R. (2022). A new ‘duck-billed’ dinosaur (Ornithischia: Hadrosauridae) from the upper Campanian of Texas points to a greater diversity of early hadrosaurid offshoots. *Cretaceous Research*, 143, 105416.

- Prieto-Márquez, A., Erickson, G. M., and Ebersole, J. A. (2016). A primitive hadrosaurid from southeastern North America and the origin and early evolution of “duck-billed” dinosaurs. *Journal of Vertebrate Paleontology*, 36(2), e1054495.
- Prieto-Márquez, A., Wagner, J. R., and Lehman, T. (2019). An unusual “shovel-billed” dinosaur with trophic specializations from the early Campanian of Trans-Pecos Texas, and the ancestral hadrosaurian crest. *Journal of Systematic Palaeontology*, 18(6) 461–498.
- Prieto-Márquez, A., Wagner, J. R., Bell, P. R., and Chiappe, L. M. (2014). The late-surviving “duck-billed” dinosaur *Augustynolophus* from the upper Maastrichtian of western North America and crest evolution in Saurolophini. *Geological Magazine*, 152(02), 225–241.
- Prieto-Márquez, A., Weishampel, D. B., and Horner, J. R. (2006). The dinosaur *Hadrosaurus foulkii*, from the Campanian of the East Coast of North America, with a reevaluation of the genus. *Acta Palaeontologica Polonica*, 51(1).
- Rozadilla, S., Brissón-Egli, F., Agnolín, F. L., Aranciaga-Rolando, A. M., and Novas, F. E. (2022). A new hadrosaurid (Dinosauria: Ornithischia) from the Late Cretaceous of northern Patagonia and the radiation of South American hadrosaurids. *Journal of Systematic Palaeontology*, 19(17), 1207–1235.
- Scott, E. E., Chiba, K., Fanti, F., Saylor, B. Z., Evans, D. C., & Ryan, M. J. (2022). Taphonomy of a monodominant *Gryposaurus* sp. bonebed from the Oldman Formation (Campanian) of Alberta, Canada. *Canadian Journal of Earth Sciences*, 59(6), 389-405.
- Sellers, W. I., Manning, P. L., Lyson, T., Stevens, K., and Margetts, L. (2009). Virtual palaeontology: Gait reconstruction of extinct vertebrates using high performance computing. *Palaeontologia Electronica*, 12(3), unpaginated.

- Snyder, K., McLain, M., Wood, J., and Chadwick, A. (2020). Over 13,000 elements from a single bonebed help elucidate disarticulation and transport of an *Edmontosaurus* *thanatocoenosis*. *PLOS One*, 15(5), e0233182.
- Sternberg, C. M. (1953). A new hadrosaur from the Oldman Formation of Alberta: Discussion of nomenclature. *Canadian Department of Resource Development Bulletin*, 128, 1–12.
- Tweet, J. S., Chin, K., Braman, D. R., and Murphy, N. L. (2008). Probable gut contents within a specimen of *Brachylophosaurus Canadensis* (Dinosauria: Hadrosauridae) from the Upper Cretaceous Judith River Formation Of Montana. *PALAIOS*, 23(9), 624–635.
- Williamson, T. E. (2000). Review of Hadrosauridae (Dinosauria, Ornithischia) from the San Juan Basin, New Mexico. In *Dinosaurs of New Mexico*, edited by Lucas, S. G., and Heckert, A. B. *New Mexico Museum of Natural History and Science Bulletin*, no. 17, 191–213.
- Woodward, H. N., Freedman Fowler, E. A., Farlow, J. O., and Horner, J. R. (2015). *Maiaasaura*, a model organism for extinct vertebrate population biology: A large sample statistical assessment of growth dynamics and survivorship. *Paleobiology*, 41(04), 503–527.
- Wosik, M. (2018). Osteohistology and growth of *Edmontosaurus* and assessment of life history changes in hadrosaurid dinosaurs. PhD diss., University of Toronto.
- Wosik, M., and Evans, D. C. (2022). Osteohistological and taphonomic life-history assessment of *Edmontosaurus annectens* (Ornithischia: Hadrosauridae) from the Late Cretaceous (Maastrichtian) Ruth Mason dinosaur quarry, South Dakota, United States, with implication for ontogenetic segregation between juvenile and adult hadrosaurids. *Journal of Anatomy*, 241(2), 272–296.

- Xing, H., Mallon, J. C., Currie, M. L. (2017). Supplementary cranial description of the types of *Edmontosaurus regalis* (Ornithischia: Hadrosauridae), with comments on the phylogenetics and biogeography of Hadrosaurinae. *PLOS One*, 12(4), e0175253.
- Xing, H., Prieto-Marquez, A., Gu, W., and Yu, T. (2012). Reevaluation and phylogenetic analysis of the hadrosaurine dinosaur *Wulagasaurus dongi* from the Maastrichtian of northeast China. *Vertebrata Palasiatica*, 50(2), 160–169.
- Xing, H., Zhao, X., Wang, K. et al. (2014). Comparative osteology and phylogenetic relationship of *Edmontosaurus* and *Shantungosaurus* (Dinosauria: Hadrosauridae) from the Upper Cretaceous of North America and East Asia. *Acta Geologica Sinica* [English edition], 88(6), 1623–1652.
- Xing, H., Zhao, X., Wang, K., et al. (2014). Comparative osteology and phylogenetic relationship of *Edmontosaurus* and *Shantungosaurus* (Dinosauria: Hadrosauridae) from the Upper Cretaceous of North America and East Asia. *Acta Geologica Sinica* (English edition), 88(6), 1623–1652.
- Zhang, J.-L., Wang, X.-L., Wang, Q., Jiang, S.-X., Cheng, X., Li, N., Qiu R. (2019). A new saurolophine hadrosaurid (Dinosauria: Ornithopoda) from the Upper Cretaceous of Shandong, China. *Anais da Academia Brasileira de Ciências*, 91(2), e20160920.
- Zhang, J., Wang, X., Jiang, S., and Li, G. (2023). The postcranial anatomy of the saurolophine hadrosaurid *Laiyangosaurus youngi* from the upper cretaceous of Laiyang, Shandong, China. *Anatomical Record*, Jul 19, 2019, <https://doi.org/10.1002/ar.25291>.
- Zhang, Y. G., Wang, K. B., Chen, S. Q., Liu, D., and Xing, H. (2020). Osteological re-assessment and taxonomic revision of “*Tanius laiyangensis*” (Ornithischia:

hadrosauroidea) from the Upper Cretaceous of Shandong, China. *Anatomical Record*, 303(4), 790–800.

Lambeosaurinae

- Alarcón-Muñoz, J., Vargas, A. O., Püschel, H. P., et al. (2023). Relict duck-billed dinosaurs survived into the last age of the dinosaurs in subantarctic Chile. *Science Advances*, 9(24), eadg2456.
- Bailleul, A. M., Hall, B. K., and Horner, J. R. (2012). First evidence of dinosaurian secondary cartilage in the post-hatching skull of *Hypacrosaurus stebingeri* (Dinosauria, Ornithischia), edited by Dodson, P. *PLOS One*, 7(4), e36112.
- Bailleul, A. M., Zheng, W., Horner, J. R., Hall, B. K., Holliday, C. M., and Schweitzer, M. H. (2020). Evidence of proteins, chromosomes and chemical markers of DNA in exceptionally preserved dinosaur cartilage. *National Science Review*, 7(4), 815–822.
- Barrick, R. E., Showers, W. J., and Fischer, A. G. (1996). Comparison of thermoregulation of four ornithischian dinosaurs and a varanid lizard from the Cretaceous Two Medicine Formation: Evidence from oxygen isotopes. *Palaaios*, 11, 295–305.
- Bell, P. R., and Brink, K. S. (2013). *Kazaklambia convincens* comb. nov., a primitive juvenile lambeosaurine from the Santonian of Kazakhstan. *Cretaceous Research*, 45, 265–274.
- Benson, R. B. J., Brussatte, M., and Xu, X. (2012). *Prehistoric Life*. London: Dorling Kindersley, 344–345.
- Bolotsky, Y. L., and Kurzanov, S. K. 1991. The hadrosaurs of the Amur Region. In *Geology of the Pacific Ocean Border*, 94–103. [In Russian.] Blagoveschensk: Amur KNII.
- Brink, K. S., Zelenitsky, D. K., Evans, D. C., Horner, J. R., and Therrien, F. (2014) Cranial morphology and variation in *Hypacrosaurus stebingeri* (Ornithischia: Hadrosauridae) In

- Hadrosaurs, 1st edition, edited by Ebreth, D. A., and Evans D. C., ch.14. Bloomington, IN: Indiana University Press.
- Brink, K. S., Zelenitsky, D. K., Evans, D. C., Therrien, F., and Horner, J. R. (2011). A sub-adult skull of *Hypacrosaurus stebingeri* (Ornithischia: Lambeosaurinae): Anatomy and comparison. *Historical Biology*, 23(01), 63–72.
- Brown, B. (1913). A new trachodont dinosaur, *Hypacrosaurus*, from the Edmonton Cretaceous of Alberta. *Bulletin of the American Museum of Natural History*, 32(20), 395–406.
- Brown, B. (1914). *Corythosaurus casuarius*, a new crested dinosaur from the Belly River Cretaceous, with provisional classification of the family Trachodontidae. *American Museum of Natural History Bulletin*, 33, 559–565.
- Buffetaut, E., and Tong, H. (1993). *Tsintaosaurus spinorhinus* Young and *Taninus sinensis* Wiman: A preliminary comparative study of two hadrosaurs (Dinosauria) from the Upper Cretaceous of China. *C. R. Academy of Science Paris*, ser. 2, 317, 1255–1261.
- Casanovas-Cladellas, M. L., Santafé-Llopis, J. V., and Isidro-Llorens, A. (1993). *Pararhabdodon isonensis* n. gen. n. sp. (Dinosauria). Estudio morfológico, radio-tomográfico y consideraciones biomecánicas [*Pararhabdodon isonense* n. gen. n. sp. (Dinosauria). Morphology, radio-tomographic study, and biomechanic considerations]. *Paleontologia i Evolució*, 26–27, 121–131.
- Casanovas, M. L., Pereda-Suberbiola, X., Santafé, J. V., and Weishampel, D. B. (1999). First lambeosaurine hadrosaurid from Europe: Palaeobiogeographical implications. *Geological Magazine* 136(2), 205–211.
- Casanovas, M. L., Santafé, J. S., Sanz, J. L., and Buscalioni, A. D. (1987). Arcosaurios (Crocodilia, Dinosauria) del Cretácico superior de la Conca de Tremp (Lleida, España)

- [Archosaurs (Crocodilia, Dinosauria) from the Upper Cretaceous of the Tremp Basin (Lleida, Spain)]. *Estudios Geológicos*, special issue Galve-Tremp, 95–110.
- Cruzado-Caballero, P., Canudo, J. I., Moreno-Azanza, M., and Ruiz-Omeñaca, J. I. (2013). New material and phylogenetic position of *Arenysaurus ardevoli*, a lambeosaurine dinosaur from the late Maastrichtian of Arén (northern Spain). *Journal of Vertebrate Paleontology*, 33(6), 1367–1384.
- Cruzado-Caballero, P., Fortuny, J., Llácer, S., and Canudo, J. I. (2015). Paleoneuroanatomy of the European lambeosaurine dinosaur *Arenysaurus ardevoli*. *PeerJ*, 3, e802.
- Cruzado-Caballero, P., Pereda-Suberbiola, X., and Ruiz-Omeñaca, J. I. (2010). *Blasisaurus canudo* gen. et sp. nov., a new lambeosaurine dinosaur (Hadrosauridae) from the Latest Cretaceous of Arén (Huesca, Spain). *Canadian Journal of Earth Sciences*, 47(12), 1507–1517.
- Currie, P. J., and Russel, D. A. (2005). The geographic and stratigraphic distribution of articulated and associated dinosaur remains. In *Dinosaur Provincial Park: A Spectacular Ancient Ecosystem Revealed*, edited by Currie, P. J., and Koppelhus, E. B., 537–567. Bloomington, IN: Indiana University Press.
- Currie, P. J., Koppelhus, E. B., and Muhammad, A. F. (1995). “Stomach” contents of a hadrosaur from the Dinosaur Park Formation (Campanian, Upper Cretaceous) of Alberta, Canada. In *6th Symposium on Mesozoic Terrestrial Ecosystems*, short papers, 111.
- Danis J. (1986). Quarries of Dinosaur Provincial Park. In *Field Trip Guidebook to Dinosaur Provincial Park. Dinosaur Systematics Symposium, Tyrrell Museum of Palaeontology, Drumheller, Alberta, June 2, 1986*, edited by B. G. Naylor, 43–51.

- Diegert, C. F., and Williamson, T. E. (1998). A digital acoustic model of the lambeosaurine hadrosaur *Parasaurolophus tubicen*. *Journal of Vertebrate Paleontology*, 18(3), 38A.
- Dodson, P. (1975). Taxonomic implications of relative growth in lambeosaurine dinosaurs. *Systematic Zoology*, 24(1), 37–54.
- Evans, D. C., and Reisz, R. R. (2007). Anatomy and relationships of *Lambeosaurus magnicristatus*, a crested hadrosaurid dinosaur (Ornithischia) from the Dinosaur Park Formation, Alberta. *Journal of Vertebrate Paleontology*, 27(2), 373–393.
- Evans, D. C., Bavington, R., and Campione, N. E. (2009). An unusual hadrosaurid braincase from the Dinosaur Park Formation and the biostratigraphy of *Parasaurolophus* (Ornithischia: Lambeosaurinae) from southern Alberta. *Canadian Journal of Earth Sciences*, 46(11), 791–800.
- Farke, A. A., Chok, D. J., Herrero, A., Scolieri, B., and Werning, S. (2013). Ontogeny in the tube-crested dinosaur *Parasaurolophus* (Hadrosauridae) and heterochrony in hadrosaurids. *PeerJ*, 1, e182.
- Gates, T. A., Evans, D. C., and Sertich, J. J. (2021). Description and rediagnosis of the crested hadrosaurid (Ornithopoda) dinosaur *Parasaurolophus cyrtocristatus* on the basis of new cranial remains. *PeerJ*, 9, e10669.
- Gates, T. A., Jinnah, Z., Levitt, C., Getty, M. A., Eberth, D. A., and Evans, D. C. (2014). New hadrosaurid (Dinosauria, Ornithopoda) specimens from the lower-middle Campanian Wahweap Formation of southern Utah. *Hadrosaurs*, edited by Eberth, D. A., and Evans, D. C., 156–173. Bloomington, IN: Indiana University Press.
- Gates, T. A., Lund, E. K., Boyd, C. A., et al. (2013). Ornithopod dinosaurs from the Grand Staircase-Escalante National Monument Region, Utah, and their role in

- paleobiogeographic and macroevolutionary studies. *At the Top of the Grand Staircase: The Late Cretaceous of Southern Utah*, edited by Titus, L., and Loewen, M. A., 463–481. Bloomington, IN: Indiana University Press.
- Gates, T. A., Sampson, S. D., De Jesús, C. R. D., et al. (2007). *Velafrons coahuilensis*, a new lambeosaurine hadrosaurid (Dinosauria: Ornithopoda) from the late Campanian Cerro del Pueblo Formation, Coahuila, Mexico. *Journal of Vertebrate Paleontology*, 27(4), 917–930.
- Gates, T., and Lamb, J. (2021). Redescription of *Lophorhothon atopus* (Ornithopoda: Dinosauria) from the Late Cretaceous of Alabama based on new material. *Canadian Journal of Earth Sciences*, 58(9), 918–935.
- Godefroit, P., Alifanov, V., and Bolotsky, Y. (2004a). A re-appraisal of *Aralosaurus tuberiferus* (Dinosauria, Hadrosauridae) from the Late Cretaceous of Kazakhstan. *Bulletin de l'Institut royal des Sciences naturelles de Belgique, Sciences de la Terre*, 74, 139–154.
- Godefroit, P., Bolotsky, Y. L., and Bolotsky, I. Y. (2012). Osteology and relationships of *Olorotitan arharensis*, a hollow-crested hadrosaurid dinosaur from the Latest Cretaceous of Far Eastern Russia. *Acta Palaeontologica Polonica*, 57(3), 527–560.
- Godefroit, P., Bolotsky, Y. L., and Van Itterbeeck, J. (2004b). The lambeosaurine dinosaur *Amurosaurus riabinini*, from the Maastrichtian of Far Eastern Russia. *Acta Palaeontologica Polonica*, 49(4).
- Godefroit, P., Bolotsky, Y., and Alifanov, V. (2003). A remarkable hollow-crested hadrosaur from Russia: An Asian origin for lambeosaurines. *Comptes Rendus Palevol*, 2(2), 143–151.

- Godefroit, P., Hai S., Yu T., and Lauters, P. (2008). New hadrosaurid dinosaurs from the uppermost Cretaceous of north-eastern China. *Acta Palaeontologica Polonica*, 53(1), 47–74.
- Godefroit, P., Zan, S., and Jin, L. (2000). *Charonosaurus jiayinensis* n.g., n.sp., a lambeosaurine dinosaur from the Late Maastrichtian of northeastern China. *Comptes Rendus de l'Académie Des Sciences, series IIA, Earth and Planetary Science*, 330(12), 875–882.
- Horner, J. R., and Currie, P. J. (1994). Embryonic and neonatal morphology and ontogeny of a new species of *Hypacrosaurus* (Ornithischia, Lambeosauridae) from Montana and Alberta. In *Dinosaur Eggs and Babies*, edited by Carpenter, K., et al., 312–336. Cambridge: Cambridge University Press.
- Horner, J., Weishampel, D., and Forster, C. (2004). Hadrosauridae. In *The Dinosauria*, 2nd edition, edited by Weishampel, D. B., Dodson, P., and Osmólska, H., chap. 20. Oakland: University of California Press.
- Kobayashi, Y., Takasaki, R., Kubota, K., and Fiorillo, A. R. (2021). A new basal hadrosaurid (Dinosauria: Ornithischia) from the latest Cretaceous Kita-ama Formation in Japan implies the origin of hadrosaurids. *Scientific Reports*. 11(1), article 8547.
- Larson, D. W., Brinkman, D. B., and Bell, P. R. (2010). Faunal assemblages from the upper Horseshoe Canyon Formation, an early Maastrichtian cool-climate assemblage from Alberta, with special reference to the *Albertosaurus sarcophagus* bonebed. *Canadian Journal of Earth Sciences*, 47(9), 1159–1181.
- Longrich, N. R., Pereda-Suberbiola, X., Bardet, N., and Jalil, N. E. (2024). A new small duckbilled dinosaur (Hadrosauridae: Lambeosaurinae) from Morocco and dinosaur diversity in the late Maastrichtian of North Africa. *Scientific Reports*, 14(1), 3665.

- Longrich, N. R., Suberbiola, X. P., Pyron, R. A., and Jalil, N.-E. (2021). The first duckbill dinosaur (Hadrosauridae: Lambeosaurinae) from Africa and the role of oceanic dispersal in dinosaur biogeography. *Cretaceous Research*, 120, 104678.
- Madzia, D., Arbour, V. M., Boyd, C. A., Farke, A. A., Cruzado-Caballero, P., and Evans, D. C. (2021). The phylogenetic nomenclature of ornithischian dinosaurs. *PeerJ*, 9, e12362.
- McDonald, A. T., Wolfe, D. G., Fowler, E. A. F., and Gates, T. A. (2021). A new brachylophosaurin (Dinosauria: Hadrosauridae) from the Upper Cretaceous Menefee Formation of New Mexico. *PeerJ*, 9, e11084.
- Nagao, T. (1936). *Nipponosaurus sachalinensis*—A new genus and species of trachodont dinosaur from Japanese Saghalien. *Journal of the Faculty of Science, Hokkaido Imperial University*, ser. 4, *Geology and Mineralogy*, 3(1), 185–220.
- Ostrom, J. H. (1961). A new species of hadrosaurian dinosaur from the Cretaceous of New Mexico. *Journal of Paleontology*, 35(3), 575–577.
- Parks, W. A. (1922). *Parasaurolophus walkeri*, a new genus and species of trachodont dinosaur. *University of Toronto Studies: Geological Series*, 13, 5–32.
- Parks, W. A. (1923). *Corythosaurus intermedius*, a new species of trachodont dinosaur. *University of Toronto Studies, Geological Series*, 15, 1–57.
- Pereda-Suberbiola, X., Canudo, J. I., Cruzado-Caballero, P., et al. (2009). The last hadrosaurid dinosaurs of Europe: A new lambeosaurine from the Uppermost Cretaceous of Aren (Huesca, Spain). *Comptes Rendus Palevol*, 8(6), 559–572.
- Prieto-Márquez, A., and Serrano-Brañas, C. I. (2012). *Latirhinus uitstlani*, a “broad-nosed” saurolophine hadrosaurid (Dinosauria, Ornithopoda) from the late Campanian (Cretaceous) of northern Mexico. *Historical Biology*, 24(6), 607–619.

- Prieto-Márquez, A., and Wagner, J. R. (2013). The “unicorn” dinosaur that was not: A new reconstruction of the crest of *Tsintaosaurus* and the early evolution of the lambeosaurine crest and rostrum. *PLOS One*, 8(11), e82268.
- Prieto-Márquez, A., and Wagner, J. R. (2022). A new “duck-billed” dinosaur (Ornithischia: Hadrosauridae) from the upper Campanian of Texas points to a greater diversity of early hadrosaurid offshoots. *Cretaceous Research*, 143, 105416.
- Prieto-Márquez, A., Chiappe, L. M., and Joshi, S. H. (2012). The lambeosaurine dinosaur *Magnapaulia laticaudus* from the Late Cretaceous of Baja California, northwestern Mexico. *PLOS One*, 7(6), e38207.
- Prieto-Márquez, A., Dalla Vecchia, F. M., Gaete, R., and Galobart, À. (2013). Diversity, relationships, and biogeography of the lambeosaurine dinosaurs from the European Archipelago, with description of the new aralosaurin *Canardia garonnensis*. *PLOS One*, 8(7), e69835.
- Prieto-Márquez, A., Fondevilla, V., Sellés, A. G., Wagner, J. R., and Galobart, À. (2019). *Adynomosaurus arcanus*, a new lambeosaurine dinosaur from the Late Cretaceous Ibero-Armorican Island of the European Archipelago. *Cretaceous Research*, 96, 19–37.
- Ramírez-Velasco, Á. A., Aguilar, F. J., Hernández-Rivera, R., Gudiño Maussán, J. L., Lara Rodríguez, M., and Alvarado-Ortega, J. (2021a). *Tlatolophus galorum*, gen. et sp. nov., a parasaurolophini dinosaur from the upper Campanian of the Cerro del Pueblo Formation, Coahuila, northern Mexico. *Cretaceous Research*, 126, 104884.
- Ramírez-Velasco, Á. A. (2022). Phylogenetic and biogeography analysis of Mexican hadrosauroids. *Cretaceous Research*, 138, 105267.

- Ramírez-Velasco, Á. A., Espinosa-Arrubarrena, L., and Alvarado-Ortega, J. (2021b). Review of the taxonomic affinities of *Latirhinus uitstlani*, an emblematic Mexican hadrosaurid. *Journal of South American Earth Sciences*, 110, 103391.
- Ramírez-Velasco, Á. A., Hernández-Rivera, R. and Servin-Pichardo, R. (2014). The hadrosaurian record from Mexico. In *Hadrosaurs*, edited by Eberth, D. A., and Evans, D. C. Bloomington, IN: Indiana University Press.
- Reyna-Hernández, R. A., Rivera-Sylva, H. E., Silva-Martínez, L. E., and Guzmán-Gutiérrez, J. R. (2021). A large hadrosaurid dinosaur from Presa San Antonio, Cerro del Pueblo Formation, Coahuila, Mexico. *Acta Palaeontologica Polonica*, 66(3), s101-s110.
- Riabinin, A. M. (1937). A new finding of dinosaurs in the Trans-Baikal Region. *Ezhegodn. Vserossijskogo Palaeont. Obstcg.*, 11, 142–144.
- Rozhdestvensky, A. K. (1968). Hadrosaurs of Kazakhstan. In *Upper Paleozoic and Mesozoic Amphibians and Reptiles*. Moscow: Akademia Nauk SSSR, 97141.
- Serrano-Brañas, C. I. (2006). Descripción de los Dinosaurios pertenecientes a la familia Hadrosauridae del Cretácico Superior de Coahuila, México. Master's diss., Universidad Nacional Autónoma de México, 173 pp.
- Serrano, J. F., Sellés, A. G., Vila, B., Galobart, À., and Prieto-Márquez, A. (2021). The osteohistology of new remains of *Pararhabdodon isonensis* sheds light into the life history and paleoecology of this enigmatic European lambeosaurine dinosaur. *Cretaceous Research*, 118, 104677.
- Sullivan, R. S., and Williamson, T. E. (1999). A new skull of *Parasaurolophus* (Dinosauria: Hadrosauridae) from the Kirtland Formation of New Mexico and a revision of the genus. *New Mexico Museum of Natural History and Science Bulletin*, no. 15, 1–52.

- Suzuki, D., Weishampel, D. B., and Minoura, N. (2004). *Nipponosaurus sachalinensis* (Dinosauria; Ornithopoda): Anatomy and systematic position within Hadrosauridae. *Journal of Vertebrate Paleontology*, 24(1), 145–164.
- Takasaki, R., Chiba, K., Fiorillo, et al. (2022). Description of the first definitive *Corythosaurus* (Dinosauria, Hadrosauridae) specimens from the Judith River Formation in Montana, USA and their paleobiogeographical significance. *Anatomical Record*, 306(7), 1918–1938.
- Takasaki, R., Chiba, K., Kobayashi, Y., Currie, P. J., and Fiorillo, A. R. (2017). Reanalysis of the phylogenetic status of *Nipponosaurus sachalinensis* (Ornithopoda: Dinosauria) from the Late Cretaceous of Southern Sakhalin. *Historical Biology*, 30(5), 694–711.
- Tanke, D. H., and Rothschild, B. M. (2014). Paleopathology in Late Cretaceous Hadrosauridae from Alberta, Canada with comments on a putative *Tyrannosaurus* bite injury on an *Edmontosaurus* tail. In *Hadrosaurs*, edited by Eberth, D. A., and Evans, D. C., 540–571. Bloomington, IN: Indiana University Press.
- Wagner, J. R., and Lehman, T. M. (2009). An enigmatic new lambeosaurine hadrosaur (Reptilia: Dinosauria) from the Upper Shale member of the Campanian Aguja Formation of Trans-Pecos Texas. *Journal of Vertebrate Paleontology*, 29(2), 605–611.
- Weishampel D. B., and Horner J. R. (1990.) Hadrosauridae. In *The Dinosauria*, 1st edition, edited by Weishampel, D. B., Osmólska, H., and Dodson, P. Oakland: University of California Press.
- Weishampel, D. B. (1981). Acoustic analysis of vocalization of lambeosaurine dinosaurs (Reptilia: Ornithischia). *Paleobiology*. 7(2), 252–261.

- Weishampel, D. B., and Jensen, J. A. (1979). *Parasaurolophus* (Reptilia: Hadrosauridae) from Utah. *Journal of Paleontology*, 53(6), 1422–1427.
- Wiman, C. (1931). *Parasaurolophus tubicen*, n. sp. aus der Kreide in New Mexico. [In German.] *Nova Acta Regiae Societatis Scientiarum Upsaliensis*, ser. 4, 7(5), 1–11.
- Xing, H., Gu, W., Hai, S., et al. (2021). Osteological and taxonomic reassessments of *Sahaliyania elunchunorum* (Dinosauria, Hadrosauridae) from the Upper Cretaceous Yuliangzi Formation, northeast China. *Journal of Vertebrate Paleontology*, 41(6), e2085111.
- Xing, H., Wang, D., Han, F., et al. (2014). New basal hadrosauroid dinosaur (Dinosauria: Ornithopoda) with transitional features from the Late Cretaceous of Henan Province, China, edited by Evans, D. C. *PLOS One*, 9(6), e98821.
- Young, C.-C. (1958). The dinosaurian remains of Laiyang, Shantung. *Palaeontologia Sinica*, new ser. C, 42(16), 1–138.
- Zhang, J.-L., Wang, Q., Jiang, S.-X., et al. (2017). Review of historical and current research on the Late Cretaceous dinosaurs and dinosaur eggs from Laiyang, Shandong. *Vertebrata Palasiatica*, 55(2), 187.

Ceratopsia

- Baag, S. J., and Lee, Y.-N. (2022). Bone histology on *Koreaceratops hwaseongensis* (Dinosauria: Ceratopsia) from the Lower Cretaceous of South Korea. *Cretaceous Research*, 134, 105150.
- Bell, P. R., Hendrickx, H., Pittman, M., and Kaye, T. G. (2022). Oldest preserved umbilical scar reveals dinosaurs had “belly buttons.” *BMC Biology*, 20(1), 132.

- Butler R. J., and Sullivan R. M. (2009). The phylogenetic position of *Stenopelix valdensis* from the Lower Cretaceous of Germany and the early fossil record of Pachycephalosauria. *Acta Palaeontologica Polonica*, 54(1), 21–34.
- Butler, R. J., and Zhao, Q. (2009). The small-bodied ornithischian dinosaurs *Micropachycephalosaurus hongtuyanensis* and *Wannanosaurus yansiensis* from the Late Cretaceous of China. *Cretaceous Research*, 30(1), 63–77.
- Butler, R. J., Liyong, J., Jun, C., and Godefroit, P. (2011). The postcranial osteology and phylogenetic position of the small ornithischian dinosaur *Changchunsaurus parvus* from the Quantou Formation (Cretaceous: Aptian–Cenomanian) of Jilin Province, north-eastern China. *Palaeontology*, 54(3), 667–683.
- Cincotta, A., Nicolai, M., Campos, H. B. N., et al. (2022). *Pterosaur melanosomes* support signalling functions for early feathers. *Nature*, 604(7907), 684–688.
- Czepiński, Ł., and Madzia, D. (2024). Osteology, phylogenetic affinities, and palaeobiogeographic significance of the bizarre ornithischian dinosaur *Ajkaceratops kozmai* from the Late Cretaceous European archipelago. *Zoological Journal of the Linnean Society*, 202(258), zlae048.
- Dieudonné, P. E., Cruzado-Caballero, P., Godefroit, P., and Tortosa, T. (2020). A new phylogeny of cerapodan dinosaurs. *Historical Biology*, 33(10), 2335–2355.
- Dong, Z. Azuma, Y. (1997). On a primitive Neoceratopsian from the early Cretaceous of China. In *Sino-Japanese Silk Road Dinosaur Expedition*, edited by Dong, Z. Beijing: China Ocean Press, 68–89.
- Dong, Z. (1978). A new genus of Pachycephalosauria from Laiyang, Shantung. [In Chinese.] *Vertebrata Palasiatica*, 16(4), 225–228.

- Farke, A. A., Maxwell, W. D., Cifelli, R. L., and Wedel, M. J. (2014). A ceratopsian dinosaur from the Lower Cretaceous of western North America, and the biogeography of Neoceratopsia. *PLOS One*, 9(12), e112055.
- Hailu, Y., Tanoue, K., and Dodson, P. (2007). A new specimen of *Liaoceratops yanzigouensis* (Dinosauria: Neoceratopsia) from the Early Cretaceous of Liaoning Province, China. *Acta Geologica Sinica*, English edition, 81(6), 898–904.
- Han, F. L., Barrett, P. M., Butler, R. J., and Xu, X. (2012). Postcranial anatomy of *Jeholosaurus shangyuanensis* (Dinosauria, Ornithischia) from the Lower Cretaceous Yixian Formation of China. *Journal of Vertebrate Paleontology*, 32(6), 1370–1395.
- Han, F., Forster, C. A., Clark, J. M., and Xu, X. (2015). A new taxon of basal ceratopsian from China and the early evolution of Ceratopsia. *PLOS One*, 10(12), e0143369.
- Han, F., Forster, C. A., Xu, X., and Clark, J. M. (2017). Postcranial anatomy of *Yinlong downsii* (Dinosauria: Ceratopsia) from the Upper Jurassic Shishugou Formation of China and the phylogeny of basal ornithischians. *Journal of Systematic Palaeontology*, 16(14), 1159–1187.
- He, Y., Makovicky, P. J., Xu, X., and You, H. (2018). High-resolution computed tomographic analysis of tooth replacement pattern of the basal neoceratopsian *Liaoceratops yanzigouensis* informs ceratopsian dental evolution. *Scientific reports*, 8(1), 5870.
- Jin, L., Chen, J., Zan, S., and Godefroit, P. (2009). A new basal neoceratopsian dinosaur from the Middle Cretaceous of Jilin Province, China. *Acta Geologica Sinica*, 83(2), 200–206.
- Lee, Y.-N., Ryan, M. J., and Kobayashi, Y. (2010). The first ceratopsian dinosaur from South Korea. *Naturwissenschaften*, 98(1), 39–49.

- Makovicky, P. J., and Norell, M. A. (2006). *Yamaceratops dorn gobiensis*, a new primitive ceratopsian (Dinosauria: Ornithischia) from the Cretaceous of Mongolia. *American Museum Novitates*, 2006(3530), 1–42.
- Mayr, G.,; Pittman, M., Saitta, E.,; Kaye, T. G., Vinther, J., and Benson, R. (2016). Structure and homology of *Psittacosaurus* tail bristles. *Palaeontology*, 59(6), 793–802.
- Morschhauser, E. M., You, H., Li, D., and Dodson, P. (2019). Postcranial morphology of the basal neoceratopsian (Ornithischia: Ceratopsia) *Auroraceratops rugosus* from the Early Cretaceous (Aptian–Albian) of northwestern Gansu Province, China. *Journal of Vertebrate Paleontology*, 38(sup. 1), 75–116.
- Napoli, J. G., Hunt, T., Erickson, G. M., and Norell, M. A. (2019). *Psittacosaurus amitabha*, a new species of ceratopsian dinosaur from the Ondai Sayr locality, central Mongolia. *American Museum Novitates* (3932), 1–36
- Nessov, L. A., Kaznyshkina, L. F., and Cherepanov, G.O. (1989). Mesozoic ceratopsian dinosaurs and crocodiles of central Asia. In *Theoretical and Applied Aspects of Modern Palaeontology*. [In Russian.] All-Union Paleontological Society—Proceedings 33rd session, edited by Bogdanova, T. N. and Khozatsky, L. I., 144–154. Leningrad: Nauka.
- Nessov, L.A. (1995), *Dinozavri severnoi Yevrazii: Novye dannye o sostave kompleksov, ekologii i paleobiogeografii*. [In Russian.] Institute for Scientific Research on the Earth's Crust, St. Petersburg: St. Petersburg State University, 156 pp.
- Ohashi, T., and Barrett, P. M. (2009). A new ornithischian dinosaur from the Lower Cretaceous Kuwajima Formation of Japan. *Journal of Vertebrate Paleontology*, 29(3), 748–757.
- Osborn, H. F. (1923). Two Lower Cretaceous dinosaurs of Mongolia. *American Museum Novitates*, 95(13), 1–10.

- Ósi, A., Butler, R. J., and Weishampel, D. B. (2010). A Late Cretaceous ceratopsian dinosaur from Europe with Asian affinities (supplementary data). *Nature*, 465 (7297), 466–468.
- Sereno, P. C. (2000). The fossil record, systematics and evolution of pachycephalosaurs and ceratopsians from Asia. In *The Age of Dinosaurs in Russia and Mongolia*. Cambridge: Cambridge University Press, 489–492.
- Sereno, P.C. (1987). The ornithischian dinosaur *Psittacosaurus* from the Lower Cretaceous of Asia and the relationships of the Ceratopsia. PhD diss., Columbia University, 1–554.
- Son, M., Lee, Y.-M., Zorigt, B., et al. (2022). A new juvenile *Yamaceratops* (Dinosauria, Ceratopsia) from the Javkhant Formation (Upper Cretaceous) of Mongolia. *PeerJ*, 10, e13176.
- Sullivan, R. M. (2006). A taxonomic review of the Pachycephalosauridae (Dinosauria: Ornithischia). In *Late Cretaceous Vertebrates from the Western Interior*, edited by Lucas, S.G., and Sullivan, R. M. *New Mexico Museum of Natural History and Science Bulletin*, no. 35, 347–365.
- Vinther, J., Nicholls, R., and Lautenschlager, S., et al. (2016). 3D camouflage in an ornithischian dinosaur. *Current Biology*, 26(18), 2456–2462.
- von Meyer, H. (1857), Beiträge zur näheren Kenntnis fossiler Reptilien. *Neues Jahrbuch für Mineralogie, Geologie und Paläontologie*, 1857, 532–543.
- Xu, X., Forster, C.A., Clark, J.M., and Mo, J. (2006). A basal ceratopsian with transitional features from the Late Jurassic of northwestern China. *Proceedings of the Royal Society B: Biological Sciences*, 273(1598), 2135–2140.
- Xu, X., Makovicky, P. J., Wang, X., Norell, M. A., and You, H. (2002a). A ceratopsian dinosaur from China and the early evolution of Ceratopsia. *Nature*, 416(6878), 314–317.

- Xu, X., Norell, M. A., Wang, X.-L., Makovicky, P. J., and Wu, X.-C. (2002b). A basal troodontid from the Early Cretaceous of China. *Nature*, 415(6873), 780–784.
- Yang, Y., Gong, E., Zhao, C., Wu, W., Godefroit, P., and Hu, D. (2024). Endocranial morphology of *Liaoceratops yanzigouensis* (Dinosauria: Ceratopsia) from Early Cretaceous Jehol Biota of Liaoning in China. *Historical Biology*, 36(3), 650–656.
- You, H.-L., Tanque, K., and Dodson, P. (2010). A new species of *Archaeoceratops* (Dinosauria: Neoceratopsia) from the Early Cretaceous of the Mazongshan area, northwestern China. In *New Perspectives on Horned Dinosaurs: The Royal Tyrrell Museum Ceratopsian Symposium*, edited by Ryan, M. J., Chinnery-Allgeier, B. J., and Eberth, D. A., 59–67. Bloomington, IN: Indiana University Press.
- You, H., and Dodson, P. (2003). Redescription of neoceratopsian dinosaur *Archaeoceratops* and early evolution of Neoceratopsia. *Acta Palaeontologica Polonica*, 48(2).
- You, H., Li, D., Ji, Q., Lamanna, M. C., and Dodson, P. (2005). On a new genus of basal neoceratopsian dinosaur from the Early Cretaceous of Gansu Province, China. *Acta Geologica Sinica*, 79(5), 593–597.
- You, H., Tanoue, K., and Dodson, P. (2007). A new specimen of *Liaoceratops yanzigouensis* (Dinosauria: Neoceratopsia) from the Early Cretaceous of Liaoning Province, China, *Acta Geologica Sinica*, 81(6), 898–904.
- Yu, C., Prieto-Marquez, A., Chinzorig, T., Badamkhatan, Z., and Norell, M. (2020). A neoceratopsian dinosaur from the early Cretaceous of Mongolia and the early evolution of ceratopsia. *Communications Biology*, 3(1), 499.
- Zhao X., Cheng Z., Xu X., and Makovicky, P. J. (2006). A new ceratopsian from the Upper Jurassic Houcheng Formation of Hebei, China. *Acta Geologica Sinica*, 80(4), 467–473.

Zhao, X., Cheng, Z., and Xu, X. (1999). The earliest ceratopsian from the Tuchengzi Formation of Liaoning, China. *Journal of Vertebrate Paleontology*, 19(4), 681–691.

Zheng, W., Jin, X., and Xu, X. (2015). A psittacosaurid-like basal neoceratopsian from the Upper Cretaceous of central China and its implications for basal ceratopsian evolution. *Scientific Reports*, 5(1).

Euceratopsia

Alifanov, V. R. (2003). Two new dinosaurs of the infraorder Neoceratopsia (Ornithischia) from the Upper Cretaceous of the Nemegt Depression, Mongolian People's Republic. *Paleontological Journal*, 37(5), 524–534.

Alifanov, V. R. (2008). The tiny horned dinosaur *Gobiceratops minutus* gen. et sp. nov. (Bagaceratopidae, Neoceratopsia) from the Upper Cretaceous of Mongolia. *Paleontological Journal*, 42(6), 621–633.

Arbour, V. M., and Evans, D. C. (2019). A new leptoceratopsid dinosaur from Maastrichtian-aged deposits of the Sustut Basin, northern British Columbia, Canada. *PeerJ*, 7, e7926.

Brown, B. (1914). *Leptoceratops*, a new genus of Ceratopsia from the Edmonton Cretaceous of Alberta. *Bulletin of the American Museum of Natural History*, 33(36), 567–580.

Brown, B., and Schlaikjer, E. M. (1940). The structure and relationships of *Protoceratops*. *Annals of the New York Academy of Sciences*, 40(3), 133–266.

Brown, B., and Schlaikjer, E. M. (1942). The skeleton of *Leptoceratops* with the description of a new species. *American Museum Novitates* (1169), 1–15.

- Chiba, K., Ryan, M. J., and Saneyoshi, M. et al. (2023). New insights on the frill ornamentations of protoceratopsids. In *Windows into Sauropsid and Synapsid Evolution. Essays in Honor of Louis L. Jacobs*, edited by Lee, Y.-N., 140–150. Dinosaur Science Center Press.
- Chinnery, B. (2004). Description of *Prenoceratops pieganensis* gen. et sp. nov. (Dinosauria: Neoceratopsia) from the Two Medicine Formation of Montana. *Journal of Vertebrate Paleontology*, 24(3), 572–590.
- Chinnery, B. J., and Horner, J. R. (2007). A new neoceratopsian dinosaur linking North American and Asian taxa. *Journal of Vertebrate Paleontology*, 27(3), 625–641.
- Czepiński, Ł. (2019). Ontogeny and variation of a protoceratopsid dinosaur *Bagaceratops rozhdestvenskyi* from the Late Cretaceous of the Gobi Desert, *Historical Biology*, 32(10), 1394–1421.
- Czepiński, Ł. (2020). New protoceratopsid specimens improve the age correlation of the Upper Cretaceous Gobi Desert strata. *Acta Palaeontologica Polonica*, 65(3), 481–497.
- Dodson, P., Forster, C. A., and Sampson, S. D. (2004). Ceratopsidae. *The Dinosauria*, 2nd edition, edited by Weishampel, D. B., Dodson, P., and Osmólska, H., 494–513. Oakland, CA: University of California Press.
- Fowler, D.W., Wilson, J. P., Freedman Fowler, E. A., and Horner, J. R. (2019). The horned dinosaur *Leptoceratops* (Ornithischia: Neoceratopsia) raised its young in communal nesting burrows: Evidence from three new bonebeds in the Hell Creek Formation (Maastrichtian, Late Cretaceous), Montana. In *A Symposium Focusing on Cretaceous and Paleogene Vertebrate Paleontology of the Western Interior*, edited by Boyd, C., and Person, J., 20. Misc. ser. no. 94. North Dakota Geological Survey.

- Granger, W. W., and Gregory, W. K. (1923). *Protoceratops andrewsi*, a pre-ceratopsian dinosaur from Mongolia. *American Museum of Natural History Novitates* (72), 1–9.
- He, Y., Makovicky, P. J., Wang, K., et al. (2015). A new leptoceratopsid (Ornithischia, Ceratopsia) with a unique ischium from the Upper Cretaceous of Shandong Province, China. *PLOS One*, 10(12), e0144148.
- Kielan-Jaworowska, Z. and Barsbold, R. (1972). Narrative of the Polish-Mongolian Palaeontological Expeditions, 1967–1971. *Palaeontologia Polonica*, 27, 1–12.
- Kim, B., Yun, H., and Lee, Y.-N. (2019). The postcranial skeleton of *Bagaceratops* (Ornithischia: Neoceratopsia) from the Baruungoyot Formation (Upper Cretaceous) in Hermin Tsav of southwestern Gobi, Mongolia. *Journal of the Geological Society of Korea*, 55(2), 179–190.
- Kurzanov, S. M. (1990). Новый род протоцератопсид из позднего мела Монголии [A new Late Cretaceous protoceratopsid genus from Mongolia]. *Paleontological Journal* (4), 91–97.
- Kurzanov, S. M. (1992). Новый род протоцератопсид из позднего мела Монголии [A giant protoceratopsid from the Upper Cretaceous of Mongolia]. *Paleontological Journal*, 81–93.
- Lambert, O., Godefroit, P., Li, H., Shang, C.-Y., and Dong, Z. (2001). A new species of *Protoceratops* (Dinosauria, Neoceratopsia) from the Late Cretaceous of Inner Mongolia (P. R. China). *Bulletin de l'Institut Royal des Sciences Naturelles de Belgique, Sciences de la Terre*, 71, 5–28.

- Maiorino, L., Farke, A. A., Kotsakis, T., and Piras, P. (2015). Males resemble females: re-evaluating sexual dimorphism in *Protoceratops andrewsi* (Neoceratopsia, Protoceratopsidae). *PLOS One*, 10(5), e0126464.
- Makovicky, P. J. (2010). A redescription of the *Montanoceratops cerorhynchus* holotype with a review of referred material. In *New Perspectives on Horned Dinosaurs*, edited by Ryan, M. J., Chinnery-Allgeier, B. J., and Eberth, D. A., 68–82. Bloomington, IN: Indiana University Press.
- Maryańska, T., and Osmólska, H. (1975). Protoceratopsidae (Dinosauria) of Asia. *Palaeontologia Polonica*, 33, 134–143.
- Micucci, L. M., Evans, D. C., Rizo, H., Ryan, M. J. (2022) A new Late Cretaceous leptoceratopsid specimen from the Oldman Formation (Campanian) of Alberta, Canada. *Canadian Society of Vertebrate Palaeontology 2022 Abstracts*. p. 35.
- Miyashita, T., Currie, P. J., Chinnery-Allgeier, B. J., Ryan, M. J., Chinnery-Allgeier, B. J., and Eberth, D. A. (2010). First basal neoceratopsian from the Oldman Formation (Belly River Group), southern Alberta. In *New Perspectives on Horned Dinosaurs: The Royal Tyrrell Museum Ceratopsian Symposium*, edited by Ryan, M. J., Chinnery-Allgeier, B. J., and Eberth, D. A., 83–90. Bloomington, IN: Indiana University Press.
- Morschhauser, E. M., You, H., Li, D., and Dodson, P. (2018). Postcranial morphology of the basal neoceratopsian (Ornithischia: Ceratopsia) *Auroraceratops rugosus* from the Early Cretaceous (Aptian–Albian) of northwestern Gansu Province, China. *Journal of Vertebrate Paleontology*, 38(suppl. 1), 75–116.
- Nessov, L. A., Kaznyshkina, F. and Cherepanov, G. O. (1989). Ceratopsian dinosaurs and crocodiles of the middle Mesozoic of Asia. In *Theoretical and Applied Aspects of*

- Modern Palaeontology*. [In Russian.] All-Union Paleontological Society—Proceedings 33rd session, edited by Bogdanova, T. N. and Khozatsky, L. I., 142–149. Leningrad: Nauka.
- Ostrom, J. H. (1978). *Leptoceratops gracilis* from the “Lance” Formation of Wyoming. *Journal of Paleontology*, 52(3), 697–704.
- Ott, C. J. (2006). Cranial anatomy and biogeography of the first *Leptoceratops gracilis* (Dinosauria: Ornithischia). Specimens from the Hell Creek Formation, Southeast Montana. In *Horns and Beaks: Ceratopsian and Ornithopod Dinosaurs*, edited by Carpenter, K., 213–234. Bloomington, IN: Indiana University Press.
- Ryan, M. J., and Currie, P. J. (1998). First report of protoceratopsians (Neoceratopsia) from the Late Cretaceous Judith River Group, Alberta, Canada. *Canadian Journal of Earth Sciences*, 35(7), 820–826.
- Ryan, M. J., Evans, D. C., Currie, P. J., Brown, C. M., and Brinkman, D. (2012). New leptoceratopsids from the Upper Cretaceous of Alberta, Canada. *Cretaceous Research*, 35, 69–80.
- Ryan, M. J., Micucci, L., Rizo, H., Sullivan, C., Lee, Y.-N., and Evans, D. C. (2023). A new Late Cretaceous leptoceratopsid (Dinosauria: Ceratopsia) from the Oldman Formation (Campanian) of Alberta, Canada.” In *Windows into Sauropsid and Synapsid Evolution: Essays in Honor of Prof. Louis L. Jacobs*, edited by Lee, Y.-N, 151–165. Seoul: Dinosaur Science Center Press.
- Senter, P. (2007). Analysis of forelimb function in basal ceratopsians. *Journal of Zoology*, 273(3), 305–314.

- Sereno, P. C. (2000). The fossil record, systematics and evolution of pachycephalosaurs and ceratopsians from Asia. In *The Age of Dinosaurs in Russia and Mongolia*, edited by Benton, M. J. et al., 489–492. Cambridge: Cambridge University Press.
- Słowiak, J., Tereshchenko, V. S., and Fostowicz-Frelik, Ł. (2019). Appendicular skeleton of *Protoceratops andrewsi* (Dinosauria, Ornithischia): Comparative morphology, ontogenetic changes, and the implications for non-ceratopsid ceratopsian locomotion. *PeerJ*. 7, e7324.
- Son, M., Lee, Y.-M., and Zorigt, B., et al (2022). A new juvenile *Yamaceratops* (Dinosauria, Ceratopsia) from the Javkhant Formation (Upper Cretaceous) of Mongolia. *PeerJ*. 10, e13176.
- Sternberg, C. M. (1951). Complete skeleton of *Leptoceratops gracilis* Brown from the Upper Edmonton Member on Red Deer River, Alberta. *National Museum of Canada Bulletin* 123, 225–255.
- Sues, H. D., and Averianov, A. (2009a). Phylogenetic position of *Turanoceratops* (Dinosauria: Ceratopsia). *Naturwissenschaften*, 96, 871–872.
- Sues, H. D., and Averianov, A. (2009b). *Turanoceratops tardabilis*—the first ceratopsid dinosaur from Asia. *Naturwissenschaften*, 96, 645–652.
- Tanke, D. H. 2007. Ceratopsian discoveries and work in Alberta, Canada: Historical review and census. In *Ceratopsian Symposium*, short papers, abstracts, and programs, edited by Braman, D. R. (CD ROM appendix). Drumheller: Royal Tyrrell Museum of Palaeontology.
- Tereshchenko, V. S. (2015). Methods for size reconstruction in distorted and damaged vertebrae of fossil tetrapods. *Paleontological Journal*, 49(3), 293–303.

- Varriale, F. J. (2016). Dental microwear reveals mammal-like chewing in the neoceratopsian dinosaur *Leptoceratops gracilis*. *PeerJ*, 4, e2132.
- Wolfe, D. G., and Kirkland, J. I. (1998). *Zuniceratops christopheri* n. gen. and n. sp., a ceratopsian dinosaur from the Moreno Hill Formation (Cretaceous, Turonian) of west-central New Mexico. *New Mexico Museum of Natural History and Science Bulletin*, no. 14, 303–317.
- Wolfe, D. G., Kirkland, J. I., Smith, D., Poole, K., Chinnery-Allgeier, B. J., and McDonald, A. (2010). *Zuniceratops christopheri*: The North American ceratopsid sister taxon reconstructed on the basis of new data. In *New Perspectives on Horned Dinosaurs: The Royal Tyrrell Museum Ceratopsian Symposium*, edited by Ryan, M. J., Chinnery-Allgeier, B. J., and Eberth, D. A., 91–98. Bloomington, IN: Indiana University Press.
- Xu, X., Wang, K., Zhao, X., Sullivan, C., and Chen, S. (2010). A new leptoceratopsid (Ornithischia: Ceratopsia) from the Upper Cretaceous of Shandong, China and its implications for neoceratopsian evolution. *PLOS One*, 5(11), e13835.
- You, H., and Dong, Z. (2003). A new protoceratopsid (Dinosauria: Neoceratopsia) from the Late Cretaceous of Inner Mongolia, China. *Acta Geologica Sinica*, English edition, 77(3), 299–303.
- Yu, C., Prieto-Marquez, A., Chinzorig, T., Badamkhatan, Z., and Norell, M. (2020). A neoceratopsian dinosaur from the early Cretaceous of Mongolia and the early evolution of ceratopsia. *Communications Biology*, 3(1), 499.

Centrosaurinae

- Brown, C., Holmes, R., and Currie, P. (2020). A subadult individual of *Styracosaurus albertensis* (Ornithischia: Ceratopsidae) with comments on ontogeny and intraspecific variation in

Styracosaurus and *Centrosaurus*. *Vertebrate Anatomy Morphology Palaeontology*, 8(1), 67–95.

- Carpenter, P. (2013). Big-nosed, long-horned dinosaur discovered in Utah. Natural History Museum of Utah, 17 July 2013, <https://web.archive.org/web/20131008131645/http://newsdesk.nhmu.utah.edu/newsdesk/releases/big-nosed-long-horned-dinosaur-discovered-utah>
- Chiba, K., Ryan, M. J., Braman, D. R., et al. (2015). Taphonomy of a monodominant *Centrosaurus apertus* (Dinosauria: Ceratopsia) bonebed from the upper Oldman Formation of southeastern Alberta. *Palaaios*, 30(9), 655–667.
- Chiba, K., Ryan, M. J., Fanti, F., Loewen, M. A., and Evans, D. C. (2017). New material and systematic re-evaluation of *Medusaceratops lokii* (Dinosauria, Ceratopsidae) from the Judith River Formation (Campanian, Montana). *Journal of Paleontology*, 92(2), 272–288.
- Currie, P. J., Langston, W., and Tanke, D. H. (2008). A new species of *Pachyrhinosaurus* (Dinosauria, Ceratopsidae) from the Upper Cretaceous of Alberta, Canada. In *A New Horned Dinosaur from an Upper Cretaceous Bone Bed in Alberta*, edited by Currie, P. J., Langston, W., and Tanke, D. H. 2008, 1–108. Ottawa: NRC Research Press.
- Dalman, S. G., Hodnett, J.-P. M., Lichtig, A. J., and Lucas, S. G. (2018). A new ceratopsid dinosaur (Centrosaurinae: Nasutoceratopsini) from the Fort Crittenden Formation, Upper Cretaceous (Campanian) of Arizona. *New Mexico Museum of Natural History and Science Bulletin*, no. 79, 141–164.
- Dalman, S. G., Lucas, S. G., Jasinski, S. G., Lichtig, A. J., and Dodson, P. (2021). The oldest centrosaurine: A new ceratopsid dinosaur (Dinosauria: Ceratopsidae) from the Allison

Member of the Menefee Formation (Upper Cretaceous, early Campanian), northwestern New Mexico, USA. *PalZ*, 95(2), 291–335.

Demers-Potvin, A. V., and Larsson, H. C. E. (2023). Occurrence of *Centrosaurus apertus* (Ceratopsidae: Centrosaurinae) in Saskatchewan, Canada, and expanded dinosaur diversity in the easternmost exposure of the Late Cretaceous (Campanian) Dinosaur Park Formation. *Canadian Journal of Earth Sciences*, 61(11), 1127–1155.

Dodson, P. (1986). *Avaceratops lammersi*: A new ceratopsid from the Judith River Formation of Montana. *Proceedings of the Academy of Natural Sciences of Philadelphia*, 138(2), 305–317.

Eberth, D. A., Ryan, M. J., Chinnery-Allgeier, B. J., and Eberth, D. (2010). A review of ceratopsian paleoenvironmental associations and taphonomy. In *New Perspectives on Horned Dinosaurs: The Royal Tyrrell Museum Ceratopsian Symposium*, 428–446. Bloomington, IN: Indiana University Press.

Evans, D. C., and Ryan, M. J. (2015). Cranial anatomy of *Wendiceratops pinhornensis* gen. et sp. nov., a centrosaurine ceratopsid (Dinosauria: Ornithischia) from the Oldman Formation (Campanian), Alberta, Canada, and the evolution of ceratopsid nasal ornamentation. *PLOS One*, 10(7), e0130007.

Farke, A. A., Ryan, M. J., and Barrett, P. M. et al. (2011). A new centrosaurine from the Late Cretaceous of Alberta, Canada, and the evolution of parietal ornamentation in horned dinosaurs. *Acta Palaeontologica Polonica*, 56(4), 691–702.

Fiorillo, A. R., and Tykoski, R. S. (2012). An immature *Pachyrhinosaurus perotorum* (Dinosauria: Ceratopsidae) nasal reveals unexpected complexity of craniofacial ontogeny and integument in *Pachyrhinosaurus*, edited by Farke, A. A. *PLOS One*. 8(6), e65802.

- Fiorillo, A. R., and Tykoski, R. S. (2013). An immature *Pachyrhinosaurus perotorum* (Dinosauria: Ceratopsidae) nasal reveals unexpected complexity of craniofacial ontogeny and integument in *Pachyrhinosaurus*, edited by Farke, A. A. PLOS One, 8(6), e65802.
- Fiorillo, A. R., and Tykoski, R. S. (2022). Paleobiological inferences from paleopathological occurrences in the Arctic ceratopsian *Pachyrhinosaurus perotorum*. *Anatomical Record*, 306(7), 1697–1711.
- Frederickson, J. A., and Tumarkin-Deratzian, A. R. (2014). Craniofacial ontogeny in *Centrosaurus apertus*. *PeerJ*, 2, e252.
- Hieronymus, T. L., Witmer, L. M., Tanke, D. H., and Currie, P. J. (2009). The facial integument of centrosaurine ceratopsids: Morphological and histological correlates of novel skin structures. *Anatomical Record: Advances in Integrative Anatomy and Evolutionary Biology*, 292(9), 1370–1396.
- Holmes, R. B., and Ryan, M. J. (2013). The postcranial skeleton of *Styracosaurus albertensis*. *Kirtlandia*, 58, 5–37.
- Holmes, R. B., Persons, W. S., Rupal, B. S., Qureshi, A. J., and Currie, P. J. (2020). Morphological variation and asymmetrical development in the skull of *Styracosaurus albertensis*. *Cretaceous Research*, 107, 104308.
- Ishikawa, H., Tsuihiji, T., and Manabe, M. (2023). *Furcatoceratops elucidans*, a new centrosaurine (Ornithischia: Ceratopsidae) from the upper Campanian Judith River Formation, Montana, USA. *Cretaceous Research*, 151, 105660.
- Kirkland, J. I., and DeBlieux, D. D. (2010). New basal centrosaurine ceratopsian skulls from the Wahweap Formation (Middle Campanian), Grand Staircase–Escalante National Monument, southern Utah. In *New Perspectives on Horned Dinosaurs: The Royal Tyrrell*

- Museum Ceratopsian Symposium*, edited by Ryan, M. J., Chinnery-Allgeier, B. J., and Eberth, D. A., 117–140. Bloomington, IN: Indiana University Press.
- Lambe, L. M. (1904). On the squamoso-parietal crest of the horned dinosaurs *Centrosaurus apertus* and *Monoclonius canadensis* from the Cretaceous of Alberta. *Proceedings and Transactions of the Royal Society of Canada*. 2. 10(4), 1–9.
- Lambe, L.M. (1913). A new genus and species from the Belly River Formation of Alberta. *Ottawa Naturalist*, 27, 109–116.
- Langston. W. 1976. A Late Cretaceous vertebrate fauna from the St. Mary River Formation in western Canada. In *Athlon: Essays on Palaeontology in Honour of Loris Shano Russell*, edited by Churcher, C. S. Toronto: Royal Ontario Museum, Life Sciences.
- Langston. W. 1967. The thick-headed ceratopsian dinosaur *Pachyrhinosaurus* (Reptilia: Ornithischia), from the Edmonton Formation near Drumheller, Canada. *Canadian Journal of Earth Sciences*, 4, 171–186.
- Loewen, M. A., Sertich, J. J., Sampson, S., et al. (2024). *Lokiceratops rangiformis* gen. et sp. nov.(Ceratopsidae: Centrosaurinae) from the Campanian Judith River Formation of Montana reveals rapid regional radiations and extreme endemism within centrosaurine dinosaurs. *PeerJ*, 12, e17224.
- Lund, E. K., O'Connor, P. M., Loewen, M. A., and Jinnah, Z. A. (2016). A new centrosaurine ceratopsid, *Machairoceratops cronusi* gen et sp. nov., from the Upper Sand Member of the Wahweap Formation (Middle Campanian), southern Utah. *PLOS One*, 11(5), e0154403.

- Maiorino, L., Farke, A. A., Kotsakis, T., Teresi, L., and Piras, P. (2015). Variation in the shape and mechanical performance of the lower jaws in ceratopsid dinosaurs (Ornithischia, Ceratopsia). *Journal of Anatomy*, 227(5), 631–646.
- Morschhauser, E. M., You, H., Li, D., and Dodson, P. (2018). Postcranial morphology of the basal neoceratopsian (Ornithischia: Ceratopsia) *Auroraceratops rugosus* from the Early Cretaceous (Aptian–Albian) of northwestern Gansu Province, China. *Journal of Vertebrate Paleontology*, 38 (suppl. 1), 75–116.
- Penkalski, P. & Dodson, P. (1999). The morphology and systematics of *Avaceratops*, a primitive horned dinosaur from the Judith River Formation (Late Campanian) of Montana, with the description of a second skull. *Journal of Vertebrate Paleontology*, 19(4), 692–711.
- Penkalski, P.G., 1993, The morphology of *Avaceratops lammersi*, a primitive ceratopsid from the Campanian of Montana. *Journal of Vertebrate Paleontology*, 13(3, suppl.), 52A.
- Rivera-Sylva, H. E., Frey, E., Stinnesbeck, W., Guzmán-Gutiérrez, J. R., and González-González, J. R (2017). Mexican ceratopsids: Considerations on their diversity and evolution. *Journal of South American Earth Sciences*, 75, 66–73.
- Ryan, M. J. (2007). A new basal centrosaurine ceratopsid from the Oldman Formation, southeastern Alberta. *Journal of Paleontology*, 81(2), 376–396.
- Ryan, M. J., and Russell, A. P. (2005). A new centrosaurine ceratopsid from the Oldman Formation of Alberta and its implications for centrosaurine taxonomy and systematics. *Canadian Journal of Earth Sciences*, 42(7), 1369–1387.
- Ryan, M. J., Evans, D. C., and Shepherd, K. M. (2012). A new ceratopsid from the Foremost Formation (middle Campanian) of Alberta. *Canadian Journal of Earth Sciences*, 49(10), 1251–1262.

- Ryan, M. J., Evans, D. C., and Shepherd, K. M. (2012). A new ceratopsid from the Foremost Formation (middle Campanian) of Alberta. *Canadian Journal of Earth Sciences*, 49(10), 1251–1262.
- Ryan, M. J., Holmes, R., and Russell, A. P. (2007). A revision of the late Campanian centrosaurine ceratopsid genus *Styracosaurus* from the western interior of North America. *Journal of Vertebrate Paleontology*, 27(4), 944–962.
- Ryan, M. J., Holmes, R., Mallon, J., Loewen, M., and Evans, D. C. (2017). A basal ceratopsid (Centrosaurinae: Nasutoceratopsini) from the Oldman Formation (Campanian) of Alberta, Canada. *Canadian Journal of Earth Sciences*, 54(1), 1–14.
- Ryan, M. J., Russell, A. P., and Hartman, S. (2010). A new chasmosaurine ceratopsid from the Judith River Formation, Montana,” In *New Perspectives on Horned Dinosaurs: The Royal Tyrrell Museum Ceratopsian Symposium*, edited by Ryan, M. J. et al. Bloomington, IN: Indiana University Press.
- Sampson, S. D. (1994). Two new horned dinosaurs (Ornithischia: Ceratopsidae) from the Upper Cretaceous Two Medicine Formation, Montana, USA. *Journal of Vertebrate Paleontology*, 14 (suppl. 3), 44A.
- Sampson, S. D., Lund, E. K., Loewen, M. A., Farke, A. A., and Clayton, K. E. (2013). A remarkable short-snouted horned dinosaur from the Late Cretaceous (late Campanian) of southern Laramidia. *Proceedings of the Royal Society B: Biological Sciences*, 280 (1766), 20131186.
- Scott, S. H., Ryan, M. J., and Evans, D. C. (2023). Postcranial description of *Wendiceratops pinhornensis* and a taphonomic analysis of the oldest monodominant ceratopsid bonebed. *Anatomical Record*, 306(7), 1824–1841.

- Sternberg, C. M. (1950). *Pachyrhinosaurus canadensis*, representing a new family of the Ceratopsia, from southern Alberta. *National Museum of Canada Bulletin*, 118, 109–120.
- Trexler, D., and Sweeney, F. G. (1995). Preliminary work on a recently discovered ceratopsian (Dinosauria: Ceratopsidae) bonebed from the Judith River Formation of Montana suggests the remains are of *Ceratops montanus* Marsh. *Journal of Vertebrate Paleontology*, 15, 57A.
- Tykoski, R. S., Fiorillo, A. R., and Chiba, K. (2019). New data and diagnosis for the Arctic ceratopsid dinosaur *Pachyrhinosaurus perotorum*. *Journal of Systematic Palaeontology*, 17(16), 1397–1416.
- Williamson, T. E. (1997). A new Late Cretaceous (early Campanian) vertebrate fauna from the Allison Member, Menefee Formation, San Juan Basin, New Mexico. In New Mexico's Fossil Record 1, edited by Lucas, S. G. et al. *New Mexico Museum of Natural History and Science Bulletin*, no. 11, 51–59.
- Wilson, J. P., and Scannella, J. B. (2021). Comparative cranial osteology of subadult eucentrosauran ceratopsid dinosaurs from the Two Medicine Formation, Montana, indicates sequence of ornamentation development and complex supraorbital ontogenetic change. *Acta Palaeontologica Polonica*, 66(4), 797–814.
- Wilson, J. P., Ryan, M. J., and Evans, D. C. (2020). A new, transitional centrosaurine ceratopsid from the Upper Cretaceous Two Medicine Formation of Montana and the evolution of the “*Styracosaurus*-line” dinosaurs. *Royal Society Open Science*, 7(4), 200284.
- Xu, X., Wang, K., Zhao, X. and Li, D. (2010). First ceratopsid dinosaur from China and its biogeographical implications. *Chinese Science Bulletin*, 55(16), 1631–1635.

Yu, C., Prieto-Marquez, A., Chinzorig, T., Badamkhatan, Z., and Norell, M. (2020). A neoceratopsian dinosaur from the early Cretaceous of Mongolia and the early evolution of ceratopsia. *Communications Biology*, 3(1), 499.

Chasmosaurinae

Brown, B (1914). *Anchiceratops*, a new genus of horned dinosaurs from the Edmonton Cretaceous of Alberta. With a discussion of the origin of the ceratopsian crest and the brain casts of *Anchiceratops* and *Trachodon*. *Bulletin of the American Museum of Natural History*, 33, 539–548.

Brown, C. M., and Henderson, D. M. (2015). A new horned dinosaur reveals convergent evolution in cranial ornamentation in Ceratopsidae. *Current Biology*, 25(12), 1641–1648.

Campbell, J. A., Ryan, M. J., Holmes, R. B., and Schröder-Adams, C. J. (2016). A re-evaluation of the chasmosaurine ceratopsid genus *Chasmosaurus* (Dinosauria: Ornithischia) from the Upper Cretaceous (Campanian) Dinosaur Park Formation of western Canada. *PLOS One*, 11(1), e0145805.

Campbell, J. A., Ryan, M. J., Schröder-Adams, C. J., Holmes, R. B., and Evans, D. C. (2019). Temporal range extension and evolution of the chasmosaurine ceratopsid “*Vagaceratops*” *irvinensis* (Dinosauria: Ornithischia) in the Upper Cretaceous (Campanian) Dinosaur Park Formation of Alberta. *Vertebrate Anatomy Morphology Palaeontology*, 7, 83–100.

Dalman, S. G., Jasinski, S. E., and Lucas, S. G. (2022a). A new chasmosaurine ceratopsid from the Upper Cretaceous (Campanian) Farmington Member of the Kirtland Formation, New Mexico. *New Mexico Museum of Natural History and Science Bulletin*, no 90, 127–153.

- Dalman, S. G., Lucas, S. G., Jasinski, S. E., and Longrich, N. R. (2022b). *Sierraceratops turneri*, a new chasmosaurine ceratopsid from the Hall Lake Formation (Upper Cretaceous) of south-central New Mexico. *Cretaceous Research*, 130, article 105034.
- Diem, S., & Archibald, J. D. (2005). Range extension of southern chasmosaurine ceratopsian dinosaurs into northwestern Colorado. *Journal of Paleontology*, 79(2), 251–258.
- Dodson, P., Forster, C. A., and Sampson, S. D. (2004). Ceratopsidae. In *The Dinosauria*, 2nd edition, edited by Weishampel, D. B., Dodson, P., and Osmólska, H., 494–513. Oakland, CA: University of California Press.
- Farke, A. A. (2006). Cranial osteology and phylogenetic relationships of the chasmosaurine ceratopsid *Torosaurus latus*. In *Horns and Beaks: Ceratopsian and Ornithomimid Dinosaurs*. Bloomington, IN: Indiana University Press.
- Farke, A. A. (2011). Anatomy and taxonomic status of the chasmosaurine ceratopsid *Nedoceratops hatcheri* from the Upper Cretaceous Lance Formation of Wyoming, U.S.A. *PLOS One*, 6(1), e16196.
- Forster, C. A., Sereno, P. C., Evans, T. W., and Rowe, T. (1993). A complete skull of *Chasmosaurus mariscalensis* (Dinosauria: Ceratopsidae) from the Aguja Formation (late Campanian) of west Texas. *Journal of Vertebrate Paleontology*, 13(2), 161–170.
- Fowler, D. W., and Freedman Fowler, E. A. (2020). Transitional evolutionary forms in chasmosaurine ceratopsid dinosaurs: Evidence from the Campanian of New Mexico. *PeerJ*, 8, e9251.
- Fowler, D. W., and Sullivan, R. M. (2006). A ceratopsid pelvis with toothmarks from the Upper Cretaceous Kirtland Formation, New Mexico: Evidence of Late Campanian

- tyrannosaurid feeding behavior. *New Mexico Museum of Natural History and Science Bulletin*, no. 35, 127–130.
- Gilmore C. W. (1935). On the Reptilia of the Kirtland Formation of New Mexico, with descriptions of new species of fossil turtles. *Proceedings of the United States National Museum*, 83(2978), 159–188.
- Hedrick, B. P., Goldsmith, E., Rivera-Sylva, H., Fiorillo, A. R., Tumarkin-Deratzian, A. R., and Dodson, P. (2019). Filling in gaps in the ceratopsid histologic database: Histology of two basal centrosaurines and an assessment of the utility of rib histology in the Ceratopsidae. *Anatomical Record*, 303(4), 40.
- Holmes, R. B., Forster, C., Ryan, M., and Shepherd, K. M. (2001). A new species of *Chasmosaurus* (Dinosauria: Ceratopsia) from the Dinosaur Park Formation of southern Alberta. *Canadian Journal of Earth Sciences*, 38(10), 1423–1438.
- Horner, J. R., and Goodwin, M. B. (2008). Ontogeny of cranial epi-ossifications in *Triceratops*. *Journal of Vertebrate Paleontology*, 28(1), 134–144.
- Horner, J. R., Goodwin, M. B. (2006). Major cranial changes during *Triceratops* ontogeny. *Proceedings of the Royal Society B: Biological Sciences*, 273(1602), 2757–2761.
- Hunt, R. K., and Lehman, T. M. (200). Attributes of the ceratopsian dinosaur *Torosaurus*, and new material from the Javelina Formation (Maastrichtian) of Texas. *Journal of Paleontology*, 82(6), 1127–1138.
- Jasinski, S. E., Sullivan, R. M., and Lucas, S. G. (2011). Taxonomic composition of the Alamo Wash local fauna from the Upper Cretaceous Ojo Alamo Formation (Naashoibito Member) San Juan Basin, New Mexico. *New Mexico Museum of Natural History and Science Bulletin*, no. 53, 216–271.

- Konishi, T. (2015). Redescription of UALVP 40, an unusual specimen of *Chasmosaurus* Lambe, 1914 (Ceratopsidae: Chasmosaurinae) bearing long postorbital horns, and its implications for ontogeny and alpha taxonomy of the genus. *Canadian Journal of Earth Sciences*, 52(8), 608–619.
- Lambe, L. M. (1914). On *Gryposaurus notabilis*, a new genus and species of trachodont dinosaur from the Belly River Formation of Alberta, with a description of the skull of *Chasmosaurus belli*. *Ottawa Naturalist*, 27(11), 145–155.
- Lehman, T. M. 1993. New data on the ceratopsian dinosaur *Pentaceratops sternbergii* Osborn from New Mexico. *Journal of Paleontology*, 67(2), 279–288.
- Lehman, T. M. (1989). *Chasmosaurus mariscalensis*, sp. Nov., a new ceratopsian dinosaur from Texas. *Journal of Vertebrate Paleontology*, 9(2), 137–162.
- Lehman, T. M. 1985. Depositional environments of the Naashoibito Member of the Kirtland Shale, Upper Cretaceous, San Juan Basin, New Mexico. *New Mexico Bureau of Mines and Mineral Resources Circular*, 19, 55–79.
- Lehman, T. M., Wick, S. L., and Barnes, K. R. (2016). New specimens of horned dinosaurs from the Aguja Formation of West Texas, and a revision of *Agujaceratops*. *Journal of Systematic Palaeontology*, 15(8), 641–674.
- Loewen, M. A., Sampson, S. D., and Lund, E. K., et al. (2010). Horned dinosaurs (Ornithischia: Ceratopsidae) from the Upper Cretaceous (Campanian) Cerro del Pueblo Formation, Coahuila, Mexico. In *New Perspectives on Horned Dinosaurs: The Royal Tyrrell Museum Ceratopsian Symposium*, edited by Ryan, M. J., Chinnery-Allgeier, B. J., and Eberth, D. A., 99–116. Bloomington, IN: Indiana University Press.

- Loewen, M., Farke, A. A., Sampson, S. D., Getty, M. A., Lund, E. K., and O'Connor, P. M. (2013). Ceratopsid dinosaurs from the Grand Staircase of Southern Utah. In *At the Top of the Grand Staircase: The Late Cretaceous of Southern Utah*, edited by Titus, A., and Loewen, M., 488–503. Bloomington, IN: Indiana University Press.
- Longrich, N. R. (2011). *Titanoceratops ouranos*, a giant horned dinosaur from the late Campanian of New Mexico. *Cretaceous Research*, 32(3), 264–276.
- Longrich, N. R. (2013). *Judiceratops tigris*, a new horned dinosaur from the Middle Campanian Judith River Formation of Montana. *Bulletin of the Peabody Museum of Natural History*, 54(1), 51–65.
- Lucas, S. G., and Sullivan, R. M. Hunt, A. P. (2006). Re-evaluation of Pentaceratops and Chasmosaurus (Ornithischia: Ceratopsidae) in the Upper Cretaceous of the Western Interior. *New Mexico Museum of Natural History and Science Bulletin*, no. 35, 367–370.
- Maiorino, L., Farke, A. A., Kotsakis, T., and Piras P., (2013). Is *Torosaurus Triceratops*? Geometric Morphometric Evidence of Late Maastrichtian Ceratopsid Dinosaurs,” *PLOS One*, 8(11), e81608.
- Mallon, J. C., and Holmes, R. (2010) Description of a complete and fully articulated chasmosaurine postcranium previously assigned to *Anchiceratops* (Dinosauria: Ceratopsia). In *New Perspectives on Horned Dinosaurs: The Royal Tyrrell Museum Ceratopsian Symposium*, edited by Ryan, M. J., Chinnery-Allgeier, B. J., and Eberth, D. A., 189–202. Bloomington, IN: Indiana University Press.
- Mallon, J. C., Holmes, R. B., Bamforth, E. L., and Schumann, D. (2022). The record of *Torosaurus* (Ornithischia: Ceratopsidae) in Canada and its taxonomic implications. *Zoological Journal of the Linnean Society*, 195(1), 157–171.

- Mallon, J. C., Holmes, R., Anderson, J. S., Farke, A. A., and Evans, D. C. (2014). New information on the rare horned dinosaur *Arrhinoceratops brachyops* (Ornithischia: Ceratopsidae) from the Upper Cretaceous of Alberta, Canada. *Canadian Journal of Earth Sciences*, 51(6), 618–634.
- Mallon, J. C., Holmes, R., Eberth, D. A., Ryan, M. J., Anderson, and J. S. (2011). Variation in the skull of *Anchiceratops* (Dinosauria, Ceratopsidae) from the Horseshoe Canyon Formation (Upper Cretaceous) of Alberta. *Journal of Vertebrate Paleontology*, 31(5), 1047–1071.
- Mallon, J. C., Ott, C. J., Larson, P. L., Iuliano, E. M., and Evans, D. C. (2016). *Spiclypeus shipporum* gen. et sp. nov., a boldly audacious new chasmosaurine ceratopsid (Dinosauria: Ornithischia) from the Judith River Formation (Upper Cretaceous: Campanian) of Montana, USA. *PLOS One*, 11(5), e0154218.
- Mallon, J. C., Ryan, M. J., and Campbell, J. A. (2015). Skull ontogeny in *Arrhinoceratops brachyops* (Ornithischia: Ceratopsidae) and other horned dinosaurs. *Zoological Journal of the Linnean Society*, 175(4), 910–929.
- Marsh, O. C. (1889). Notice of gigantic horned Dinosauria from the Cretaceous. *American Journal of Science*, 38, 173–175.
- Marsh, O. C. (1891). Notice of new vertebrate fossils. *American Journal of Science*, ser. 3 42, 265–269.
- Osborn, H. F. (1923). A new genus and species of *Ceratopsia* from New Mexico, *Pentaceratops sternbergii*. *American Museum Novitates*, 93: 1–3.
- Ott, C. J. and Larson, P. L. (2010). A new, small ceratopsian dinosaur from the latest Cretaceous Hell Creek Formation, northwest South Dakota, United States: A preliminary description.

- In *New Perspectives on Horned Dinosaurs: The Royal Tyrrell Museum Ceratopsian Symposium*, edited by Ryan, M. J., Chinnery-Allgeier, B. J., and Eberth, D. A., 203–220. Bloomington, IN: Indiana University Press.
- Parks, W. A. (1925). *Arrhinoceratops brachyops*, a new genus and species of *Ceratopsia* from the Edmonton Formation of Alberta. *University of Toronto Studies, Geology Series*, 19, 1–15.
- Ramírez-Velasco, A. A., and Hernández-Rivera, R. (2015). Diversity of Late Cretaceous dinosaurs from Mexico. [In Spanish and English.] *Boletín Geológico y Minero*, 126(1), 63–108., https://www.researchgate.net/profile/Angel-Ramirez-Velasco/publication/278018238_Diversity_of_late_cretaceous_dinosaurs_from_Mexico/links/55786c5308ae75363755b2dc/Diversity-of-late-cretaceous-dinosaurs-from-Mexico.pdf
- Rowe, T., Colbert, E. H., and Nations, J. D. (1981). The occurrence of *Pentaceratops* with a description of its frill. In *Advances in San Juan Basin Paleontology*, edited by Lucas, S. G. Albuquerque: University of New Mexico Press, 29–48.
- Ryan, M. J., Evans, D. C., Currie, P. J., and Loewen, M. A. (2014). A new chasmosaurine from northern Laramidia expands frill disparity in ceratopsid dinosaurs. *Naturwissenschaften*, 101(6), 505–512.
- Sampson, S. D., Loewen, M. A., and Farke, A. A., et al. (2010). New horned dinosaurs from Utah provide evidence for intracontinental dinosaur endemism. *PLOS One*, 5(9), e12292.
- Scannella J. 2009. And then there was one: Synonymy consequences of *Triceratops* cranial ontogeny. *Journal of Vertebrate Paleontology*, 29, 177A.

- Scannella, J. B., Horner, J. R., and Claessens, L. (2011). *Nedoceratops*: An example of a transitional morphology. *PLOS One*, 6(12), e28705.
- Scannella, J., and Horner, J. R. (2010). *Torosaurus* Marsh, 1891, is *Triceratops* Marsh, 1889 (Ceratopsidae: Chasmosaurinae): Synonymy through ontogeny. *Journal of Vertebrate Paleontology*, 30(4), 1157–1168.
- Sullivan, R. M., and Lucas, S. G. (2010). A new chasmosaurine (Ceratopsidae, Dinosauria) from the Upper Cretaceous Ojo Alamo Formation (Naashoibito Member), San Juan Basin, New Mexico. In *New Perspectives on Horned Dinosaurs: The Royal Tyrrell Museum Ceratopsian Symposium*, edited by Ryan, M. J., Chinnery-Allgeier, B. J., and Eberth, D. A., 169–180. Bloomington, IN: Indiana University Press.
- Sullivan, R. M., and Lucas, S. G. 2006. The Kirtlandian land-vertebrate “age”—faunal composition, temporal position and biostratigraphic correlation in the nonmarine Upper Cretaceous of western North America. *New Mexico Museum of Natural History and Science Bulletin*, no. 35, 7–29.
- Tanke, D. H., and Farke, A. A. (2007). Bone resorption, bone lesions and extra cranial fenestrae in ceratopsid dinosaurs: A preliminary assessment. In *Horns and Beaks: Ceratopsian and Ornithomimid Dinosaurs*, edited by Carpenter K., 319–347. Bloomington, IN: Indiana University Press.
- Tyson, H. 1981. The structure and relationships of the horned dinosaur *Arrhinoceratops* Parks (Ornithischia: Ceratopsidae). *Canadian Journal of Earth Sciences*, 18, 1241–1247.
- Ukrainsky, A. S. (2007). A new replacement name for *Diceratops* Lull, 1905 (Reptilia: Ornithischia: Ceratopsidae). *Zoosystematica Rossica*, 16(2), 292.

- Wick, S. L., and Lehman, T. M. (2013). A new ceratopsian dinosaur from the Javelina Formation (Maastrichtian) of West Texas and implications for chasmosaurine phylogeny. *Naturwissenschaften*, 100(7), 667–682.
- Wiman, C. (1930). Über Ceratopsia aus der Oberen Kreide in New Mexico. *Nova Acta Regiae Societatis Scientiarum Upsaliensis*, ser. 4, 7(2), 1–19.
- Wu, X.-C., Brinkman, D. B., Eberth, D. A., and Braman, D. R. (2007). A new ceratopsid dinosaur (Ornithischia) from the uppermost Horseshoe Canyon Formation (upper Maastrichtian), Alberta, Canada. *Canadian Journal of Earth Sciences*, 44(9), 1243–1265.
- Yu, C., Prieto-Marquez, A., Chinzorig, T., Badamkhatan, Z., and Norell, M. (2020). A neoceratopsian dinosaur from the early Cretaceous of Mongolia and the early evolution of ceratopsia. *Communications Biology*, 3(1), 499.

Pachycephalosauria

- Brown, B., and Schlaikjer, E. M. (1943). A study of the troödont dinosaurs with the description of a new genus and four new species. *Bulletin of the American Museum of Natural History*, 82(5), 115–150.
- Butler, R. J., and Zhao, Q. (2009). The small-bodied ornithischian dinosaurs *Micropachycephalosaurus hongtuyanensis* and *Wannanosaurus yansiensis* from the Late Cretaceous of China. *Cretaceous Research*, 30(1), 63–77.
- Butler, R. J., Upchurch, P., and Norman, D. B. (2008). The phylogeny of ornithischian dinosaurs. *Journal of Systematic Palaeontology* 6(1),1–40.
- Dieudonné, P. E., Cruzado-Caballero, P., Godefroit, P., and Tortosa, T. (2020). A new phylogeny of cerapodan dinosaurs. *Historical Biology*, 33(10), 2335–2355.

- Dyer, A. (2021). Cranial morphology, taxonomy, and systematics of pachycephalosaurids (Dinosauria: Ornithischia). MSc diss., University of Alberta.
- Dyer, A., Powers, M., and Currie, P. (2023). Problematic putative pachycephalosaurids: Synchrotron μ CT imaging shines new light on the anatomy and taxonomic validity of *Gravitholus albertae* from the Belly River Group (Campanian) of Alberta, Canada. *Vertebrate Anatomy Morphology Palaeontology*, 10(1).
- Evans, D. C., Hayashi, S., Chiba, K., et al. (2018). Morphology and histology of new cranial specimens of Pachycephalosauridae (Dinosauria: Ornithischia) from the Nemegt Formation, Mongolia. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 494, 121–134.
- Evans, D. C., Schott, R. K., Larson, D. W., Brown, C. M., and Ryan, M. J. (2013). The oldest North American pachycephalosaurid and the hidden diversity of small-bodied ornithischian dinosaurs. *Nature Communications*, 4, 1828.
- Evans, D., Brown, C. M., You, H., and Campione, N. E. (2021). Description and revised diagnosis of Asia's first recorded pachycephalosaurid, *Sinocephale bexelli* gen. nov., from the Upper Cretaceous of Inner Mongolia, China. *Canadian Journal of Earth Sciences*, 58(10), 981–992.
- Galton, P. M., and Sues, H. D. (1983). New data on pachycephalosaurid dinosaurs (Reptilia: Ornithischia) from North America. *Canadian Journal of Earth Sciences*, 20(3), 462–472.
- Goodwin, M. B., and Evans, D. C. (2016). The early expression of squamosal horns and parietal ornamentation confirmed by new end-stage juvenile *Pachycephalosaurus* fossils from the Upper Cretaceous Hell Creek Formation, Montana. *Journal of Vertebrate Paleontology*, 36(2), e1078343.

- Herne, M. C., Nair, J. P., Evans, A. R., and Tait, A. M. (2019). New small-bodied ornithopods (Dinosauria, Neornithischia) from the early Cretaceous Wonthaggi Formation (Strzelecki Group) of the Australian-Antarctic rift system, with revision of *Qantassaurus intrepidus* Rich and Vickers-Rich, 1999. *Journal of Paleontology*, 93(3), 543–584.
- Horner, J. R., and Goodwin, M. B. (2009). Extreme cranial ontogeny in the Upper Cretaceous dinosaur *Pachycephalosaurus*. *PLOS One*, 4(10), e7626.
- Horner, J. R., Goodwin, M. B., and Evans, D. C. (2023). A new pachycephalosaurid from the Hell Creek Formation, Garfield County, Montana, U.S.A. *Journal of Vertebrate Paleontology*, 42(4), e2190369.
- Hou, Lian-Hai (1977). A new primitive Pachycephalosauria from Anhui, China. [In Chinese.] *Vertebrata Palasiatica*, 15(3), 198–202.
- Jasinski, S. E., and Sullivan, R. M. (2016). The validity of the Late Cretaceous pachycephalosaurid *Stegoceras novomexicanum* (Dinosauria: Pachycephalosauridae). In *Fossil Record 5*, edited by Sullivan, R. M., and Lucas, S. G. *New Mexico Museum of Natural History and Science Bulletin*, no. 74, 107–116.
- Lambe, L. M. (1902). New genera and species from the Belly River Series (mid-Cretaceous). *Geological Survey of Canada, Contributions to Canadian Palaeontology*, 3, 68.
- Lambe, L. M. (1918). The Cretaceous genus *Stegoceras* typifying a new family referred provisionally to the Stegosauria. *Proceedings and Transactions of the Royal Society of Canada*, ser. 3, 12, 23–36.
- Longrich N. R., and Sankey J. T., et al. (2010). *Texacephale langstoni*, a new genus of pachycephalosaurid (Dinosauria: Ornithischia) from the upper Campanian Aguja Formation, southern Texas, USA. *Cretaceous Research*, 31(2), 274–284.

- Manitkoon, S., Deesri, U., Khalloufi, B., et al. (2023). A new basal neornithischian dinosaur from the Phu Kradung Formation (Upper Jurassic) of Northeastern Thailand. *Diversity*, 15(7), 851.
- Maryańska, T. and Osmólska, H. (1974). Pachycephalosauria, a new suborder of ornithischian dinosaurs. *Palaeontologia Polonica*, 30, 45–102.
- Maryańska, T., Chapman, R. E., and Weishampel, D. B. (2004). *Pachycephalosauria*. In *The Dinosauria*, 2nd edition, edited by Weishampel, D. B., Dodson, P., and Osmólska, H. Oakland, CA: University of California Press.
- Moore, B. R. S., Roloson, M. J., Currie, Ryan, P. J., Patterson, T., and Mallon, J. C. (2022). The appendicular myology of *Stegoceras validum* (Ornithischia: Pachycephalosauridae) and implications for the head-butting hypothesis. *PLOS One*, 17(9), e0268144.
- Perle, A., Maryańska, T., and Osmólska, H. (1982). *Goyocephale lattimorei* gen. et sp. n., a new flat-headed pachycephalosaur (Ornithischia, Dinosauria) from the Upper Cretaceous of Mongolia. *Acta Palaeontologica Polonica*, 27(1–4), 115–127.
- Reid, R. E. H. (1997) Histology of bones and teeth. In *Encyclopedia of Dinosaurs*, edited by Currie, P. J., and Padian, K., 329–339. San Diego, CA: Academic Press.
- Schott, R. K., and Evans, D. C. (2016). Cranial variation and systematics of *Foraminacephale brevis* gen. nov. and the diversity of pachycephalosaurid dinosaurs (Ornithischia: Cerapoda) in the Belly River Group of Alberta, Canada. *Zoological Journal of the Linnean Society*, [https://DOI:10.1111/zoj.12465](https://doi.org/10.1111/zoj.12465).
- Schott, R. K., Evans, D. C., Williamson, T. E., Carr, T. D., and Goodwin, M. B. (2009). The anatomy and systematics of *Colepiocephale lambei* (Dinosauria: Pachycephalosauridae). *Journal of Vertebrate Paleontology*, 29(3), 771–786.

- Sereno, P. C. (2000). The fossil record, systematics and evolution of pachycephalosaurs and ceratopsians from Asia. In *The Age of Dinosaurs in Russia and Mongolia*, edited by Benton, M. J., et al. Cambridge: Cambridge University Press.
- Sternberg, C. M. (1945). Pachycephalosauridae proposed for dome-headed dinosaurs, *Stegoceras lambei*, n. sp., described. *Journal of Paleontology*, 19(5), 534–538.
- Sues, H. D., and Galton, P. M. (1987). Anatomy and classification of the North American Pachycephalosauria (Dinosauria: Ornithischia). *Palaeontographica Abteilung A*, 1–3, 1–40.
- Sullivan, R. M. (2003a). *Hanssuesia*, the correct generic name for “*Hanssuesia*” Sullivan, 2003. *Journal of Vertebrate Paleontology*, 23(3), 714.
- Sullivan, R. M. (2003b). Revision of the dinosaur *Stegoceras* Lambe (Ornithischia, Pachycephalosauridae). *Journal of Vertebrate Paleontology*, 23, 181–207.
- Sullivan, R. M. (2006). A Taxonomic Review of the Pachycephalosauridae (Dinosauria: Ornithischia). *New Mexico Museum of Natural History and Science Bulletin*, no. 35, 347–365.
- Wall, W. P., and Galton, P. M. (1979). Notes on pachycephalosaurid dinosaurs (Reptilia: Ornithischia) from North America, with comments on their status as ornithopods. *Canadian Journal of Earth Sciences*, 16, 1176–1186.
- Watabe, M., Tsogtbaatar, K., and Sullivan, Robert M. (2011). A new pachycephalosaurid from the Baynshire Formation (Cenomanian-late Santonian), Gobi Desert, Mongolia. Fossil Record 3, edited by Sullivan, R. M. et al. *New Mexico Museum of Natural History and Science Bulletin*, no. 53, 489–497.

- Williamson T. E., and Carr T. D. (2002). A new genus of highly derived pachycephalosaurian from western North America. *Journal of Vertebrate Paleontology*, 22(4), 779–801.
- Woodruff, C., Schott, R. K., and Evans, D. C. (2023). Two new species of small-bodied pachycephalosaurine (Dinosauria, Marginocephalia) from the uppermost Cretaceous of North America suggest hidden diversity in well-sampled formations. *Papers in Palaeontology*, 9(6), e1535.
- Woodruff, D. C., Goodwin, M. B., Lyson, T. R., and Evans, D. C. (2021). Ontogeny and variation of the pachycephalosaurine dinosaur *Sphaerotholus buchholtzae*, and its systematics within the genus. *Zoological Journal of the Linnean Society*, 193(2), 563–601.

Nomina dubia

- Agnolín, F. L., M. D. Ezcurra, D. F. Pais, and S. W. Salisbury. (2010). A reappraisal of the Cretaceous non-avian dinosaur faunas from Australia and New Zealand: Evidence for their Gondwana affinities. *Journal of Systematic Palaeontology*, 8, 257–300.
- Ameghino, F. 1899. Nota preliminar sobre el *Loncosaurus argentinus*, un representante de la familia Megalosauridae de la República Argentina. *Anales de la Sociedad Científica Argentina*, 49, 61–62.
- Antunes, M. T., and Sigogneau-Russell, D. (1991). Nouvelles données sur les Dinosaures du Crétacé supérieur du Portugal. *Comptes rendus de l'Académie des sciences*, sér. 2, *Mécanique, Physique, Chimie, Sciences de l'univers, Sciences de la Terre*, 313(1), 113–119.

- Arbour, V. M. (2014). *Systematics, Evolution, and Biogeography of the Ankylosaurid Dinosaurs*. PhD diss., University of Alberta.
- Arbour, V. M., and Currie, P. J. (2015). Ankylosaurid dinosaur tail clubs evolved through stepwise acquisition of key features. *Journal of Anatomy*, 227(4), 514–523.
- Averianov, A. O., Martin, T., and Bakirov, A. A. (2005). Pterosaur and dinosaur remains from the Middle Jurassic Balabansai Svita in the northern Fergana depression, Kyrgyzstan (central Asia). *Palaeontology*, 48(1), 135–155.
- Baird, D., and Horner, J. R. (1979), Cretaceous dinosaurs of North Carolina, *Brimleyana: The Journal of the North Carolina State Museum of Natural History*, 2, 1–28.
- Barrett, P. M., and Bonsor, J. A. (2020). A revision of the non-avian dinosaurs *Eucercosaurus tanyspondylus* and *Syngonosaurus macrocercus* from the Cambridge Greensand, UK. *Cretaceous Research*, 118, 104638.
- Bohlin, B. (1953), *Fossil reptiles from Mongolia and Kansu. Reports from the Scientific Expedition to the North-western Provinces of China under Leadership of Dr. Sven Hedin*. VI. Vertebrate Palaeontology 6. The Sino-Swedish Expedition Publications 37, 113.
- Brett-Surman, M. K. (1989). A revision of the Hadrosauridae (Reptilia: Ornithischia) and their evolution during the Campanian and Maastrichtian. PhD. diss., George Washington University, Washington, D. C., 1–272.
- Broom, R. (1911). On the dinosaurs of the Stormberg, South Africa. *Annals of the South African Museum*, 7(4), 291–308.
- Brownstein, C. D. (2018). The biogeography and ecology of the Cretaceous non-avian dinosaurs of Appalachia. *Palaeontologia Electronica*, article 21.5A, 1–56.

- Butler, R. J., and Sullivan, R. M. (2009). The phylogenetic position of the ornithischian dinosaur *Stenopelix valdensis* from the Lower Cretaceous of Germany and the early fossil record of Pachycephalosauria. *Acta Palaeontologica Polonica*, 54(1), 21–34.
- Caballero, P. C., and Coria, R. A. (2016). Revisiting the hadrosaurid diversity of the Allen Fm.: Re-evaluation of the taxonomic validity of *Willinakaqe salitralensis* (Ornithopoda, Hadrosauridae) from Salitral Moreno, Río Negro Province, Argentina. *Ameghiniana*, 53(2), 231–237.
- Campione, N. E., Brink, K. S., Freedman, E. A., McGarrity, C. T., and Evans, D. C. (2012). “Glishades ericksoni,” an indeterminate juvenile hadrosaurid from the Two Medicine Formation of Montana: Implications for hadrosauroid diversity in the latest Cretaceous (Campanian-Maastrichtian) of western North America. *Palaeobiodiversity and Palaeoenvironments*, 93, 65–75.
- Carpenter, K. and Ishida, Y. (2010). Early and “Middle” Cretaceous iguanodonts in time and space.” *Journal of Iberian Geology*, 36(2), 145–164.
- Carpenter, K., Dilkes, D., and Weishampel, D. B. (1995). The dinosaurs of the Niobrara Chalk Formation (Upper Cretaceous, Kansas). *Journal of vertebrate Paleontology*, 15(2), 275–297.
- Carr, T. D., and Williamson, T. E. (2000). A review of Tyrannosauridae (Dinosauria, Coelurosauria) from New Mexico. *New Mexico Museum of Natural History and Science Bulletin*, no. 17, 113–145.
- Casanovas, M. L., Pereda-Suberbiola, X., Santafé, J.V., and Weishampel, D. B. (1999). First lambeosaurine hadrosaurid from Europe: Palaeobiogeographical implications, *Geological Magazine*, 136(2), 205–211.

- Chakravarti, D. K. (1934). On a Stegosaurian humerus from the Lameta Beds of Jabulpore. *Quarterly Journal of the Geological, Mining and Metallurgical Society of India*, 6(3), 75–79.
- Cobabe, E. A., and Fastovsky, D. E. (1987). *Ugrosaurus olsoni*, a new ceratopsian (Reptilia: Ornithischia) from the Hell Creek Formation of eastern Montana. *Journal of Paleontology*, 61(1), 148–154.
- Cope, E. D. (1869a). Synopsis of the extinct Batrachia, Reptilia and Aves of North America. *Transactions of the American Philosophical Society*, 14, 105–252.
- Cope, E. D. (1869b), Remarks on *Eschrichtius polyporus*, *Hypsibema crassicauda*, *Hadrosaurus tripus*, and *Polydectes biturgidus*,” *Proceedings of the Academy of Natural Sciences of Philadelphia*, 21, 191–192.
- Cope, E. D. (1872). On the existence of Dinosauria in the Transition Beds of Wyoming. *Proceedings of the American Philosophical Society*, 12, 481–483.
- Cope, E. D. (1874a). Report on the stratigraphy and Pliocene vertebrate paleontology of northern Colorado. *Bulletin of the United States Geological and Geographical Survey of the Territories*, 1(1), 9–22.
- Cope, E. D. (1874b). Report on the stratigraphy and Pliocene vertebrate paleontology of northern Colorado. *Bulletin of the U.S. Geological and Geographical Survey of the Territories*, 9, 9–28. [[FC: Move back to alphabetical order]]
- Cope, E. D. (1875). On the transition beds of the Saskatchewan district. *Proceedings of the Academy of Natural Sciences of Philadelphia*, 27, 2–3.
- Cope, E. D. (1876). Descriptions of some vertebrate remains from the Fort Union Beds of Montana. *Proceedings of the Academy of Natural Sciences of Philadelphia*, 28, 248–261.

- Cope, E. D. (1876). Descriptions of some vertebrate remains from the Fort Union Beds of Montana. *Proceedings of the Academy of Natural Sciences of Philadelphia*, 28, 248–261.
- Cope, E. D. (1877). On reptilian remains from the Dakota Beds of Colorado. *Proceedings of the American Philosophical Society*, 17(100), 193–196.
- Cope, E. D. (1878). A new genus of Dinosauria from Colorado. *American Naturalist*, 12, 181.
- Cope, E. D. (1889). Notes on the Dinosauria of the Laramie. *American Naturalist*, 23, 904–906.
- Cope, E. D. (1892). Fourth note on the Dinosauria of the Laramie. *American Naturalist*, 26, 756–758.
- de Lapparent, A. F., and Zbyszewski, G. (1957). Les dinosauriens du Portugal. *Mémoires des Services Géologiques du Portugal*, nouvelle sér., 2, 1–63.
- Dodson, P. and Currie, P. J. (1990). Neoceratopsia. In *The Dinosauria*, 1st edition, edited by Weishampel, D. B., Osmólska, H., and Dodson, P., 593–618. Oakland, CA: University of California Press.
- Dodson, P., Forster, C. A., and Sampson, S. D. (2004). Ceratopsidae. In *The Dinosauria* 2nd edition, edited by Weishampel, D. B., Dodson, P., and Osmólska, H., 494–513. Oakland: University of California Press.
- Dong Z. (1997). A small ornithopod from Mazongshan area, Gansu Province, China. In *Sino-Japanese Silk Road Dinosaur Expedition*, edited by Dong, Z. Beijing: China Ocean Press, 24–26.
- Dong Z. (2001). Primitive armored dinosaur from the Lufeng Basin, China. In *Mesozoic Vertebrate Life*, edited by Tanke, D. H., and Carpenter, K. Bloomington, IN: Indiana University Press, 237–243.

- Dong Z., Zhou S., and Zhang Zicheng (1983). Dinosaurs from the Jurassic of Sichuan. [In Chinese.] *Palaeontologia Sinica*, new ser. C. 162 (23), 1–145.
- Dong, Z. (1979). The Cretaceous dinosaur fossils in southern China. [In Chinese] *Mesozoic and Cenozoic Red Beds of South China*. Nanxiong, China: Science Press, 342–350.
- Dong, Z. (1989). On a small ornithopod (*Gongbusaurus wucaiwansensis* sp. nov.) from Kelamaili, Junggar Basin, Xinjiang, China. *Vertebrata Palasiatica*, 27(2), 140–146.
- Dong, Z. (2002). A new armored dinosaur (Ankylosauria) from Beipiao Basin, Liaoning Province, northeastern China. *Vertebrata Palasiatica*, 40(4), 276–285.
- Galton, P. M. (2006). Teeth of ornithischian dinosaurs (mostly Ornithopoda) from the Morrison Formation (Upper Jurassic) of the western United States. In *Horns and Beaks: Ceratopsian and Ornithopod Dinosaurs*, edited by Carpenter, K. Bloomington, IN: Indiana University Press, 17–47.
- Galton, P. M. (2010). Species of plated dinosaur *Stegosaurus* (Morrison Formation, Late Jurassic) of western USA: New type species designation needed. *Swiss Journal of Geosciences*, 103(2), 187–198.
- Galton, P. M., and Upchurch, P. (2004). Prosauropoda. *The Dinosauria*, 2nd edition, edited by Weishampel, D. B., Dodson, P., and Osmólska, H., 232–258. Oakland, CA: University of California Press.
- Gilmore, C. W. (1914). A new ceratopsian dinosaur from the Upper Cretaceous of Montana, with note on *Hypacrosaurus*. *Smithsonian Miscellaneous Collections*, 63(3), 1–10.
- Godefroit, P., Bolotsky, Y. L., and Lauters, P. (2012). A new saurolophine dinosaur from the latest Cretaceous of far Eastern Russia. *PLOS One*, 7(5), e36849.

- Horner, J. R., Weishampel, D. B., and Forster, C. A. (2004). Hadrosauridae. In *The Dinosauria*, 2nd edition, edited by Weishampel, D. B., Dodson, P., and Osmólska, H., 438–463. Oakland: University of California Press.
- Hulke, J. W. (1879). *Vectisaurus valdensis*, a new Wealden Dinosaur: *Quarterly Journal of the Geological Society of London*, 35, 421–424.
- Hunt, A. P., Lucas, S. G., and Mateer, N. J. (1992). Charles H. Sternberg and the collection of Late Cretaceous vertebrate fossils from the San Juan Basin, New Mexico. In *San Juan Basin IV: New Mexico Geological Society, Forty-third Annual Field Conference* (September, 1992), 241–250.
- Ibiricu, L. M., Martínez, R. D., Lamanna, M. C., et al. (2010). A medium-sized ornithopod (Dinosauria: Ornithischia) from the Upper Cretaceous Bajo Barreal Formation of Lago Colhué Huapi, southern Chubut Province, Argentina. *Annals of Carnegie Museum*, 79(1), 39–50.
- Jasinski, S. E., and Sullivan, R. M. (2011). Re-evaluation of pachycephalosaurids from the Fruitland-Kirtland transition (Kirtlandian, late Campanian), San Juan Basin, New Mexico, with a description of a new species of *Stegoceras* and a reassessment of *Texacephale langstoni*. *Fossil Record 3. New Mexico Museum of Natural History and Science Bulletin*, no. 53, 202–215.
- Juárez Valieri, R. D., Haro, J. A., Fiorelli, L. E., and Calvo, J. O. (2010). A new hadrosauroid (Dinosauria: Ornithopoda) from the Allen Formation (Late Cretaceous) of Patagonia, Argentina. *Revista del Museo Argentino de Ciencias Naturales*, 12(2), 217–231.
- Knoll, Fabien (1999). The family Fabrosauridae. 4th European Workshop on Vertebrate Palaeontology, Zaragoza.

- Kurzanov, S. M., and Tumanova, T. A. 1978. On the structure on the endocranium in some ankylosaurs from Mongolia. [In Russian.] *Paleontologicheskii Zhurnal*, 1978, 90–96.
- Lamanna, M. C., Smith, J. B., Attia, Y. S., and Dodson, P. (2004). From dinosaurs to dyrosaurids (Crocodyliformes): Removal of the post-Cenomanian (Late Cretaceous) record of Ornithischia from Africa. *Journal of Vertebrate Paleontology*, 24(3), 764.
- Lambe, Lawrence M. (1914). On a new genus and species of carnivorous dinosaur from the Belly River Formation of Alberta, with a description of the skull of *Stephanosaurus marginatus* from the same horizon. *Ottawa Naturalist*, 28, 13–20.
- Leidy, J. (1856a). Notice of remains of extinct vertebrated animals discovered by Professor E. Emmons. *Proceedings of the Academy of Natural Sciences of Philadelphia*, 8, 255–257.
- Leidy, J. (1856b). Notice of extinct Vertebrata, discovered by F. V. Hayden during the expedition to the Sioux country under the command of Lieut. G. K. Warren. *Proceedings of the Academy of Natural Science Philadelphia*, 8(December 30), 311–312.
- Leidy, J. (1856c). Notice of remains of extinct reptiles and fishes, discovered by F. V. Hayden in the Bad Lands of the Judith River, Nebraska Territories. *Proceedings of the Academy of Natural Science Philadelphia*, 8(25 March), 72–73.
- Longrich, N. R., Sankey, J., and Tanke, D. (2010). *Texacephale langstoni*, a new genus of pachycephalosaurid (Dinosauria: Ornithischia) from the upper Campanian Aguja Formation, southern Texas, USA. *Cretaceous Research*, 31(2), 274–284.
- Madzia, D., Jagt, J. W. M., and Mulder, E.W.A. (2019). Osteology, phylogenetic affinities and taxonomic status of the enigmatic late Maastrichtian ornithopod taxon *Orthomerus dolloi* (Dinosauria, Ornithischia). *Cretaceous Research*, 108.

- Maidment, S. C. R., Brassey, C., and Barrett, P. M. (2015). The postcranial skeleton of an exceptionally complete individual of the plated dinosaur *Stegosaurus stenops* (Dinosauria: Thyreophora) from the Upper Jurassic Morrison Formation of Wyoming, U.S.A. *PLOS One*, 10(10), e0138352.
- Maidment, S. C. R., Norman, D. B., Barrett, P. M., and Upchurch, P. (2008). Systematics and phylogeny of Stegosauria (Dinosauria: Ornithischia). *Journal of Systematic Palaeontology*, 6(4), 367–407.
- Maleev, E. A. (1952). A new ankylosaur from the Upper Cretaceous of Mongolia. *Doklady Akademii Nauk SSSR*, 87(2), 273–276.
- Mantell, G. A., (1848). On the structure of the jaws and teeth of the Iguanodon, *Philosophical Transactions of the Royal Society of London*, 138, 183–202.
- Marsh, O. C. (1878). Notice of new dinosaurian reptiles. *American Journal of Science and Arts*, 15(87), 241–244.
- Marsh, O. C. (1888b). Notice of a new genus of Sauropoda and other new dinosaurs from the Potomac Formation. *American Journal of Science*, 135, 89–94.
- Marsh, O.C. (1888a). A new family of horned Dinosauria, from the Cretaceous. *American Journal of Science*, ser. 3, 36(216), 477–478.
- Mateus, O. (2008). Two ornithischian dinosaurs renamed: *Microceratops* Bohlin 1953 and *Diceratops* Lull 1905. *Journal of Paleontology*, 82(2), 423.
- McDonald, Andrew T. (2011). A subadult specimen of *Rubeosaurus ovatus* (Dinosauria: Ceratopsidae), with observations on other ceratopsids from the Two Medicine Formation. *PLOS One*, 6(8), e22710.

- McDonald, Andrew T. (2012). The status of *Dollodon* and other basal iguanodonts (Dinosauria: Ornithischia) from the upper Wealden beds (Lower Cretaceous) of Europe. *Cretaceous Research*, 33, 1–6.
- Molnar, R. E., and Galton, P. M. (1986). Hypsilophodontid dinosaurs from Lightning Ridge, New South Wales, Australia. *Geobios*, 19(2), 231–243.
- Nessov, L. A. (1995). *Dinozavri severnoi Yevrazii: Novye dannye o sostave kompleksov, ekologii i paleobiogeografii*. St. Petersburg: Institute for Scientific Research on the Earth's Crust, St. Petersburg State University, 1–156.
- Nopcsa, F. (1928), Palaeontological notes on reptiles. *Geologica Hungarica, Series Palaeontologica*, 1, fasc. 1, 1–84
- Norman, D. B. (2004). Basal iguanodontia. *The Dinosauria*, 2nd edition, edited by Weishampel, D. B., Dodson, P., and Osmólska, H., 413–437. Oakland, CA: University of California Press.
- Norman, D. B., Crompton, A. W., Butler, R. J., Porro, L. B., and Charig, A. J. (2011). The Lower Jurassic ornithischian dinosaur *Heterodontosaurus tucki* Crompton and Charig, 1962: Cranial anatomy, functional morphology, taxonomy, and relationships. *Zoological Journal of the Linnean Society*, 163(1), 182–276.
- Norman, D. B., Sues, H. D., Witmer, L. M., and Coria, R. A. (2004). Basal Ornithopoda. *The Dinosauria*, 2nd edition, edited by Weishampel, D. B., Dodson, P., and Osmólska, H., 393–412. Oakland, CA: University of California Press.
- Norman, David. (1990). A review of *Vectisaurus valdensis*, with comments on the family Iguanodontidae. In *Dinosaur systematics: Approaches and Perspectives*, edited by Carpenter, K., and Currie, P. J., 147–161. Symposium proceedings, Drumheller, 1986.

- Ostrom, J. H., and Wellnhofer, P. (1985). The Munich specimen of *Triceratops* with a revision of the genus. *Zitteliana*, 14, 111–158.
- Parish, J., and Barrett, P. (2004). A reappraisal of the ornithischian dinosaur *Amtosaurus magnus* Kurzanov and Tumanova 1978, with comments on the status of *A. archibaldi* Averianov 2002. *Canadian Journal of Earth Sciences*, 41(3), 299–306.
- Parks, William A. (1923). *Corythosaurus intermedius*, a new species of trachodont dinosaur. *University of Toronto Studies, Geological Series*, 15, 1–57.
- Pereda-Suberbiola, X., and Galton, P. M. (2001). Reappraisal of the nodosaurid ankylosaur *Struthiosaurus austriacus* Bunzel from the Upper Cretaceous Gosau Beds of Austria. In *The Armored Dinosaurs*, edited by Carpenter, K. Bloomington, IN: Indiana University Press, 173–210. [[Details added. Please confirm.]]
- Prieto-Márquez A., and Wagner, J. R. (2009). *Pararhabdodon isonensis* and *Tsintaosaurus spinorhinus*: A new clade of lambeosaurine hadrosaurids from Eurasia. *Cretaceous Research*, 30(5), 1238–1246).
- Prieto-Márquez, A. (2010). *Glishades ericksoni*, a new hadrosauroid (Dinosauria: Ornithopoda) from the Late Cretaceous of North America. *Zootaxa*, 2452, 1–17.
- Prieto-Márquez, A., Dalla Vecchia, F. M., Gaete, R., and Galobart, À. (2013). Diversity, relationships, and biogeography of the lambeosaurine dinosaurs from the European archipelago, with description of the new aralosaurin *Canardia garonnensis*. *PLOS One*, 8(7), e69835.
- Prieto-Marquez, A., Gaete, R., Rivas, G., Galobart, À., and Boada, M. (2006a). Hadrosauroid dinosaurs from the Late Cretaceous of Spain: *Pararhabdodon isonensis* revisited and *Koutalisaurus kohlerorum*, gen. et sp. nov. *Journal of Vertebrate Paleontology*, 26(4),

- 929–943. Prieto-Márquez, A., Weishampel D. B., and Horner J. R. (2006b). The dinosaur *Hadrosaurus foulkii*, from the Campanian of the East Coast of North America, with a reevaluation of the genus. *Acta Palaeontologica Polonica*, 51(1), 77–98.
- Raven, T. J., Barrett, P. M., Pond, S. B., and Maidment, S. C. (2020). Osteology and taxonomy of British Wealden Supergroup (Berriasian–Aptian) ankylosaurs (Ornithischia, Ankylosauria). *Journal of Vertebrate Paleontology*, 40(4), e1826956.
- Raven, T. J., Barrett, P. M., Xu, X., and Maidment, S. C. R. (2019). A reassessment of the purported ankylosaurian dinosaur *Bienosaurus lufengensis* from the Lower Lufeng Formation of Yunnan, China. *Acta Palaeontologica Polonica*, 64.
- Riabinin A. N. (1930). *Mandschurosaurus amurensis* nov. gen, nov. sp. a hadrosaurian dinosaur from the Upper Cretaceous of the Amur River. *Paleontological Society of Russia Memoir*, 2, 1–36.
- Riabinin, A. N. (1931). Ostatki dinozavrov iz verkhnego mela nizov'ev r. Amu-Dar'i [On the dinosaurian remains from the Upper Cretaceous of the lower parts of the Amu-Daria River]. *Zapiski Rossiyskogo Mineralogicheskogo Obshchestva*, 60(1), 114–118.
- Rich, T. H., and Vickers-Rich, P. (2003). Protoceratopsian? ulnae from Australia. *Records of the Queen Victoria Museum*, 113, 1–12.
- Rich, T. H., Kear, B. P., Sinclair, R., et al. (2014). *Serendipaceratops arthurcclarkei* Rich and Vickers-Rich, 2003 is an Australian Early Cretaceous ceratopsian. *Alcheringa: An Australasian Journal of Palaeontology*, 38(4), 456–479.
- Rozadilla, S., Agnolín, F. L., and Novas, F. E. (2019). Osteology of the Patagonian ornithopod *Talenkauen santacrucensis* (Dinosauria, Ornithischia). *Journal of Systematic Palaeontology*, 17(24), 2043–2089.

- Rozadilla, S., Agnolín, F., Manabe, M., Tsuihiji, T., and Novas, F. E. (2021). Ornithischian remains from the Chorrillo Formation (Upper Cretaceous), southern Patagonia, Argentina, and their implications on ornithischian paleobiogeography in the Southern Hemisphere. *Cretaceous Research*, 125, 104881.
- Ryan, M. J. (2006). The status of the problematic taxon *Monoclonius* (Ornithischia: Ceratopsidae) and the recognition of adult-sized dinosaur taxa.” *Geological Society of America Abstracts with Programs*, 38(4), 62.
- Sachs, S., and Hornung, J (2006). Juvenile ornithopod (Dinosauria: Rhabdodontidae) remains from the Upper Cretaceous (Lower Campanian, Gosau Group) of Muthmannsdorf (Lower Austria). *Geobios*. 39(3), 415–425.
- Seeley, H. G. (1874). On the base of a large lacertian cranium from the Potton Sands, presumably dinosaurian. *Quarterly Journal of the Geological Society of London*, 30(1–4), 690–692.
- Seeley, H. G. (1879). On the Dinosauria of the Cambridge Greensand. *Quarterly Journal of the Geological Society*, 35(1–4), 591–636.
- Seeley, H. G. (1883). On the dinosaurs from the Maastricht beds. *Quarterly Journal of the Geological Society of London*, 39(1–4), 246–253.
- Seeley, H.G. (1869). *Index to the Fossil Remains of Aves, Ornithosauria, and Reptilia from the Secondary System of Strata, arranged in the Woodwardian Museum of the University of Cambridge. III*. Cambridge: Cambridge University Press.
- Seeley, H.G. (1881). The reptile fauna of the Gosau Formation preserved in the Geological Museum of the University of Vienna. *Quarterly Journal of the Geological Society of London*, 37(148), 620–707.

- Sereno, P. C. (2012). Taxonomy, morphology, masticatory function and phylogeny of heterodontosaurid dinosaurs. *ZooKeys* (223), 1–225.
- Shilin, F. V., and Suslov, Y. V. (1982). A hadrosaur from the northeastern Aral Region. *Paleontological Journal*, 1982(1), 132–136.
- Simmons D. J. (1965). The non-therapsid reptiles of the Lufeng Basin, Yunnan, China. *Field Geol*, 15, 1–93.
- Sullivan, R. M. (2006). A taxonomic review of the Pachycephalosauridae (Dinosauria: Ornithischia). *New Mexico Museum of Natural History and Science Bulletin*, no. 47, 347–365.
- Tapia, A. (1918), Una mandibula de dinosaurio procedente de Patagonia. *Physis*, 4, 369–370.
- Thulborn, R. A. (1973). Teeth of ornithischian dinosaurs from the Upper Jurassic of Portugal, with description of a hypsilophodontid (*Phyllodon henkeli* gen. et sp. nov.) from the Guimarota lignite. *Memória Serivoços Geológicos de Portugal*. Nova sér., 22, 89–134.
- Tumanova, T. A. (1987). Pantsirnyye dinozavry Mongolii. [In Russian.] *Trudy Sovmestnaya Sovetsko-Mongol'skaya Paleontologicheskaya Ekspeditsiya*, 32, 1–80.
- Vickaryous, M. K., Maryanska, T., and Weishampel, D. B. (2004). Ankylosauria. In *The Dinosauria*, 2nd edition, edited by Weishampel, D. B., Dodson, P., and Osmólska, H., 363–392. Oakland, CA: University of California Press.
- von Huene, F. (1932), Die fossile Reptil-Ordnung Saurischia, ihre Entwicklung und Geschichte, *Monographien zur Geologie und Palaeontologie*, ser. 1, 4(1–2), 1–361.
- Wang, K. B., Zhang, Y. X., Chen, J., Chen, S. Q., and Wang, P. Y. (2020). A new ankylosaurian from the Late Cretaceous strata of Zhucheng, Shandong Province. [In Chinese.] *Geological Bulletin of China*, 39(7), 958–962.

- Weishampel, D. B., and Witmer, L. M. (1990). *Lesothosaurus*, *Pisanosaurus*, and *Technosaurus*.” In *The Dinosauria*, 1st edition, edited by Weishampel, D. B., Osmólska, H., and Dodson, P., 416–425. Oakland, CA: University of California Press.
- West, A., and Tibert, N. (2004). Quantitative analysis for the type material of *Priconodon crassus*: A distinct taxon from the Arundel Formation in southern Maryland. *Geological Society of America Abstracts with Programs*, 36(5), 423.
- Wieland, G. R. (1909). A new armored saurian from the Niobrara. *American Journal of Science*, ser. 4, 27, 250–252.
- Zheng, W., Shibata, M., Liao, C. C., et al. (2021). First definitive ankylosaurian dinosaur from the Cretaceous of Jilin Province, northeastern China. *Cretaceous Research*, 127, 104953.